

Magneto-Optical Imaging of Vortex Arrangements in Pb Finite Superconducting Network

*Y. Tsuchiya, Y. Nakajima, T. Tamegai, Physica C , Vol. () , - to be published

Magnetic Flux Oscillations in Partially Irradiated $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Crystals

D. Barnes, M. Sinvani, A. Shaulov, C. Trautmann, T. Tamegai, Y. Yeshurun, J. Magn. Magn. Mater., Vol. () , - to be published

Magneto-Optical Imaging of Iron-Oxypnictide $\text{SmFeAs}(\text{O},\text{F})$ AND NdFeAsO_{1-y}

T. Tamegai, Y. Nakajima, Y. Tsuchiya, H. Eisaki, H. Kito, K. Miyazawa, P.M. Shirage, A. Iyo, Physica C, Vol. () , - to be published

Anomalous upper Critical Field in Ternary-Iron Silicide Superconductor $\text{Lu}_2\text{Fe}_3\text{Si}_5$

Y. Nakajima, H. Hidaka, T. Tamegai, T. Nishizaki, T. Sasaki, Physica C, Vol. () , - to be published

Non-Magnetic Impurity Effect in Two-Gap Superconductor $\text{Lu}_2\text{Fe}_3\text{Si}_5$

H. Hidaka, Y. Nakajima, T. Tamegai, Physica C, Vol. () , - to be published

Development of Magnetically Aligned Single-Walled Carbon Nanotubes-Gelatin Composite Films

*H. Momota, H. Yokoi, T. Takamasu, Journal of Nanoscience and Nanotechnology, Vol. () , - to be published

X-ray Diffraction Experiments under Pulsed Magnetic under Pulsed Magnetic Fields above 30 T

*T. Inami, K. Ohwada, Y. H. Matsuda, Y. Ueda, H. Nojiri, Y. Murakami, T. Arima, H. Ohta, W. Zhang, K. Yoshimura, Nucl. Instrum. Methods Phys. Res., Sect. B, Vol.238 (2005) , 233 - 236

Effects of Randomness on Field-Induced Phase Transition in the Bond-alternating $S=1$ Spin Chain NTENP

*S. Matsubara, K. Kodama, M. Takigawa and M. Hagiwara, J. Phys. Soc. Jpn, Vol.74 (2005) , 2417 - 2420

Anisotropic Magnetic Properties of a Pressure-induced Superconductor $\text{Ce}_2\text{Ni}_3\text{Ge}_5$

*A. Thamizhavel , H. Nakashima, Y. Obiraki, M. Nakashima, T. D. Matsuda, Y. Haga, K. Sugiyama, T. Takeuchi, R. Settai, M. Hagiwara, K. Kindo, Y. Onuki , J. Phys. Soc. Jpn, Vol.74 (2005) , 2843 - 2848

Anomalous Magnetization of Two-dimensional $S=1/2$ Frustrated Square-lattice Antiferromagnet $(\text{CuCl})\text{LaNb}_2\text{O}_7$

*H. Kageyama, J. Yasuda, T. Kitano, K. Totsuka, Y. Narumi, M. Hagiwara, K. Kindo, Y. Baba, N. Oba, Y. Ajiro, K. Yoshimura, J. Phys. Soc. Jpn, Vol.74 (2005) , 3155 - 3158

Magnetic Behavior of a Spin-1 Dimer : Model System for Homodinuclear Nickel(II) Complexes

*J. Strecka, A. Jascur, M. Hagiwara, Y. Narumi, J. Kuchar, S. Kimura, K. Kindo, J. Phys. Chem. Solids., Vol.66 (2005) , 1828 - 1837

Charge-Ordered State in Half-doped Bi-based Manganites Studied by ^{17}O and ^{209}Bi NMR

*A. Trokiner, S. Verkhovskii, A. Yakubovskii, K. Kumagai, S-W. Cheong, D. Khomskii, Y. Furukawa, J. S. Ahn, A. Pogudin, V. Ogloblichev, A. Gerashenko, K. Mikhalev, Y. Piskunov, Phys. Rev. B, Vol.72 (2005) 054442, 1 - 9

Spin Dynamics and Level Crossing in Nanoscale Molecular Magnet V15 Cluster Studied by ^1H -NMR

*Y. Furukawa, Y. Fujiyoshi, K. Kumagai, P. Kogerler, Polyhedron, Vol.24 (2005) , 2737 - 2744

Cu-NMR Study on Field-Induced Phase Transitions in Quantum Spin Magnet NH_4CuCl_3

*S. Tani, H. Inoue, T. Suzuki, S. Hosoya, K. Inokuchi, T. Fujiwara, T. Goto, H. Tanaka, T. Sasaki, S. Awaji, K. Watanabe, N. Kobayashi, Prog. Theor. Phys. Suppl., Vol.159 (2005) , 235 - 240

Vortex Phase Diagram in Impurity Doped $\text{YBa}_2\text{Cu}_3\text{O}_y$ Single Crystals

*T. Nishizaki, M. Maeda, T. Sato, N. Kobayashi, Physica C , Vol.426-431 (2005) , 18 - 22

Phase Transition of the Josephson Vortices in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Single Crystals with Various Oxygen Deficiencies

*T. Naito, S. Haraguchi, H. Iwasaki, T. Nishizaki, N. Kobayashi, Physica C, Vol.426-431 (2005) , 46 - 50

Vortex Structure in Spinor $F=2$ Bose-Einstein Condensates

*W. V. Pogosov, R. Kawate, T. Mizushima, K. Machida, Phys. Rev. A, Vol.72 (2005) 063605, 1 - 6

Multibranch Bogoliubov-Bloch Spectrum of a Cigar-shaped Bose Condensate in an Optical Lattice

*T. K. Ghosh, K. Machida, Phys. Rev. A, Vol.72 (2005) 053623, 1 - 5

Carbon-substitution Dependent Multiple Superconducting Gap of MgB_2 : A Sub-meV Resolution Photoemission Study

*S. Tsuda, T. Yokoya, T. Kiss, T. Shimojima, S. Shin, T. Togashi, S. Watanabe, C. Zhang, C. T. Chen, S. Lee, H. Uchiyama, S. Tajima, N. Nakai, K. Machida, Phys. Rev. B, Vol.72 (2005) 064527, 1 - 5

Mixed-State Thermodynamics of a Superconductors with Moderately Large Paramagnetic Effects

*H. Adachi, M. Ichioka, K. Machida, J. Phys. Soc. Jpn, Vol.74 (2005) , 2181 - 2184

Vortex Core States in High- T_c Superconductors with Induced Incommensurate Spin and Charge Density Waves

*M. Ichioka, M. Takigawa, K. Machida, Physica C, Vol.426-431 (2005) , 28 - 35

Theoretical Study on the Field Dependence of the Zero Energy Density of States in an Anisotropic Gap Superconductors

*N. Nakai, P. Miranovic, M. Ichioka K. Machida, J. Phys. Chem Sol., Vol.66 (2005) , 1362 - 1364

Vortex Correlations in the Liquid States of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$ with Tilted Columnar Defects

*N. Kameda, T. Shibauchi, M. Tokunaga, S. Ooi, T. Tamegai, M. Konczykowski, Phys. Rev. B, Vol.72 (2005) 064501, 1 - 6

Anisotropic Pancake Vortex Transport in the Crossing Lattices Regime of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Single Crystals

*M. Connolly, S. J. Bending, A. N. Grigorenko, T. Tamegai, Phys. Rev. B, Vol.72 (2005) 224504, 1 - 5

Equilibrium First-Order Melting and Second-Order Glass Transitions of the Vortex Matter in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$

*H. Beidenkopf, N. Avraham, Y. Myasoedov, H. Shtrikman, E. Zeldov, B. Rosenstein, E. H. Brandt, T. Tamegai, Phys. Rev. Lett., Vol.95 (2005) 257004, 1 - 4

Comparative Study of Anisotropic Superconductivity in CaAlSi and CaGaSi

*T. Tamegai, K. Uozato, S. Kasahara, T. Nakagawa, M. Tokunaga, Physica C, Vol.426-431 (2005) , 208 - 212

Peculiar Superconductivity in $\text{PrOs}_4\text{Sb}_{12}$ Probed by Local Magnetization

*S. Kasahara, T. Tamegai, H. Sugawara, H. Sato, Physica C, Vol.426-431 (2005) , 381 - 385

Observation of Single Vortices by Magneto-optical Imaging

*M. Terao, Y. Tokunaga, M. Tokunaga, T. Tamegai, Physica C, Vol.426-431 (2005) , 94 - 98

Anisotropy Dependence of Vortex States Under Tilted Fields Studied by Bitter Decorations

H. Aoki, M. Tokunaga, *T. Tamegai, Physica C, Vol.426-431 (2005) , 65 - 68

Hole-doping and Magnetic-field Effects on the Pseudogap in $\text{Bi}_{1.74}\text{Pb}_{0.38}\text{Sr}_{1.88}\text{CuO}_{6+\delta}$ Studied by the Out-of-plane Resistivity

*K. Kudo, Y. Miyoshi, T. Sasaki, N. Kobayashi, Physica C, Vol.426-431 (2005) , 251 - 256

Topological Structure of a Vortex in the Fulde-Ferrell-Larkin-Ovchinnikov State

*T. Mizushima, K. Machida and M. Ichioka , Phys. Rev. Lett, Vol.95 (2005) 117003, 1 - 4

Theory of Gap-node Detection by Angle-resolved Specific Heat Measurement

*P. Miranovic, M. Ichioka, K. Machida, N. Nakai, J. Phys. Condens. Matter, Vol.17 (2005) , 7971 - 7980

Fulde-Ferrell-Larkin-Ovchinnikov States in a Superfluid Fermi Gas

*T. Mizushima, M. Ichioka, K. Machida, J. Phys. Chem. Solids., Vol.66 (2005) , 1359 - 1361

Kondo Lattice Effects of YbAl_3 Suggested by Temperature Dependence of High-Accuracy High-Energy Photoelectron Spectroscopy

*S. Suga, A. Sekiyama, S. Imada, A. Shigemoto, A. Yamasaki, M. Tsunekawa, C. Dallera, L. Braicovich, T. L. Lee, O. Sakai, T. Ebihara, Y. Onuki, J. Phys. Soc. Jpn, Vol.74 (2005) , 2880 - 2884

Competition between Hidden Order and Antiferromagnetism in URu_2Si_2 under Uniaxial Stress Studied by Neutron Scattering

*M. Yokoyama, H. Amitsuka, K. Tenya, K. Watanabe, S. Kawarazaki, H. Yoshizawa, J. A. Mydosh, Phys. Rev. B. , Vol.72 (2005) 214419, 1 - 9

Coexistence of a Nearly Spin-singlet State and Antiferromagnetic Long-range Order in Quantum Spin System $\text{Cu}_2\text{CdB}_2\text{O}_6$

*M. Hase, M. Kohno, H. Kitazawa, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, Phys. Rev. B, Vol.72 (2005) 172412, 1 - 4

Field-induced Magnetic Ordering in the Haldane System $\text{PbNi}_2\text{V}_2\text{O}_8$

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, G. Kido, Phys. Rev. B, Vol.72 (2005) 104402, 1 - 5

Magnetic Field and Pressure Effects in $\text{Ce}_3\text{Al}_{11}$

*T. Ebihara, T. Takahashi, K. Tezuka, M. Hedo, Y. Uwatoko, S. Uji, Physica B, Vol.359-361 (2005) , 272 - 274

X-ray Absorption Near-edge Structure and Valence State of Mn in $(\text{Ga}, \text{Mn})\text{N}$

*A. Titov, X. Biquard, D. Halley, S. Kuroda, E. Bellet-Amalric, H. Mariette, J. Cibert, A. E. Merad, G. Merad, M. B. Kanoun, E. Kulatov, Yu. A. Uspenskii, Phys. Rev. B, Vol.72 (2005) 115209, 1 - 7

Suppression of Ferromagnetism due to Hole Doping in Zn_{1-x}Cr_xTe Grown by Molecular - Beam Epitaxy

*N. Ozaki, I. Okabayashi, T. Kumekawa, N. Nishizawa, S. Marcet, S. Kuroda, K. Takita, Appl. Phys. Lett., Vol.87 (2005) 192116, 1 - 3

Growth and Magnetic Properties of Novel Ferromagnetic Semiconductor (Zn,Cr) Te

*S. Kuroda, N. Ozaki, N. Nishizawa, T. Kumekawa, S. Marcet, K. Takita, Sci. Technol. Adv. Mater., Vol.6 (2005) , 558 - 564

Anisotropic Magnetic Properties of Zn_{1-x}Co_xO Thin Films Grown by Pulsed Laser Deposition

*J. W. Lee, S. Kuroda, S. Yamada, K. Takita, Phys. Status Solidi C, Vol.3 (2005) , 1126 - 1129

Magnetic-Field-Induced Superconductivity and Phase Diagrams of λ -(BETS)₂FeCl_{4-x}Br_x

*S. Uji, S. Yasuzuka, M. Tokumoto, H. Tanaka, A. Kobayashi, B. Zhang, H. Kobayashi, E. S. Choi, D. Graf, J. S. Brooks, Phys. Rev. B, Vol.72 (2005) 184505, 1 - 5

Impurity Cyclotron Resonance in InGaAs/AlAs Superlattice under Ultra High Magnetic Fields

*H. Momose, H. Deguchi, H. Okai, N. Mori, S. Takeyama, Physica E, Vol.29 (2005) , 606 - 608

Observation of Field-dependent Magnetic Parameters in the Magnetic Molecule{Ni₄Mo₁₂}

*J. Schnack, M. Bruger, M. Luban, P. Kogerler, E. Morosan, R. Fuchs, R. Modler, H. Nojiri, R. C. Rai, J. Cao, J. L. Musfeldt, X. Wei, Phys. Rev. B, Vol.73 (2006) 094401, 1 - 9

Lattice Distortion in Antiferromagnetic CoO under High Magnetic Fields

*Y. Narumi, K. Katsumata, U. Staub, K. Kindo, M. Kawauchi, C. Broennimann, H. Toyokawa, Y. Tanaka, A. Kikkawa, T. Yamamoto, M. Hagiwara, T. Ishikawa; H. Kitamura, J. Phys. Soc. Jpn., Vol.75 (2006) 075001, 1 - 2

Ferromagnetic Ordering in a New Nickel Polyborate NiB₁₂O₁₄(OH)₁₀

*J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N. Toyota, Dalton Trans., Vol.13 (2006) , 1597 - 1601

Observation of a Half Step Magnetization in the {Cu₃}-Type Triangular Spin Ring

*K. Y. Choi, Y. H. Matsuda, H. Nojiri, U. Kortz, F. Hussain, A. C. Stowe, C. Ramsey, S. Dalal, Phys. Rev. Lett., Vol.96 (2006) 107202, 1 - 4

High Field X-ray Diffraction Study on a Magnetic-Field-Induced Valence Transition in YbInCu₄

*Y. H. Matsuda, T. Inami, K. Ohwada, Y. Murata, H. Nojiri, Y. Murakami, H. Ohta, W. Zhang, K. Yoshimura, J. Phys. Soc. Jpn., Vol.75 (2006) 024710, 1 - 5

X-ray Diffractometer Combining Synchrotron Radiation and Pulsed Magnetic Field up to 40 T

*Y. Narumi, K. Kindo, K. Katsumata, M. Kawauchi, Ch. Broennimann, U. Staub, H. Toyokawa, Y. Tanaka, A. Kikkawa, T. Yamamoto, M. Hagiwara, T. Shikawa, H. Kitamura, Journal of Synchrotron Radiation, Vol.13 (2006) , 271 - 274

Field-induced Lattice Staircase in a Frustrated Antiferromagnet CuFeO₂

*N. Terada, Y. Narumi, K. Katsumata, T. Yamamoto, U. Staub, K. Kindo, M. Hagiwara, Y. Tanaka, A. Kikkawa, H. Toyokawa, T. Fukui, R. Kanmuri, T. Ishikawa, H. Kitamura, Phys. Rev. B, Vol.74 (2006) 180404, 1 - 4

Magnetic Field-induced Quasiparticle Excitation in Nb₃Sn: Evidence for Anisotropic s-wave Pairing

*R. Kadono, K. H. Satoh, A. Koda, T. Nagata, H. Kawano-Furukawa, J. Suzuki, M. Matsuda, K. Ohishi, W. Higemoto, S. Kuroiwa, H. Takagiwa, J. Akimitsu, Phys. Rev. B., Vol.74 (2006) 024513, 1 - 5

X-ray Magnetic Circular Dichroism at Rare-Earth $L_{2,3}$ Absorption Edges in Various Compounds and Alloys

*J. C. Parlebas, K. Asakura, A. Fujiwara, I. Harada, A. Kotani, Phys. Rep. , Vol.431 (2006) , 1 - 38

Quantum Phase Transition in Field-Induced Ordering Phases of Anisotropic Haldane Systems

H. Miyazaki, T. Hiwasa, M. Oko, *I. Harada, J. Magn. Magn. Mater., Vol.310 (2006) , 1227 - 1228

Field-Induced Ferromagnetic Order and Colossal Magnetoresistance in $\text{La}_{1.2}\text{Sr}_{1.8}\text{Mn}_2\text{O}_7$: A ^{139}La NMR Study

Y. Shiotani, J. L. Sarrao, *G. -q. Zheng, Phys. Rev. Lett., Vol.96 (2006) 057203, 1 - 4

Spin Singlet Pairing in the Superconducting State of $\text{Na}_x\text{CoO}_2 \cdot 1.3\text{H}_2\text{O}$: Evidence from ^{59}Co Knight Shift in a Single Crystal

*G. -q. Zheng, K. Matano, D. P. Chen, C. T. Lin, Phys. Rev. B, Vol.73 (2006) 180503, 1 - 4

Na Content Dependence of Superconductivity and the Spin Correlations in $\text{Na}_x\text{CoO}_2 \cdot 1.3\text{H}_2\text{O}$

*G. -q. Zheng, K. Matano, R. L. Meng, J. Cmaidalka, C. W. Chu, J. Phys.: Condens. Matter, Vol.18 (2006) , L63 - L70

Muon-Spin-Relaxation Study on Single Crystals $\text{Tl}_{1-x}\text{K}_x\text{CuCl}_3$ with $x = 0.2$

*T. Suzuki, I. Watanabe, A. Oosawa, T. Fujiwara, T. Goto, F. Yamada, H. Tanaka, J. Phys. Soc. Jpn., Vol.75 (2006) 0250021, 1 - 2

Muon Spin Rotation and Relaxation Study on the Solid Solution of the Two Spin-gap Systems $(\text{CH}_3)_2\text{CHNH}_3\text{-CuCl}_3$ and $(\text{CH}_3)_2\text{CHNH}_3\text{-CuBr}_3$

T. Saito, A. Oosawa, *T. Goto, T. Suzuki, I. Watanabe, Phys. Rev. B, Vol.74 (2006) 134423, 1 - 5

Local Spin Moment Distribution in Antiferromagnetic Molecular Rings Probed by NMR

*E. Micotti, Y. Furukawa, K. Kumagai, S. Caretta, A. Lascialfari, F. Borsa, G. A. Timco, R. E. P. Winpenny, Phys. Rev. Lett., Vol.97 (2006) 267204, 1 - 4

Microscopic Evidence of the FFLO State in CeCoIn_5 Probed by NMR

*K. Kumagai, K. Kakuyanagi, M. Saitoh, S. Takashima, M. Nohara, H. Takagi, Y. Matsuda, Physica B, Vol.378-380 (2006) , 347 - 350

Fulde-Ferrell-Larkin-Ovchinnikov State in a Perpendicular Field of Quasi-Two- Dimensional CeCoIn_5

*K. Kumagai, M. Saitoh, T. Oyaizu, Y. Furukawa, S. Takashima, M. Nohara, H. Takagi, Y. Matsuda, Phys. Rev. Lett. , Vol.97 (2006) 227002, 1 - 4

Evidence for Multimagnon-Mediated Nuclear Spin Relaxation in the Intertwining Double-Chain Ferrimagnet $\text{Ca}_3\text{Cu}_3(\text{PO}_4)_4$

*S. Yamamoto, H. Hori, Y. Furukawa, Y. Nishisaka, Y. Sumida, K. Yamada, K. Kumagai, T. Asano Y. Inagaki, J. Phys. Soc. Jpn, Vol.75 (2006) 074703, 1 - 5

Appearance of Successive Phase Transition in $\text{SmRu}_4\text{P}_{12}$ under High Magnetic Fields Probed by ^{31}P Nuclear Magnetic Resonance

*K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori, K. Koyama, K. Kumagai, C. Sekine I. Shirotnani , J. Phys. Soc. Jpn, Vol.75 (2006) 124712, 1 - 6

Microscopic Evidence of the FFLO State in CeCoIn_5 Probed by NMR Study

*K. Kumagai, K. Kakuyanagi, M. Saitoh, Y. Matsuda S. Takashima, M. Nohara, H. Takagi, Physica Status Solidi C , Vol.3 (2006) , 2941 - 2946

³¹P-NMR and μ SR Studies of Filled Skutterudite Compound SmFe₄P₁₂: Evidence for Heavy Fermion Behavior with

Ferromagnetic Ground State

*K. Hachitani, H. Fukazawa, Y. Kohori, I. Watanabe, Y. Yoshimitsu, K. Kumagai, R. Giri, C. Sekine, I. Shirotni, J. Phys. Soc. Jpn, Vol.75 (2006) 124717, 1 - 5

³¹P-NMR μ SR Studies of Filled Skutterudite Compound SmRu₄P₁₂

*K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori, I. Watanabe, K. Kumagai, C. Sekine, I. Shirotni, J. Phys. Soc. Jpn, Vol.75 (2006), 164 - 166

Tomonaga-Luttinger Liquid in a Quasi-One-Dimensional S=1 Antiferromagnet Observed by Specific Heat Measurements

*M. Hagiwara, H. Tsujii, C. R. Rotundu, B. Andraka, Y. Takano, N. Tateiwa, T. C. Kobayashi, T. Suzuki, S. Suga, Phys. Rev. Lett., Vol.96 (2006) 147203, 1 - 4

Low-energy Excitations in the Magnetized State of the Bond-alternating Quantum S=1 Chain System Ni(C₉D₂₄N₄)(NO₂)ClO₄

*L. P. Regnault, A. Zheludev, M. Hagiwara, A. Stunault, Phys. Rev. B, Vol.73 (2006) 174431, 1 - 4

ESR Measurements on One-dimensional Quantum Ferrimagnets A₃Cu₃(PO₄)₄ with A=Sr and Ca in Submillimeter-wave Region

*S. Kimura, H. Ishikawa, Y. Inagaki, M. Yoshida, S. Okubo, H. Ohta, H. Nojiri, A. B. Belik, M. Azuma, M. Takano, J. Phys. Soc. Jpn., Vol.75 (2006) 094718, 1 - 7

Itinerant Electron Metamagnetism in AFe₄Sb₁₂ (A=Ca, Sr, Ba)

*S. Yoshii, E. Matsuoka, K. Hayashi, T. Takabatake, M. Hagiwara, K. Kindo, Physica B, Vol.378-380 (2006), 241 - 243

Magnetic and Fermi Surface Properties in Ferromagnets NdRh₃B₂ and GdRh₃B₂

Y. Obiraki, *H. Nakashima, A. Galatanu, T. D. Matsuda, Y. Haga, T. Takeuchi, K. Sugiyama, K. Kindo, M. Hagiwara, R. Settai, H. Harima, Y. Onuki, J. Phys. Soc. Jpn., Vol.75 (2006) 064702, 1 - 8

Unique Magnetic Properties of NdRhIn₅, TbRhIn₅, DyRhIn₅, and HoRhIn₅

N. V. Hieu, H. Shishido, *T. Takeuchi, A. Thamizhavel, H. Nakashima, K. Sugiyama, R. Settai, T. D. Matsuda, Y. Haga, M. Hagiwara, K. Kindo, Y. Onuki, J. Phys. Soc. Jpn., Vol.75 (2006) 074708, 1 - 6

Magnetic Properties of a Ni Tetramer with a Butterfly Structure in High Magnetic Fields

*M. Hagiwara, Y. Narumi, A. Matsuo, H. Yashiro, S. Kimura, K. Kindo, New J. Phys., Vol.8 (2006) 176, 1 - 10

Collinear Order in Frustrated Quantum Antiferromagnet on Square Lattice (CuBr)LaNb₂O₇

N. Oba, *H. Kageyama, T. Kitano, J. Yasuda, Y. Baba, M. Nishi, K. Hirota, Y. Narumi, M. Hagiwara, K. Kindo, T. Saito, Y. Ajiro, K. Yoshimura, J. Phys. Soc. Jpn., Vol.75 (2006) 113601, 1 - 5

High Field ESR and Magnetization in Na₂Co₂(C₂O₄)₃(H₂O)₂

*Y. Nakagawa, T. Kashiwagi, H. Yamaguchi, S. Kimura, Z. Honda, K. Yamada, K. Kindo, M. Hagiwara, J. Phys. Soc. Jpn., Vol.75 (2006) 124708, 1 - 5

Observation of Higher-Harmonic Helical Spin-Resonance Modes in the Chromium Spinel CdCr₂O₄

*S. Kimura, M. Hagiwara, H. Ueda, Y. Narumi, K. Kindo, H. Yashiro, T. Kashiwagi, H. Takagi, Phys. Rev. Lett., Vol.97 (2006) 257202, 1 - 4

Crystal Structure and Properties of Phosphate PbCu₂(Po₄)₂ with Spin-singlet Ground State

*A. A. Belik, M. Azuma, A. Matsuo, T. Kaji, S. Okubo, H. Ohta, K. Kindo, M. Takano, Phys. Rev. B, Vol.73 (2006) 024429, 1 - 7

High Field ESR Study of Three Dimensional Spin Frustrated System MgCr_2O_4

*M. Yoshida, T. Hirano, Y. Inagaki, S. Okubo, H. Ohta, H. Kikuchi, I. Kagomiya, M. Toki, K. Kohn, J. Phys. Soc. Jpn., Vol.75 (2006) 044709, 1 - 4

Thermally Induced Changes in the Structure, Composition, and Chemical Properties of $\text{LiMn}_2\text{O}_{4\pm x}$ Spinel Prepared by Sol-Gel Method

M. Molenda, R. Dziembaj, W. Lasocha, C. Rudowicz, L. M. Proniewicz, E. Podstawka, *H. Ohta, J. Appl. Phys., Vol.45 (2006) , 5132 - 5137

Quantum Critical Behavior Induced by Mn Impurity in CuGeO_3

*A.V. Semeno, N. E. Sluchanko, N. A. Samarin, A. A. Pronin, H. Ohta, S. Okubo, S. V. Demishev, Physica B, Vol.378-380 (2006) , 115 - 116

High Field ESR Study of Frustrated Spinel System LiCrTiO_4

*H. Ohta, S. Okubo, S. Ono, H. Kikuchi, Physica Status Solidi C, Vol.3 (2006) , 2816 - 2819

High Frequency ESR Measurements of One-dimensional Edge-sharing CuO_2 Chain System $\text{Ca}_2\text{Y}_2\text{Cu}_5\text{O}_{10}$

*S. Okubo, K. Kawakami, M. Yoshida, H. Ohta, Phys. Status Solidi C, Vol.3 (2006) , 2828 - 2831

High Frequency ESR Measurements of High Pressure Phase SiCo_2O_4

W. Zhang, *S. Okubo, H. Ohta, T. Saito, M. Takano, Phys. Status Solidi C, Vol.3 (2006) , 2824 - 2827

High Frequency ESR Measurements on the Lithium-ion Battery Substance LiMn_2O_4

*S. Takano, T. Kaji, S. Okubo, M. Yoshida, Y. Inagaki, S. Kimura, T. Asano, H. Ohta, T. Kunimoto, R. Dziembaj, M. Molenda, C. Rudowicz, Phys. Status Solidi C, Vol.3 (2006) , 2820 - 2823

New Polarization Effect and Collective Excitation in $S=1/2$ Quasi 1D Antiferromagnetic Quantum Spin Chain

*S. V. Demishev, A. V. Semeno, H. Ohta, S. Okubo, I. E. Tarasenko, T. V. Ishchenko, JETP Letters, Vol.84 (2006) , 305 - 309

Detailed Fermi Surface Topology of the Quasi-One-Dimensional Conductor $(\text{DMET})_2\text{I}_3$

M. Kimata, Y. Oshima, K. Koyama, *H. Ohta, M. Motokawa, H. Nishikawa, K. Kikuchi, I. Ikemoto, J. Low Temp. Phys., Vol.142 (2006) , 523 - 525

Submillimeter and Millimeter Wave ESR Measurements of the $S=1/2$ One Dimensional Zigzag Chain MCuP_2O_7 ($M=\text{Sr}, \text{Pb}$)

K. Shiraki, M. Yoshida, S. Okubo, *H. Ohta, M. Sakamoto, S. Miyashita, A. A. Belik, M. Azuma, M. Takano, J. Low Temp. Phys., Vol.850 (2006) , 1025 - 1026

High Field ESR Measurements of the Organic Magnet F_3PNN

M. Kodama, T. Sakurai, S. Okubo, *H. Ohta, Y. Hosokoshi, J. Low Temp. Phys., Vol.850 (2006) , 1027 - 1028

Low-temperature Fermi Surface of the Organic Conductor $\beta''\text{-(BEDT-TTF)(TCNQ)(1-x)(F1-TCNQ)}_x$ ($x=0,0.05$) from Magneto-optical Measurements

*M. Kimata, Y. Oshima, H. Ohta, K. Koyama, M. Motokawa, Phys. Rev. B, Vol.75 (2006) 045126, 1 - 9

Submillimeter and Millimeter Wave ESR Measurements of the $S=1/2$ Trimer Chain $\text{M}_3\text{Cu}_3(\text{PO}_4)_4$ ($M=\text{Sr}, \text{Ca}$)

*S. Okubo, H. Ishikawa, H. Ohta, S. Kimura, Y. Inagaki, A. A. Belik, M. Azuma, M. Takano, J. Low. Temp. Phys., Vol.850 (2006) , 1037 - 1038

ESR Measurements of KCuCl_3 under Multi Extreme Conditions

T. Sakurai, A. Taketani, S. Kimura, M. Yoshida, S. Okubo, *H. Ohta, H. Tanaka, Y. Uwatoko, J. Low. Temp. Phys., Vol.850 (2006) , 1057 - 1058

Highly Sensitive Detection of Pulsed Field ESR Using a Cantilever at Low Temperature

*H. Ohta, M. Kimata, S. Okubo, E. Ohmichi, T. Osada, J. Low. Temp. Phys., Vol.850 (2006) , 1643 - 1644

High-field Magnetization Study of the Heavy Fermion Oxide LiV_2O_4

*S. Niitaka, K. Nishikawa, S. Kimura, Y. Narumi, K. Kindo, M. Hagiwara, H. Takagi, J. Magn. Magn. Mater., Vol.310 (2006) , e258 - e260

Diversity of Electronic States of $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ Revealed by Soft X-ray Photoemission

*H. Fujiwara, A. Sekiyama, A. Higashiya, K. Konoike, A. Yamasaki, S. Imada, T. Muro, K. Noda, H. Kuwahara, Y. Tokura, S. Suga, Physica B, Vol.378-380 (2006) , 515 - 517

Thermal Diffusivity and Critical Behavior of $\text{Nd}_{1-x}\text{Sr}_x\text{MnO}_3$

*A. Oleaga, A. Salazar, H. Kuwahara, Physica B, Vol.378-380 (2006) , 512 - 514

Internal Magnetic Field Effect on Magnetoelectricity in Orthorhombic RMnO_3 Crystals

*K. Noda, M. Akaki, F. Nakamura, D. Akahoshi, H. Kuwahara, J. Magn. Magn. Mater., Vol.310 (2006) , 1162 - 1164

Dimensionality of The Electronic States in $\text{Nd}_{0.45}\text{Sr}_{0.55}\text{MnO}_3$ Studied by Soft X-ray Photoemission

*H. Fujiwara, A. Sekiyama, M. Yano, T. Murakawa, T. Miyamachi, M. Tsunekawa, S. Imada, B. Schmid, M. Sing, A. Higashiya, T. Muro, T. Nakamura, K. Noda, H. Kuwahara, S. Miyasaka, Y. Tokura, S. Suga, J. Magn. Magn. Mater., Vol.310 (2006) , 816 - 818

Sound Velocity and Multibranch Bogoliubov Spectrum of an Elongated Fermi Superfluid in the BEC-BCS Crossover

T. K. Ghosh, *K. Machida , Phys. Rev. A, Vol.73 (2006) 013613, 1 - 6

Scanning Tunneling Microscopy and Spectroscopy Studies of Superconducting Boron-doped Diamond Films

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, Sci. Technol. Adv. Mater., Vol.7 (2006) , S22 - S26

STM/STS Studies on Vortex and Electronic State in $\text{YBa}_2\text{Cu}_3\text{O}_y$

*T. Nishizaki, K. Shibata, M. Maki, N. Kobayashi, Physica C , Vol.437-438 (2006) , 220 - 225

Weak Magnetic Order in the Normal State of the High- T_c Superconductor $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$

C. Panagopoulos, M. Majoros, T. Nishizaki, *H. Iwasaki, Phys. Rev. Lett., Vol.96 (2006) 047002, 1 - 4

STM/STS study of Superconducting Diamond

A. Troyanovskiy, *T. Nishizaki, E. Ekimov, Sci. Tech. Adv. Mater, Vol.7 (2006) , S27 - S30

Specific Heat and Low-lying Excitations in the Mixed State for a Type-II Superconductor

N. Nakai, P. Miranovic, M. Ichioka, *K. Machida, Phys. Rev. B , Vol.73 (2006) 172501, 1 - 4

Surface and Vortex Structures in Noncentrosymmetric Superconductors under Applied Magnetic Fields

M. Oka, M. Ichioka, *K. Machida, Phys. Rev. B, Vol.73 (2006) 214509, 1 - 5

Generic Phase Diagram of Fermion Superfluids with Population Imbalance

*K. Machida, T. Mizushima, and M. Ichioka, Phys. Rev. Lett., Vol.97 (2006) 120407, 1 - 4

Ubiquitous V-Shape Density of States in a Mixed State of Clean Limit Type II Superconductors

N. Nakai, P. Miranovic, M. Ichioka, H. F. Hess, K. Uchiyama, H. Nishimori, S. Kaneko, N. Nishida, *K. Machida, Phys. Rev. Lett., Vol.97 (2006) 147001, 1 - 4

Vortex-Core Structure in Neutral Fermion Superfluids with Population Imbalance

M. Takahashi, T. Mizushima, M. Ichioka, *K. Machida, Phys. Rev. Lett., Vol.97 (2006) 180407, 1 - 4

NMR Properties of Half-Heusler CoVSb

*H. Nishihara, T. Kanomata, Y. Furutani, T. Igarashi, K. Koyama, T. Goto, Phys. Status Solidi C, Vol.3 (2006), 2779 - 2782

Bitter Decoration and Magneto-optical Observations of Vortex Chains in High Temperature Superconductors

*T. Tamegai, H. Aoki, M. Matsui, M. Tokunaga, PRAMANA Journal of Physics, Vol.66 (2006), 271 - 278

Electric- and Magnetic-field Effects on Radiative Recombination in Modulation n-doped ZnSe/BeTe Type-II Quantum Wells

Z. Ji, H. Mino, *K. Oto, R. Akimoto, K. Ono, S. Takeyama, Semicond. Sci. Technol., Vol.21 (2006), 87 - 90

Upper Critical Field of β -pyrochlore KO_2O_6 Single Crystals

*E. Ohmichi, T. Osada, S. Yonezawa, Y. Muraoka, Z. Hiroi, J. Phys. Soc. Jpn, Vol.75 (2006) 045002, 1 - 2

Mid-infrared Absorption in Strongly Correlated Yb Compounds

*H. Okamura, T. Watanabe, N. Tsujii, T. Ebihara, T. Nanba, Physica B, Vol.378-380 (2006), 756 - 757

Quadrupolar Kondo Effect in Non-Kramers Doublet System PrInAg_2

*O. Suzuki, H. S. Suzuki, H. Kitazawa, G. Kido, T. Ueno, T. Yamaguchi, Y. Nemoto, T. Goto, J. Phys. Soc. Jpn., Vol.75 (2006) 013704, 1 - 4

Evolution of Ferromagnetism in $\text{Y}_{1-x}\text{Pr}_x\text{InNi}_4$ and Its Magneto Caloric Effect

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, G. Kido, J. Alloys Compd., Vol.408-412 (2006), 343 - 347

High-field Magnetization of NpRhGa_5

*K. Sugiyama, D. Honda, H. Nakashima, D. Aoki, E. Yamamoto, A. Nakamura, K. Honma, Y. Shiokawa, K. Kindo, M. Hagiwara, Y. Onuki, Physica B, Vol.378-380 (2006), 1013 - 1014

Nonlocal Magnetic Field-Tuned Quantum Criticality in Cubic $\text{Ce In}_{3-x}\text{Sn}_x$ ($x=0.25$)

A. V. Silhanek, *T. Ebihara, N. Harrison, M. Jaime, K. Tezuka, V. Fanelli, and C. D. Batista, Phys. Rev. Lett., Vol.96 (2006) 206401, 1 - 4

Basal-Plane Magnetic Anisotropies of High- κ d-Wave Superconductors in a Mixed State: A Quasiclassical Approach

H. Adachi, P. Miranovic, M. Ichioka, *K. Machida, J. Phys. Soc. Jpn, Vol.75 (2006) 084716, 1 - 9

Studies of an Fe-9 Tridimensional Icosahedron

*E. I. Tolis, L. P. Engelhardt, P. V. Mason, G. Rajaraman, K. Kindo, M. Luban, A. Matsuo, H. Nojiri, J. Raftery, C. Schroder, G. A. Timco, F. Tuna, W. Wernsdorfer, R. E. P. Winpenny, Chemistry-A European Journal, Vol.12 (2006) , 8961 - 8968

Characteristic High-Field Magnetization in a Transuranium Antiferromagnet NpRhGa₅

*K. Sugiyama, H. Nakashima, D. Aoki, Y. Haga, E. Yamamoto, A. Nakamura, Y. Homma, Y. Shiokawa, K. Kindo, M. Hagiwara, Y. Onuki, J. Phys. Soc. Jpn., Vol.75 (2006) 094707, 1 - 6

Magnetic Properties of Ce_{1-x}Y_xPdAl Kondo-lattice System

*H. Kitazawa, J. Prchal, N. Tsujii, M. Imai, G. Kido, Physica B, Vol.378-380 (2006) , 803 - 804

Metastable Magnetic Behavior in Geometrically Frustrated Compound CePdAl

*D. X. Li, S. Nimori, H. Kitazawa, Y. Shiokawa, Physica B, Vol.378-380 (2006) , 805 - 806

Specific Heat Study of Induced-Moment Ferromagnet PrPtAl Single Crystal

*S. Kato, H. Kitazawa, M. Imai, G. Kido, Physica B, Vol.378-380 (2006) , 1105 - 1106

Magnetic Order in CePdAl Single Crystal : Effect of Magnetic Field

*K. Prokes, P. Manuel, D. T. Adroja, H. Kitazawa, T. Goto, Y. Isikawa, Physica B, Vol.385-386 (2006) , 359 - 362

Magnetism of Cu₂CdB₂O₆: Quantum Spin System Having a Nearly Singlet State and Antiferromagnetic Long-range Order

*M. Hase, M. Kohno, H. Kitazawa, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, J. Appl. Phys., Vol.99 (2006) 08H504, 1 - 3

Yttrium Substitutional Effects on Geometrically Frustrated System TbNiAl

*H. Kitazawa, S. Eguchi, G. Kido, G. Cao, J. Alloys Compd., Vol.408-412 (2006) , 58 - 61

Magnetic Properties of Clathrate-like Compound Pr₃Pd₂₀Ge₆

*O. Suzuki, H. Kitazawa, G. Kido, T. Yamaguchi, Y. Nemoto, T. Goto, Journal of Alloys and Compounds, Vol.408-412 (2006) , 107 - 109

1/3 Magnetization Plateau Observed in the Spin-1 /2 Trimer Chain Compound Cu₃(P₂O₆OH)₂

*M. Hase, M. Kohno, H. Kitazawa, N. Tsujii, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, Phys. Rev. B, Vol.73 (2006) 104419, 1 - 5

Ferrimagnetic Long-range Order Caused by Periodicity of Exchange Interactions in the Spin-1 Trimer Chain Compounds ANi₃P₄O₁₄(A=Ca, Sr, Pb, Ba)

*M. Hase, H. Kitazawa, N. Tsujii, K. Ozawa, M. Kohno, G. Kido, Phys. Rev. B , Vol.74 (2006) 024430, 1 - 6

Valence and Na Content Dependences of Superconductivity in Na_xCoO₂·yH₂O

*H. Sakurai, N. Tsujii, O. Suzuki, H. Kitazawa, G. Kido, K. Takada, T. Sasaki, E. Muromachi, Phys. Rev. B , Vol.74 (2006) 092502, 1 - 4

Magnetic Form Factor of URu₂Si₂

*K. Kuwahara, M. Kohgi, K. Iwasa, M. Nishi, K. Nakajima, M. Yokoyama, H. Amitsuka, Physica B, Vol.378-380 (2006) , 581 - 582

Hall Effect Evolution across a Field-Induced Phase in U(Ru_{0.96}Rh_{0.04})₂Si₂

Y. S. Oh, *K. H. Kim, N. Harrison, P. A. Sharma, H. Amitsuka, J. A. Mydosh, Physica B, Vol.378-380 (2006) , 989 - 990

Lattice Involvement in Low Temperature Phase of U(Ru,Rh)₂Si₂

*M. Jaime, A. V. Silhanek, K. H. Kim, N. Harrison, L. Balicas, H. Amitsuka, J. A. Mydosh, Physica B, Vol.378-380 (2006) , 82 - 83

Magnetization Study of the Superconductivity in Sr₂RuO₄

*K. Tenya, S. Yasuda, M. Yokoyama, H. Amitsuka, K. Deguchi, Y. Maeno, Physica B, Vol.378-380 (2006) , 495 - 496

Emergent Phases near the Metamagnetic Quantum Critical Point in U(Ru_{1-x}Rh_x)₂Si₂

*K. H. Kim, N. Harrison, H. Amitsuka, M. Jaime, J. A. Mydosh, Physica B, Vol.378-380 (2006) , 31 - 35

Γ₅ Quasiparticles and Avoided Quantum Criticality in U(Ru,Rh)₂Si₂

A.V. Silhanek, *N. Harrison, C. D. Batista, M. Jaime, A. Lacerda, H. Amitsuka, J. A. Mydosh, Physica B, Vol.378-380 (2006) , 373 - 375

Uniaxial-Stress Effect on the Antiferromagnetic State in CePd₂Si₂

*M. Yokoyama, A. Gawase, H. Amitsuka, K. Tenya, H. Yoshizawa, Physica B, Vol.378-380 (2006) , 80 - 81

Irreversible Dynamics of the Phase Boundary in U(Ru_{0.96}Rh_{0.04})₂Si₂ and Implications

*A.V. Silhanek, M. Jaime, N. Harrison, V. R. Fanelli, C. D. Batista, H. Amitsuka, S. Nakatsuji, L. Balicas, K. H. Kim, Z. Fisk, J. L. Sarrao, L. Civale, J.A. Mydosh, Phys. Rev. Lett. , Vol.97 (2006) 136408, 1 - 4

Phonon Thermal Transport of URu₂Si₂: Broken Translational Symmetry and Strong Coupling of the “Hidden Order” to the Lattice

*P. A. Sharma, N. Harrison, M. Jaime, Y. S. Oh, K. H. Kim, C. D. Batista, H. Amitsuka, J. A. Mydosh, Phys. Rev. Lett. , Vol.97 (2006) 156401, 1 - 4

New Magnetic State in Incommensurate Magnetic Phase of Heavy-Fermion Superconductor CeRh_{0.6}Co_{0.4}In₅

*M. Yokoyama, H. Amitsuka, K. Matsuda, A. Gawase, N. Oyama, I. Kawasaki, K. Tenya, H. Yoshizawa, J. Phys. Soc. Jpn. , Vol.75 (2006) 103703, 1 - 5

Unusual Magnetic Response in Superconducting Mixed State of Sr₂RuO₄

*K. Tenya, S. Yasuda, M. Yokoyama, H. Amitsuka, K. Deguchi, Y. Maeno, J. Phys. Soc. Jpn. , Vol.75 (2006) 023702, 1 - 4

Physical Properties at High Magnetic Fields in CeIn_{2.75}Sn_{0.25}

*T. Ebihara, N. Harrison, M. Jaime, A. Silhanek, K. Tezuka, K. Morishita, Y. Iwamoto, T. Terashima, J. Magn. Magn. Mater., Vol.310 (2006) , 298 - 299

Reduction of Neel Temperature of CeIn₃ by La Doping

Y. Iwamoto, *T. Ebihara, N. Harrison, M. Jaime, A. Silhanek, K. Tezuka, K. Morishita, T. Terashima, A. Iyo, J. Magn. Magn. Mater., Vol.310 (2006) , 300 - 302

Approaching Field Tuned Quantum Criticality in $\text{CeIn}_{3-x}\text{Sn}_x$

*A.V. Silhanek, D. Zocco, N. Harrison, M. Jaime, T. Ebihara, Physica B, Vol.378-380 (2006) , 90 - 91

Possibility of Field-induced Incommensurate Order in a Quasi-one-dimensional Frustrated Spin System

*N. Maeshima, K. Okunishi, K Okamoto, T. Sakai, K. Yonemitsu, J. Phys. : Condens. Matter, Vol.18 (2006) , 4819 - 4826

Photoluminescence of Yb^{3+} -doped CuInS_2 Single Crystals Prepared by In-flux and Chemical Vapor Transport Methods

*N. Tsujii, Y. Imanaka, T. Takamasu, H. Kitazawa, G. Kido, J. Alloys Compd. , Vol.408-412 (2006) , 791 - 795

Impurity Cyclotron Resonance in InGaAs/GaAs Superlattice and InGaAs/AlAs Superlattice Grown in GaAs Substrates

*H. Momose, H. Okai, H. Deguchi, N. Mori, S. Takeyama, Physica E, Vol.32 (2006) , 309 - 312

Reduced Phonon Scattering in an Asymmetric Triple Barrier Resonant-Tunneling Diode at High Magnetic Fields

Thomas Strutz, *T. Takamasu, H. Sakaki, N. Miura, J. Phys. Soc. Jpn., Vol.75 (2006) 114702, 1 - 5

Magnetophonon Resonance of Tunneling Hot Electrons at High Magnetic Fields

T. Strutz, *T. Takamasu, H. Sakaki, N. Miura, Phys.Rev.B, Vol.75 (2006) 075208, 1 - 5

Modification of the Quantum Hall Effect by the Charge State of a Nearby Quantum Dots Layer

*K. Takehana, T. Takamasu, J. Phys. Soc. Jpn., Vol.75 (2006) 114713, 1 - 6

Magnetic-field-induced Superconductivity Discovered in Organic Conductors

*S. Uji, J.S.Brooks, J. Phys. Soc. Jpn, Vol.75 (2006) 051014, 1 - 10

Evolution in Split-peak Structure Across the Peak Effect Region in Single Crystals of 2H-NbSe_2

A. D. Thakur, T. V. Chandrasekhar, S. Ramakrishnan, A. K. Grover, *S. Uji, T. Terashima, M. J. Higgins, J. Phys. Soc. Jpn, Vol.75 (2006) 074718, 1 - 9

Field-and Angular-dependent Resistance of λ -(BETS) $_2\text{FeCl}_4$ under Pressure

Y. J. Jo, H. Kang, *W. Kang, S. Uji, T. Terashima, T. Tanaka, M. Tokumoto, A. Kobayashi, H. Kobayashi, Phys. Rev. B, Vol.73 (2006) 214532, 1 - 7

Vortex Dynamics and the Fulde-Ferrell-Larkin-Ovchinnikov State in a Magnetic-field-induced Organic Superconductor

*S. Uji, T. Terashima, M. Nishimura, Y. Takahide, T. Konoike, K. Enomoto, H. Cui, H. Kobayashi, A. Kobayashi, H. Tanaka, M. Tokumoto, E. S. Choi, T. Tokumoto, D. Graf, J. S. Brooks, Phys. Rev. Lett., Vol.97 (2006) 157001, 1 - 4

Magnetic-field and Pressure Dependence of Low-temperature Resistivity in UGe_2

*T. Terashima, S. Uji, K. Enomoto, T. Konoike, T. Matsumoto, N. Kimura, H. Aoki, K. Maezawa, Phys. Rev. B, Vol.73 (2006) 140406, 1 - 6

Current-Voltage Characteristics of Charge-Ordered Organic Crystals

*T. Yamaguchi, T. Konoike, K. Enomoto, M. Nishimura, S. Uji, T. Terashima, H. Yamamoto, Phys. Rev. Lett., Vol.96 (2006) 1236602, 1 - 4

Upper Critical Fields and de Haas-van Alphen Oscillations in UNi₂Al₃

*T. Terashima, K. Enomoto, T. Konoike, S. Uji, NK. Sato, H. Yamagami, Physica B, Vol.378-380 (2006) , 991 - 992

Is the Two Dimensional Organic Conductor, τ -(EDO-S,S-DMEDT-TTF)₂(AuCl₂)_{1+y} Clean or Dirty?

T. Nakanishi, S. Yasuzuka, M. Teramura, L. Li, T. Fujimoto, T. Sasaki, T. Konoike, T. Terashima, *S. Uji, Y. Nogami, GC. Anyfantis, GC. Papavassiliou, K. Murata, J. Low Temp. Phys., Vol.142 (2006) , 247 - 252

Anomalous Magnetic-field-hysteresis of Quantum Oscillations in κ -(BETS)₂FeBr₄

T. Konoike, *S. Uji, T. Terashima, M. Nishimura, T. Yamaguchi, K. Enomoto, H. Fujiwara, B. Zhang, H. Kobayashi, J. Low Temp. Phys., Vol.142 (2006) , 527 - 530

Fermi Surface of the Organic Superconductor (MDT-ST)(I₃)_{0.417} Reconstructed by Incommensurate Potential

*T. Kawamoto, T. Mori, K. Enomoto, T. Konoike, T. Terashima, S. Uji, A. Takamori, K. Takimiya, T. Otsubo, Phys. Rev. B, Vol.73 (2006) 024503, 1 - 5

Field-induced SDW Phase and Superconductivity of (DMET)₂CuCl₂

*H. Ito, Y. Yokochi, D. Suzuki, H. Tanaka, S. Kuroda, K. Enomoto, S. Uji, M. Umemiya, H. Miyasaka, K. Sugiura, M. Yamashita, Synth. Met., Vol.156 (2006) , 162 - 165

Charge Transfer Degree and Superconductivity of the Incommensurate Organic Superconductor (MDT-TSF)(I₃)_{0.422}

T. Kawamoto, T. Mori, T. Konoike, K. Enomoto, T. Terashima, *S. Uji, H. Kitagawa, K. Takimiya, T. Otsubo, Phys. Rev. B, Vol.73 (2006) 094513, 1 - 8

Magneto-optical Study of Ferromagnetic Semiconductor (Zn,Cr)Te

*N. Nishizawa, S. Marcet, N. Ozaki, S. Kuroda, K. Takita, Phys. Status Solidi C, Vol.3 (2006) , 4102 - 4105

Nonlinear Optical Transitions of GaAs/AlGaAs Asymmetric Double-well Structures

E. H. Kim, Y. H. Shin, Y. Kim, S. J. Noh, C. H. Perry, J. A. Simmons, S. A. Crooker, T. Takamasu, Appl. Phys. Lett., Vol.89 (2006) 032114, 1 - 3

Fermiology and Superconductivity at High Magnetic Fields in a Completely Organic Cation Radical Salt

*J. S. Brooks, V. Williams, E. Choi, D. Graf, M. Tokumoto, S. Uji, F. Zuo, J. Wosnitzer, J. A. Schlu, R. W. Winter, G. L. Gard, K. Storr, New J. Phys., Vol.8 (2006) 255, 1 - 21

Metamagnetic Transitions, Electronic Structures and Quantum Critical Point of CeRu₂(Si_{1-x}Ge_x)₂

*M. Sugi, T. Fujiwara, Y. Matsumoto, T. Isshiki, N. Kimura, T. Komatsubara, H. Aoki, I Satoh, T. Terashima, S. Uji, J. Magn. Mater., Vol.310 (2006) , 331 - 333

Crossing of Zeeman Levels in Quantum Hall Systems of CdMnTe

*Y. Imanaka, T. Takamasu, G. Kido, G. Karczewski, T. Wojtowicz, J. Kossut, J. Phys: Conf. Ser., Vol.51 (2006) , 391 - 394

Cyclotron Resonance in II-VI Semiconductors at THz Region

*Y. Imanaka, T. Takamasu, K. Takehana, M. Oshikiri, G. Kido, H. Nojiri, Y. H. Matsuda, H. Arimoto, S. Takeyama, N. Miura, G. Karczewski, T. Wojtowicz, J. Kossut, Phys. Status. Solidi B, Vol.243 (2006) , 939 - 942

Fabrication of a Micro-Coil Pulsed Magnet System and Its Application for Solid State Physics

*T. Takamasu, K. Sato, Y. Imanaka, K. Takehana, J. Phys: Conf. Ser., Vol.51 (2006) , 591 - 594

High-Magnetic-Field X-ray Absorption Spectroscopy of Field-Induced Valence Transition in YbInCu_4

*Y. H. Matsuda, T. Inami, K. Ohwada, Y. Murata, H. Nojiri, Y. Murakami, H. Ohta, W. Zhang, K. Yoshimura, J. Phys. Soc. Jpn., Vol.76 (2007) 034702, 1 - 6

Spiral Spin Structure in a Heisenberg Pyrochlore Magnet CdCr_2O_4

*M. Matsuda, M. Takeda, M. Nakamura, K. Kakurai, A. Oosawa, E. Lelièvre-Berna, J.-H. Chung, H. Ueda, H. Takagi, S.-H. Lee, Phys. Rev. B, Vol.75 (2007) 104415, 1 - 6

Neutron Diffraction under 30 T Pulsed Magnetic Fields

*K. Ohoyama, N. Katoh, H. Nojiri, Y. H. Matsuda, H. Hiraka, K. Ikeda, H. M. Shimizu, J. Magn. Magn. Mater., Vol.310 (2007), 974 - 976

Spin Lattice Instability to a Fractional Magnetization State in the Spinel HgCr_2O_4

*M. Matsuda, H. Ueda, A. Kikkawa, Y. Tanaka, K. Katsumata, Y. Narumi, T. Inami, Y. Ueda, S.-H. Lee, Nat. Phys., Vol.3 (2007), 397 - 400

Thermodynamic Properties and Elementary Excitations in Quantum Sine-Gordon Spin System KCuGaF_6

R. Morisaki, T. Ono, *H. Tanaka, H. Nojiri, J. Phys. Soc. Jpn., Vol.76 (2007) 063706, 1 - 4

Magnetic Anisotropy in an Oxo-Centered $\{\text{Mn}_3\text{O}\}$ -Type Spin Triangle

Z. H. Jang, K. H. Han, *B. J. Suh, D. Ii, D. Y. Jung, K. -Y. Choi, H. Nojiri, J. Kor. Phys. Soc., Vol.50 (2007), 464 - 469

Magnetic Excitation of $S=1/2$ Antiferromagnetic Spin Chain Cu Benzoate in High Magnetic Fields

H. Nojiri, Y. Ajiro, T. Asano, J. P. Boucher, New J. Phys., Vol.8 (2007) 218, 1 - 17

Hybrid Molecular Material Exhibiting Single-Molecule Magnet Behavior and Molecular Conductivity

H. Hiraga, *H. Miyasaka, K. Nakata, T. Kajiwara, S. Takaishi, Y. Oshima, H. Nojiri, M. Yamashita, Inorg. Chem., Vol.46 (2007), 9661 - 9671

Direct Observation of Field-Induced Variant Transformation in Fe_3Pt Using Pulsed Magnetic Field X-ray Diffraction

Z. W. Ouyang, *Y. H. Matsuda, H. Nojiri, T. Inami, K. Ohwada, M. Tsubota, T. Sakon, T. Fukuda, T. Kakeshita, J. Appl. Phys., Vol.102 (2007) 113917, 1 - 6

Successive Magnetic Transitions of the Kagome Staircase Compound $\text{Co}_3\text{V}_2\text{O}_8$ Studied in Various Magnetic Fields

Y. Yasui, Y. Kobayashi, M. Soda, T. Moyoshi, M. Sato, N. Igawa, *K. Kakurai, J. Phys. Soc. Jpn., Vol.76 (2007) 034706, 1 - 8

Spin-Reorientation Transition of Field-Induced Magnetic Ordering Phases in the Anisotropic Haldane System

H. Miyazaki, T. Hiwasa, M. Oko, *I. Harada, J. Phys. Soc. Jpn., Vol.75 (2007) 094708, 1 - 8

Symmetry of Magnetic Excitons in Two-dimensional Mott Insulators

*T. Tohyama, J. Magn. Magn. Mater., Vol.310e (2007), 255 - 257

Magnetic Properties of a Spin-1 Ladder Under Pressure

*Y. Hosokoshi, Y. Konishi, S. Nishihara, K. Inoue, J. Magn. Magn. Mater., Vol.310 (2007), 420 - 422

Spin-density Distribution in the Partially Magnetized Organic Quantum Magnet F_2PNNNO

A. Zheludev, V. O. Garlea, S. Nishihara, *Y. Hosokoshi, A. Cousson, A. Gukasov, K. Inoue, Phys. Rev. B., Vol.75 (2007) 104427, 1 - 4

Dilution Effects on Orbital Order in Strongly Correlated Electron Systems

*S. Ishihara, T. Tanaka, M. Matsumoto, J. Mol Struct. , Vol.838 (2007) , 216 - 219

Dilution Effects in Two-Dimensional Quantum Orbital System

*T. Tanaka, S. Ishihara, Phys. Rev. Lett., Vol.98 (2007) 256402, 1 - 4

Photoinduced Charge and Spin Dynamics in Strongly Correlated Electron Systems

*H. Matsueda, S. Ishihara, J. Phys. Soc. Jpn., Vol.76 (2007) 083703, 1 - 4

Electric Polarization, Magnetoelectric Effect, and Orbital State of a Layered Iron Oxide with Frustrated Geometry

*A. Nagano, M. Naka, J. Nasu, S. Ishihara, Phys. Rev. Lett., Vol.99 (2007) 217202, 1 - 4

Deuteration Effects on Specific Heat of an Alternating Chain System: F_5PNN

*Y. Yoshida, O. Wada, Y. Nakaie, T. Kawae, N. Sakai, N. Kawame, Y. Fujii, Y. Hosokoshi, B. Grenier, J-P. Boucher, J. Magn. Magn. Mater., Vol.310 (2007) , 1215 - 1217

Magnetic Phase Diagram of The Quasi-Two-Dimensional $S=1$ Antiferromagnet F_2PNNNO

*H. Tsujii, B. Andraka, Y. Hosokoshi, K. Inoue, Y. Takano, J. Magn. Magn. Mater., Vol.310e (2007) , 415 - 417

Spin Triplet Superconducting State due to Broken Inversion Symmetry in Li_2Pt_3B

M. Nishiyama, Y. Inada, *G.-q. Zheng, Phys. Rev. Lett., Vol.98 (2007) 047002 , 1 - 4

Evidence for Point Nodes in the Superconducting Gap Function in the Filled Skutterudite Heavy-Fermion Compound $PrOs_4Sb_{12}$: ^{123}Sb -NQR Study under Pressure

K. Katayama, S. Kawasaki, M. Nishiyama, H. Sugawara, D. Kikuchi, H. Sato, *G.-q. Zheng, J. Phys. Soc. Jpn., Vol.76 (2007) 023701, 1 - 4

Electron Spin Resonance in a GaN Thin Film Doped with Fe

T. Kashiwagi, S. Sonoda, H. Yashiro, Y. Ishihara, A. Usui, Y. Akasaka, *M. Hagiwara, J. Appl. Phys. , Vol.46 (2007) 257202, 581 - 585

Observation of Symmetry Lowering Associated with the Metal-Insulator Transition in $SmRu_4P_{12}$ by ^{101}Ru -NQR

S. Masaki, T. Mito, M. Takemura, S. Wada, H. Harima, D. Kikuchi, H. Sato, H. Sugawara, N. Takeda, *G.-q. Zheng, J. Phys. Soc. Jpn. , Vol.76 (2007) 043714, 1 - 4

Electron Spin-resonance Studies of Conduction Electrons in Phosphorus-doped Silicon Nanocrystals

K. Sumida, K. Ninomiya, M. Fujii, K. Fujio, S. Hayashi, M. Kodama, *H. Ohta, J. Appl. Phys. , Vol.101 (2007) 033504, 1 - 5

Magnetic Properties of Er, O-codoped GaAs at Low Temperature

*S. Takemoto, T. Terao, Y. Terai, M. Yoshida, A. Koizumi, H. Ohta, Y. Takeda, N. Fujimura, Y. Fujiwara, Physica Status Solidi C, Vol.3 (2007) , 4082 - 4085

High Field ESR Study of One-dimensional $S=1/2$ Heisenberg Antiferromagnet with Next-nearest Exchange Interaction
*H. Ohta, S. Takano, S. Okubo, M. Yoshida, H. Kikuchi, J. Magn. Mater. , Vol.310 (2007) , 1234 - 1235

Anomalous ESR Behavior in Charged-ordered Insulator $\text{Na}_{0.5}\text{CoO}_2$

T. Sakurai, S. Takano, *H. Ohta, H. Sakurai, E. Takayama-Muromachi, J. Magn. Mater. , Vol.310 (2007) , 275 - 277

High Field ESR Studies of Layered Manganese Oxides $\text{A}_4\text{Mn}_3\text{O}_{10}$ (A=Ba, Sr)

*N. Souda, W. Zhang, T. Sakurai, S. Okubo, H. Ohta, K. Nishimura, H. Sakurai, K. Yoshimura, E. Takayama-Muromachi, J. Magn. Mater. , Vol.310 (2007) , 1829 - 1831

Development of High-Pressure, High-field and Multifrequency Electron Spin Resonance System

*T. Sakurai, A. Taketani, T. Tomita, S. Okubo, H. Ohta, Y. Uwatoko, Rev. Sci. Inst., Vol.78 (2007) 065107, 1 - 6

Lattice Deformations Induced by an Applied Magnetic Field in the Frustrated Antiferromagnet HgCr_2O_4

Y. Tanaka, *Y. Narumi, N. Terada, K. Katsumata, H. Ueda, U. Staub, K. Kindo, T. Fukui, T. Yamamoto, R. Kammuri, M. Hagiwara, A. Kikkawa, Y. Ueda, H. Toyokawa, T. Ishikawa, H. Kitamura, J. Phys. Soc. Jpn. , Vol.76 (2007) 043708, 1 - 4

Triangular Lattice Antiferromagnet $\text{RbFe}(\text{MoO}_4)_2$ in High Magnetic Fields

*A. I. Smirnov, H. Yashiro, S. Kimura, M. Hagiwara, Y. Narumi, K. Kindo, A. Kikkawa, K. Katsumata, A. Y. Shapiro, L. N. Demianets, Phys. Rev. B, Vol.75 (2007) 134412, 1 - 7

Evidence for Carrier-Induced High- T_c Ferromagnetism in Mn-doped GaN Film

S. Yoshii, S. Sonoda, T. Yamamoto, T. Kashiwagi, M. Hagiwara, Y. Yamamoto, Y. Akasaka, K. Kindo, *H. Hori, Europhys. Lett. , Vol.78 (2007) 37006, 1 - 4

Magnetic and Superconducting Properties of LaIrSi_3 and CeIrSi_3 with the Non-centrosymmetric Crystal Structure

Y. Okuda, Y. Miyauchi, Y. Ida, Y. Takeda, C. Tonohiro, Y. Oduchi, T. Yamada, N. D. Dung, T. D. Matsuda, Y. Haga, T. Takeuchi, *M. Hagiwara, K. Kindo, H. Harima, K. Sugiyama, R. Settai, Y. Onuki, J. Phys. Soc. Jpn. , Vol.76 (2007) 044708, 1 - 11

Metal-semiconductor Structural Phase Transitions and Antiferromagnetic Orderings in $(\text{Benzo-TTFVO})_2\text{MX}_4$ (M=Fe, Ga; X=Cl, Br) Salts

T. Hiraoka, H. Fujiwara, *T. Sugimoto, H. Nakazumi, S. Noguchi, A. Kuribayashi, T. Ishida, K. Yokogawa, K. Murata, T. Mori, H. A. Katori, S. Kimura and M. Hagiwara, J. Mater. Chem., Vol.17 (2007) , 1664 - 1673

Magnetic Properties and Crystalline Electric Field Scheme in RRhIn_5 (R: Rare Earth)

N. V. Hieu, *T. Takeuchi, H. Shishido, C. Tonohiro, T. Yamada, H. Nakashima, K. Sugiyama, R. Settai, T. D. Matsuda, Y. Haga, M. Hagiwara, K. Kindo, S. Araki, Y. Nozue, Y. Onuki, J. Phys. Soc. Jpn. , Vol.76 (2007) 064702, 1 - 16

High-field Moment Reorientation in $\text{Er}_2\text{Co}_{17}$

*S. Yoshii, M. Hagiwara, F. R. de Boer, H. Z. Luo, G. H. Wu, F. M. Yang, K. Kindo, Phys. Rev. B, Vol. 75 (2007) 214429, 1 - 6

Correlation Between Crystal Structure and Magnetism in the Frustrated Antiferromagnet CuFeO_2 under High Magnetic Fields

N. Terada, *Y. Narumi, Y. Sawai, K. Katsumata, U. Staub, Y. Tanaka, A. Kikkawa, T. Fukui, K. Kindo, T. Yamamoto, R. Kammuri, M. Hagiwara, H. Toyokawa, T. Ishikawa, H. Kitamura, Phys. Rev. B, Vol. 75 (2007) 224411, 1 - 8

Field-induced Tomonaga-Luttinger Liquid of a Quasi-one-dimensional $S=1$ Antiferromagnet

*M. Hagiwara, H. Tsujii, C. R. Rotundu, B. Andraka, Y. Takano, T. Suzuki, and S. Suga, Mod. Phys. Lett. B, Vol. 21 (2007) , 965 - 976

Field Induced Order-Disorder Transition in Antiferromagnetic BaCo₂V₂O₈ Driven by a Softening of Spinon Excitation

*S. Kimura, H. Yashiro, K. Okunishi, M. Hagiwara, Z. He, K. Kindo, T. Taniyama, M. Itoh, Phys. Rev. Lett., Vol.99 (2007) 087602, 1 - 4

Novel Spin Excitations in the Field-Induced Phase of the Haldane Magnet Ni(C₅H₁₄N₂)₂N₃(PF₆)

*T. Kashiwagi, M. Hagiwara, S. Kimura, Z. Honda, and K. Kindo, J. Phys. Soc. Jpn., Vol.76 (2007) 103703, 1 - 4

Pressure Dependence of the Superconducting Transition and Electron Correlations in Na_xCoO₂·1.3H₂O

E. Kusano, S. Kawasaki, K. Matano, *G.-q. Zheng, R. L. Meng, J. Cmaidalka and C. W. Chu, Phys. Rev. B, Vol.76 (2007) 100506, 1 - 4

Elliptical Hole Pockets in the Fermi Surfaces of Unhydrated and Hydrated Sodium Cobalt Oxides

*J. Laverock, S. B. Dugdale, J. A. Duffy, J. Wooldridge, G. Balakrishnan, M. R. Lees, G.-q. Zheng, D. Chen, C. T. Lin, A. Andrejczuk, M. Itou, Y. Sakurai, Phys. Rev. B, Vol.76 (2007) 052509, 1 - 4

Magnetic-Field Induced Ferromagnetism as the Origin for the Colossal Magneto-Resistance in La_{1.2}Sr_{1.8}Mn₂O₇

Y. Shiotani, J. S. Gardner, J. L. Sarrao, *G.-q. Zheng, J. Magn. Magn. Mater., Vol.310e (2007) , 661 - 663

NMR Study of the Successive Two Phase Transitions in SmRu₄P₁₂

*S. Masaki, T. Mito, S. Wada, N. Takeda, D. Kikuchi, H. Sato, H. Sugawara, *G.-q. Zheng, J. Magn. Magn. Mater., Vol.310 (2007) , 175 - 177

NMR and NQR Studies of the Pairing Symmetry in the Superconducting State of Na_xCoO₂ · 1.3H₂O

K. Matano, *G.-q. Zheng, D. P. Chen, C. T. Lin, J. Cmaidalka, R. L. Meng, C. W. Chu, J. Magn. Magn. Mater., Vol.310e (2007) , 687 - 689

High-Field Magnetization in Transuranium Compounds

*K. Sugiyama, H. Nakashima, D. Aoki, S. Ikeda, Y. Haga, E. Yamamoto, A. Nakamura, Y. Homma, Y. Shiokawa, K. Kindo, M. Hagiwara, Y. Onuki, , J. Magn. Magn. Mater., Vol.310 (2007) , 1789 - 1791

Magnetic Properties of Ce₃T₄Sn₁₃ and Pr₃T₄Sn₁₃ (T=Co and Rh) Single Crystals

*Y. Oduchi, C. Tonohiro, A. Thamizhavel, H. Nakashima, S. Morimoto, T. D. Matsuda, Y. Haga, K. Sugiyama, T. Takeuchi, R. Settai, M. Hagiwara, Y. Onuki, J. Magn. Magn. Mater., Vol.310 (2007) , 249 - 251

Magnetism of filled skutterudites under high magnetic fields

*T. Yamada, H. Nakashima, K. Sugiyama, M. Hagiwara, K. Kindo, K. Tanaka, D. Kikuchi, Y. Aoki, H. Sugawara, H. Sato, R. Settai, Y. Onuki, H. Harima, , J. Magn. Magn. Mater., Vol.310 (2007) , 252 - 254

Magnetic Properties and Hall Effect of Single-crystalline YMn₆Sn₆

K. Uhlirova, V. Sechovsky, F. R. de Boer, S. Yoshii, T. Yamamoto, M. Hagiwara, C. Lefèvre, G. Venturini,, J. Magn. Magn. Mater., Vol.310 (2007) , 1747 - 1749

Highly Anisotropic Magnetic Phase Diagram of a 2-dimensional Orthogonal Dimer System TmB₄

*F. Iga, A. Shigekawa, Y. Hasegawa, S. Michimura, T. Takabatake, S. Yoshii, T. Yamamoto, M. Hagiwara, K. Kindo, J. Magn. Magn. Mater., Vol.310 (2007) , e443 - e445

ESR in a GaN thin Film Doped with Fe

*T. Kashiwagi, S. Sonoda, H. Yashiro, Y. Akasaka, M. Hagiwara, J. Magn. Magn. Mater., Vol.310 (2007) , 2152 - 2154

High-field Magnetization of TbB₄

*S. Yoshii, T. Yamamoto, M. Hagiwara, T. Takeuchi, A. Shigekawa, S. Michimura, F. Iga, T. Takabatake, K. Kindo, J. Magn. Mater., Vol.310 (2007) , 1282 - 1284

High Field ESR Measurements on The Spin Gap System TiCuCl₃

*S. Kimura, M. Hagiwara, H. Tanaka, A. K. Kolezhuk, K. Kindo, J. Magn. Mater., Vol.310 (2007) , 1218 - 1220

Novel Spin Excitation in the High Field Phase of an S=1 Antiferromagnetic Chain

*M. Hagiwara, T. Kashiwagi, S. Kimura, Z. Honda, K. Kindo, J. Magn. Mater., Vol.310 (2007) , 1272 - 1274

Control of the Ferroelectricity in a Metastable State for Orthorhombic RMnO₃ Crystals

*K. Noda, M. Akaki, F. Nakamura, D. Akahoshi, H. Kuwahara, J. Phys.: Condens. Matter, Vol.19 (2007) 145279, 1 - 6

Photoemission Study of Perovskite-Type Manganites with Stripe Ordering

*K. Ebata, H. Wadati, M. Takizawa, K. Maekawa, A. Fujimori, A. Chikamatsu, H. Kumigashira, M. Oshima, Y. Tomioka, H. Kuwahara, Y. Tokura, J. Supercond. Novel. Magn., Vol.20 (2007) , 543 - 546

Ferroelectric Polarization and Magnetic Structure in Eu_{0.595}Y_{0.405}MnO₃

*R. Kajimoto, T. Yokoo, M. Kofu, K. Noda, H. Kuwahara, J. Phys. Chem. Solids., Vol.68 (2007) , 2087 - 2090

Diffuse Phase Transition and Anisotropic Evolution of Nanodomains in Nd_{0.2}Sr_{0.8}MnO₃

*M. Nagao, T. Asaka, T. Nagai, D. Akahoshi, R. Hatakeyama, T. Yokosawa, M. Tanaka, H. Yoshikawa, A. Yamazaki, K. Kimoto, H. Kuwahara, Y. Matsui, J. Phys. Soc. Jpn, Vol.76 (2007) 103706, 1 - 4

Anomalous Reflectivity Oscillation of Layered Manganite La_{0.5}Sr_{1.5}MnO₄

*K. Kouyama, Y. Kubo, K. Ema, H. Kuwahara, J. Phys. Soc. Jpn., Vol.76 (2007) 123702, 1 - 3

Nanostructural Evidence at the Phase Boundary of A- and C-Type Antiferromagnetic Phases in Nd_{1-x}Sr_xMnO₃ Crystals

*M. Nagao, T. Asaka, D. Akahoshi, R. Hatakeyama, T. Nagai, M Saito, K.Watanabe, M. Tanaka, A. Yamazaki, T. Hara, K. Kimoto, H. Kuwahara, Y. Matsui, J. Phys.: Condens. Matter., Vol.19 (2007) 492201, 1 - 7

Anomalous Ferromagnetic Behavior and Large Magnetoresistance induced by Orbital Fluctuation in Heavily Doped Nd_{1-x}Sr_xMnO₃(0.57≤x≤0.75)

*D. Akahoshi, R. Hatakeyama, M. Nagao, T. Asaka, Y. Matsui, H. Kuwahara, Phys. Rev. B, Vol.77 (2007) 054404, 1 - 5

STM Studies on Structural Modulation and Two-Phase Microstructures in Pb-Doped Bi2201 Single Crystals

*T. Nishizaki, K. Kudo, N. Okumura, N. Kobayashi, Physica C, Vol.460-462 (2007) , 156 - 157

Energy Gap and Surface Structure of Superconducting Diamond Films Probed by Scanning Tunneling Microscopy

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, Physica C, Vol.460-462 (2007) , 210 - 211

STM Studies on the Electronic State of the Overdoped Bi2201

*K. Kudo, T. Nishizaki, N. Okumura, N. Kobayashi, Physica C, Vol.460-462 (2007) , 948 - 949

Vortex Phase Diagram in Heavy Ion Irradiated Untwinned $\text{YBa}_2\text{Cu}_3\text{O}_y$ Single Crystals

*N. Kobayashi, T. Nishizaki, K. Kasuga, S. Okayasu, *Physica C*, Vol.460-462 (2007) , 1204 - 1205

Vortex Phase Diagram Near the Lower Critical Point in Untwinned $\text{YBa}_2\text{Cu}_3\text{O}_y$ Single Crystals

*T. Nishizaki, K. Shibata, N. Kobayashi, *Physica C*, Vol.460-462 (2007) , 281 - 284

STM Studies on the Hole Doping Dependence of the Hidden Order in Pb-Doped Bi2201

*K. Kudo, T. Nishizaki, N. Okumura, N. Kobayashi, *Physica C*, Vol.463-465 (2007) , 40 - 43

Vortex Phase Diagram of Underdoped $\text{YBa}_2\text{Cu}_3\text{O}_y$ in Parallel Magnetic Fields

*T. Nishizaki, Y. Takahashi, N. Kobayashi, *Int. J. Mod. Phys. B*, Vol.21 (2007) , 3364 - 3366

STM Studies of Electronic Order in the Underdoped Surface of $\text{YBa}_2\text{Cu}_3\text{O}_y$

*T. Nishizaki, N. Kobayashi, M. Maki, *Int. J. Mod. Phys. B*, Vol.21 (2007) , 3199 - 3201

Local Tunneling Spectroscopy across a Metamagnetic Critical Point in the Bilayer Ruthenate $\text{Sr}_3\text{Ru}_2\text{O}_7$

*K. Iwaya, S. Satow, T. Hanaguri, N. Shannon, Y. Yoshida, S. I. Ikeda, J. P. He, Y. Kaneko, Y. Tokura, T. Yamada, H. Takagi, *Phys. Rev. Lett.*, Vol.99 (2007) 057208, 1 - 4

Negative and Positive Persistent Photoconductivity Effects in $\text{Al}_x\text{Ga}_{1-x}\text{As}_y\text{Sb}_{1-y}/\text{InAs}$ Quantum Wells

*S. Ishida, A. Fujimoto, K. Oto, M. Araki, I. Shibusaki, *J. Cryst. Growth*, Vol.301-302 (2007) , 185 - 189

Scanning Tunneling Microscopy / Spectroscopy on Superconducting Diamond Films

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, *New Diamond Front. Carbon Technol.*, Vol.17 (2007) , 21 - 31

Low-Temperature Transport Properties in $\text{Al}_x\text{Ga}_{1-x}\text{As}_y\text{Sb}_{1-y}/\text{InAs}$ Quantum Wells: Well-Width Dependence

*S. Ishida, A. Fujimoto, M. Araki, K. Oto, A. Okamoto, I. Shibusaki, *J. Cryst. Growth*, Vol.301-302 (2007) , 199 - 202

Magneto-Quantum Transport in $\text{Al}_x\text{Ga}_{1-x}\text{As}_y\text{Sb}_{1-y}/\text{InAs}$ Quantum Wells

*S. Ishida, A. Fujimoto, S. Tamiya, K. Oto, A. Okamoto, I. Shibusaki, *Phys. Status Solidi C*, Vol.4 (2007) , 325 - 328

Spatiotemporal Vortex Matter Oscillations in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Crystals

*B. Kalisky, M. Gitterman, B. Ya. Shapiro, I. Shapiro, A. Shaulov, Y. Yeshurun, T. Tamegai, *Phys. Rev. Lett.*, Vol.98 (2007) 017001, 1 - 4

Dynamic Order-to-Metastable-Disorder Vortex Matter Transition in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$

*B. Kalisky, Y. Myasoedov, A. Shaulov, T. Tamegai, E. Zeldov, Y. Yeshurun, *Phys. Rev. Lett.*, Vol.98 (2007) 107001, 1 - 4

Interplay of Anisotropy and Disorder in the Doping-Dependent Melting and Glass Transitions of Vortices in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$

*H. Beidenkopf, T. Verdene, Y. Myasoedov, H. Shtrikman, E. Zeldov, B. Rosenstein, D. Li, T. Tamegai, *Phys. Rev. Lett.*, Vol.98 (2007) 167004, 1 - 4

Dynamic and Thermodynamic Properties of Porous Vortex Matter in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$ in an Oblique Magnetic Field

*N. Avraham, Y. Y. Goldschmidt, J. T. Liu, Y. Myasoedov, M. Rappaport, E. Zeldov, C. J. van der Beek, M. Konczykowski, T. Tamegai, Phys. Rev. Lett., Vol.99 (2007) 087001, 1 - 4

Electronic States in Polycrystalline and Crystalline Bismuth-based Manganites

*M. Tokunaga, S. Hakuta, T. Tamegai, J. Magn. Magn. Mater., Vol.310 (2007) , 885 - 887

Magneto-optical Imaging of Vortex Lensing in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$

*T. Tamegai, H. Chiku, M. Tokunaga, Physica C, Vol.460-462 (2007) , 791 - 792

Anisotropic Superconductivity in $\text{Lu}_2\text{Fe}_3\text{Si}_5$

*T. Tamegai, T. Nakagawa, M. Tokunaga, Physica C, Vol.460-462 (2007) , 708 - 709

Double Transition in $\text{PrOs}_4\text{Sb}_{12}$ Probed by Local Magnetization Measurements using Hall Probe Array

*S. Kasahara, K. Hirata, T. Tamegai, H. Sugawara, D. Kikuchi, H. Sato, Physica C, Vol.460-462 (2007) , 696 - 697

Distributed Injection of Transient Vortex States in a Prism-Shaped $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Crystal

*B. Kalisky, A. Shaulov, Y. Myasoedov, E. Zeldov, T. Tamegai, Y. Yeshurun, Physica C, Vol.460-462 (2007) , 1210 - 1212

Ratchet without Spatial Asymmetry: Controlling the Motion of Magnetic Flux Quanta Using Time-Asymmetric Drives

*S. J. Bending, D. Cole, S. Savel'ev, F. Nori, T. Tamegai, Physica C, Vol.460-462 (2007) , 1266 - 1267

Competition between Lensing and Dome Formation of Vortices in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$

*T. Tamegai, H. Chiku, M. Tokunaga, Physica C, Vol.463-465 (2007) , 245 - 250

Positive Local Magnetization in the Superconducting State of $\text{PrOs}_4\text{Sb}_{12}$

*S. Kasahara, K. Hirata, T. Tamegai, H. Sugawara, D. Kikuchi, H. Sato, Physica C, Vol.463-465 (2007) , 71 - 75

Anisotropic Superconducting Properties in $\text{Sc}_5\text{Ir}_4\text{Si}_{10}$

G. J. Li, M. Miura, Z. X. Shi, *T. Tamegai, Physica C, Vol.463-465 (2007) , 76 - 79

Quasi-One-Dimensional Superconductivity in $\text{Sc}_5\text{Ir}_4\text{Si}_{10}$ and $\text{Lu}_5\text{Ir}_4\text{Si}_{10}$ Single Crystals

*T. Tamegai, G. J. Li, Int. J. Mod. Phys. B, Vol.21 (2007) , 3334 - 3339

Spinor Dipoler Bose-Einstein Condensates: Classical Spin Approach

*M. Takahashi, S. Ghosh, T. Mizushima, K. Machida, Phys. Rev. Lett., Vol.98 (2007) 260403, 1 - 4

Pauli Paramagnetic Effects on Vortices in Superconducting $\text{TmNi}_2\text{B}_2\text{C}$

L. DeBeer-Schmitt, *M. R. Eskildsen, M. Ichioka, K. Machida, N. Jenkins, C. D. Dewhurst, A. B. Abrahamsen, S. L. Bud'ko, P. C. Canfield, Phys. Rev. Lett., Vol.99 (2007) 167001, 1 - 4

Vortex State in a Fulde-Ferrell-Larkin-Ovchinnikov Superconductor Based on Quasiclassical Theory

*M. Ichioka, H. Adachi, T. Mizushima, K. Machida, Phys. Rev. B, Vol.76 (2007) 014503, 1 - 10

Vortex States in Superconductors with Strong Pauli-Paramagnetic Effect

*M. Ichioka, K. Machida, Phys. Rev. B, Vol.76 (2007) 064502, 1 - 7

Nodal Structures of Heavy Fermion Superconductors Probed by the Specific-Heat Measurements in Magnetic Fields

*T. Sakakibara, A. Yamada, J. Custers, K. Yano, T. Tayama, H. Aoki, K. Machida, J. Phys. Soc. Jpn, Vol.76 (2007) 051004, 1 - 11

Quasi-Classical Calculation of the Mixed-State Thermal Conductivity in s- and d-Wave Superconductors

*H. Adachi, P. Miranovic, M. Ichioka, K. Machida, J. Phys. Soc. Jpn., Vol.76 (2007) 064708, 1 - 7

Imbalanced Superfluid Phase of a Trapped Fermi Gas in the BCS-BEC Crossover Regime

*T. Mizushima, M. Ichioka, K. Machida, J. Phys. Soc. Jpn., Vol.76 (2007) 104006, 1 - 15

Low Energy Excitations in the Mixed State of the Anisotropic s-Wave Superconductor CeRu₂

A. Yamada, *T. Sakakibara, J. Custers, M. Hedo, Y. Onuki, P. Miranovic, K. Machida, J. Phys. Soc. Jpn., Vol.76 (2007) 123704, 1 - 4

Visibility of Vortex Core in Fermionic Superfluid with Population Imbalance

*M. Takahashi, T. Mizushima, K. Machida, M. Ichioka, J. Low Temp. Phys., Vol.148 (2007) , 423 - 427

Sub-meV Resolution Photoemission Study on Carbon Substituted MgB₂

*S. Tsuda, T. Yokoya, T. Kiss, T. Shimojima, S. Shin, T. Togashi, S. Watanabe, C. Q. Zhang, C. T. Chen, S. Lee, H. Uchiyama, S. Tajima, N. Nakai, K. Machida, Physica C, Vol.460-462 (2007) , 80 - 83

Electronic Thermal Conductivity in a Superconducting Vortex State

*H. Adachi, P. Miranovic, M. Ichioka, K. Machida, Physica C, Vol.463-465 (2007) , 36 - 39

Macroscopic Manifestations of Broken Inversion Symmetry in Noncentrosymmetric Superconductors with Applied Magnetic Field

*M. Oka, M. Ichioka, K. Machida, J. Magn. Magn. Mater. , Vol.310 (2007) , 575 - 577

Vortex State in FFLO Superconductors

*M. Ichioka, H. Adachi, T. Mizushima, K. Machida, J. Magn. Magn. Mater. , Vol.310 (2007) , 593 - 595

Quasiclassical Calculation of the Quasiparticle Thermal Conductivity in a Mixed State

*H. Adachi, P. Miranovic, M. Ichioka, K. Machida, J. Magn. Magn. Mater., Vol.310 (2007) , 640 - 642

The Superconducting Gap Structure of PrO_{0.4}Sb₁₂ and CeRu₂ Probed by C(H, φ)

*J. Custers, A. Yamada, T. Tayama, T. Sakakibara, H. Sugawara, Y. Aoki, H. Sato, Y. Onuki, K. Machida, J. Magn. Magn. Mater., Vol.310 (2007) , 700 - 702

Thermal Conductivity in the Vortex State of S-Wave and d-Wave Superconductors

*P. Miranovic, H. Adachi, M. Ichioka, K. Machida, AIP Conf. Proc. , Vol.899 (2007) , 630 - 630

Quasiparticle Interference and Superconducting Gap in $\text{Ca}_{2-x}\text{Na}_x\text{CuO}_2\text{Cl}_2$

*T. Hanaguri, Y. Kohsaka, J. C. Davis, C. Lupien, I. Yamada, M. Azuma, M. Takano, K. Ohishi, M. Ono, H. Takagi, Nat. Phys., Vol.3 (2007) , 865 - 871

In-Plane Anisotropy of the Resistivity in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ Single Crystals with Various Doping Conditions

*T. Naito, H. Iwasaki, T. Nishizaki, N. Kobayashi, Physica C, Vol.460-462 (2007) , 1196 - 1197

Impurity-induced Magnetic Order in the Mixture of Two Spin Gap Systems $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$ and $(\text{CH}_3)_2\text{CHNH}_3\text{CuBr}_3$

K. Kanada, T. Saito, A. Oosawa, *T. Goto, T. Suzuki, H. Manaka, J. Phys. Chem. Solids, Vol.68 (2007) , 2191 - 2194

^1H -NMR Study on the Magnetic Order in the Mixture of Two Spin Gap Systems $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$ and $(\text{CH}_3)_2\text{CHNH}_3\text{CuBr}_3$

*K. Kanada, T. Saito, A. Oosawa, T. Goto, T. Suzuki, J. Phys. Soc. Jpn., Vol.76 (2007) 064706, 1 - 3

The Effect of Randomness on the Quantum Spin System $\text{Tl}_{1-x}\text{K}_x\text{CuCl}_3$ with $x = 0.44$ Studied by the Zero-Field Muon-Spin-Relaxation (ZF- μSR) Method

*T. Suzuki, F. Yamada, I. Watanabe, T. Goto, A. Oosawa, H. Tanaka, J. Phys. Soc. Jpn., Vol.76 (2007) 074704, 1 - 5

^1H -NMR Study of the Random Bond Effect in the Quantum Spin System $(\text{CH}_3)_2\text{CHNH}_3\text{Cu}(\text{Cl}_x\text{Br}_{1-x})_3$

*T. Adachi, K. Kanada, T. Saoto, A. Oosawa, T. Goto, J. Phys. Soc. Jpn., Vol.76 (2007) 083701, 1 - 4

High-Field Magnetic Torque Measurement in the Spin Gap System $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$

T. Saito, T. Sakaki, T. Suzuki, A. Oosawa, *T. Goto , S. Awaji, K. Watanabe, N. Kobayashi, J. Phys. Soc. Jpn, Vol.76 (2007) 084708, 1 - 7

NMR Study of The Vortex Slush Phase in Organic Superconductor $\kappa\text{-(BEDT-TTF)}_2\text{Cu}(\text{NCS})_2$

M. Urano, J. Tonishi, H. Inoue, T. Saito, T. Fujiwara, H. Chiku, A. Oosawa, *T. Goto, T. Suzuki, T. Sasaki, N. Kobayashi, S. Awaji, K. Watanabe, Phys. Rev. B, Vol.76 (2007) 024505, 1 - 4

Anomalous Quantum Hall Resistance in $\text{Al}_{0.6}\text{Ga}_{0.4}\text{As}_{0.1}\text{Sb}_{0.9}/\text{InAs}$ Quantum Well with Tunable Carrier Density

*K. Oto, S. Tamiya, S. Ishida, A. Okamoto, I. Shibusaki, Int. J. Mod. Phys. B , Vol.21 (2007) , 1419 - 1423

Potential Imaging in Quantum Hall Device by Optical Fiber Based Pockels Measurement

M. Dohi, R. Yonamine, *K. Oto, K. Muro, Int. J. Mod. Phys. B , Vol.21 (2007) , 1414 - 1418

Comprehensive Study of Spin-Flip Excitation in $\text{CdZnTe}/\text{CdZnMnTe}$ Quantum Wells

D. Fukuoka, K. Arahara, T. Koyama, N. Tanaka, *K. Oto, K. Muro, S. Takeyama, G. Karczewski, T. Wojtowicz, J. Kossut, Int. J. Mod. Phys. B , Vol.21 (2007) , 1610 - 1614

Universal Scaling in the Dynamical Conductivity of Heavy Fermion Ce and Yb Compounds

*H. Okamura, T. Watanabe, M. Matsunami, T. Nishihara, N. Tsujii, T. Ebihara, H. Sugawara, H. Sato, Y. Onuki, Y. Isikawa, T. Takabatake, T. Nanba, J. Phys. Soc. Jpn., Vol.76 (2007) 023703, 1 - 5

Single Crystal Growth and Magnetic Properties of Antiferromagnet $Ce_2Pd_3Si_5$

N. D. Dung, *Y. Haga, T. D. Matsuda, T. Yamada, A. Thamizhavel, Y. Okuda, T. Takeuchi, K. Sugiyama, M. Hagiwara, K. Kindo, R. Settai, Y. Onuki, J. Phys. Soc. Jpn., Vol.76 (2007) 024702, 1 - 6

Magnetization Process in GdB_4

*A. Kikkawa, K. Katsumata, Y. Narumi, K. Suga, T. Fukui, T. Sugaya, K. Kindo, F. Iga, S. Michimura, J. Phys. Soc. Jpn., Vol.76 (2007) 024711, 1 - 4

Metamagnetic Transition to Poor Conductor in $BaVS_3$

*Y. Narumi, K. Suga, K. Kindo, T. Yamasaki, M. Shiga, H. Nakamura, J. Phys. Soc. Jpn., Vol.76 (2007) 013706, 1 - 4

NMR Evidence for Field-induced Magnetic Ordering at 30 T in the Haldane Compound $PbNi_2V_2O_8$

*K. Hashi, N. Tsujii, T. Shimizu, A. Goto, S. Ohki, H. Kitazawa, J. Phys. Soc. Jpn., Vol.76 (2007) 064705, 1 - 4

Magnetism of Insulator Phase in $SrRu_{1-x}Mn_xO_3$ ($0.4 < x < 0.6$) Crystal

*H. Kawanaka, C. Satoh, M. Yokoyama, H. Kitazawa, O. Suzuki, G. Kido, H. Bando, Y. Nishihara, J. Magn. Magn. Mater., Vol.310 (2007), 987 - 989

Non-Fermi Liquid Behavior in $YbCu_2Si_2$

*N. Tsujii, H. Kitazawa, T. Aoyagi, T. Kimura, G. Kido, J. Mag. Mag. Mat., Vol.310 (2007), 349 - 351

Experimental Studies of Magnetism of Trimer Chains

*M. Hase, M. Kohno, H. Kitazawa, N. Tsujii, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, J. Mag. Mag. Mat., Vol.310 (2007), 375 - 377

NMR study of Field-Induced Magnetic Ordering in the Haldane System $PbNi_2V_2O_8$

*K. Hashi, N. Tsujii, T. Shimizu, A. Goto, H. Kitazawa, S. Ohki, J. Mag. Mag. Mat., Vol.310 (2007), 1242 - 1244

Magnetic Susceptibility at High Fields of $Pb_2V_3O_9$

*T. Waki, N. Tsujii, Y. Itoh, C. Michioka, K. Yoshimura, O. Suzuki, H. Kitazawa, G. Kido, Physica, B, Vol.398 (2007), 148 - 150

Pressure-Temperature Phase Diagram of the Heavy-Electron Superconductor URu_2Si_2

*H. Amitsuka, K. Matsuda, I. Kawasaki, K. Tenya, M. Yokoyama, C. Sekine, N. Tateiwa, T. C. Kobayashi, S. Kawarazaki, H. Yoshizawa, J. Magn. Magn. Mater., Vol.310 (2007), 214 - 220

Single-Site Effects of Pr and U Ions Doped in RRu_2Si_2 (R = Th, Y and La)

*A. Morishita, K. Matsuda, T. Wakabayashi, I. Kawasaki, K. Tenya, H. Amitsuka, J. Magn. Magn. Mater., Vol.310 (2007), 283 - 285

Low-Energy Magnetic Fluctuations in $U(Ru_{1-x}Rh_x)_2Si_2$ ($x \leq 0.02$)

*M. Yokoyama, K. Matsuda, H. Amitsuka, K. Tenya, N. Aso, H. Yoshizawa, J. Magn. Magn. Mater., Vol.310 (2007), 328 - 330

Neutron-Scattering and Magnetization Study on URu_2Si_2 under Hydrostatic Pressure using a Cu-Be Pressure Cell

*K. Matsuda, M. Yokoyama, K. Tenya, H. Amitsuka, H. Yoshizawa, J. Magn. Magn. Mater., Vol.310 (2007), 337 - 339

Decrease of the Coherence Temperature with Low Rh Doping in $U(Ru_{1-x}Rh_x)_2Si_2$

Y. S. Oh, *K. H. Kim, N. Harrison, H. Amitsuka, J. A. Mydosh, J. Magn. Mater. , Vol.310 (2007) , 855 - 857

Interplay between Fermi Surface Topology and Ordering in URu_2Si_2 Revealed through Abrupt Hall Coefficient Changes in Strong Magnetic Fields

Y. S. Oh, *K. H. Kim, P. A. Sharma, N. Harrison, H. Amitsuka, J. A. Mydosh , Phys. Rev. Lett , Vol.98 (2007) 016401, 1 - 4

No-Evidence for “Small-Moment Antiferromagnetism” under Ambient Pressure in URu_2Si_2 : Single-Crystal ^{29}Si NMR Study

S. Takagi, S. Ishihara, S. Saitoh, H. Sasaki, H. Tanida, M. Yokoyama, H. Amitsuka, J. Phys. Soc. Jpn. , Vol.76 (2007) 033708, 1 - 4

Reduction of Kondo Lattice Effects in $Yb_{1-x}Lu_xAl_3$ Observed by Soft X-ray Photoelectron Spectroscopy

*J. Yamaguchi, A. Sekiyama, S. Imada, A. Yamasaki, M. Tsunekawa, T. Muro, T. Ebihara, Y. Onuki, S. Suga, New J. Phys., Vol.9 (2007) 317, 1 - 10

Fermi Surface of $CeIn_3$ above the Neel Critical Field

*N. Harrison, S. E. Sebastian, C. H. Mielke, A. Paris, M. J. Gordon, C. A. Swenson, D. G. Rickel, M. D. Pacheco, P. F. Rumberger, J. B. Schillig, A. H. Lacerda, M. -T. Suzuki, H. Harima, T. Ebihara , Phys. Rev. Lett., Vol.99 (2007) 056401, 1 - 4

Hidden Order and Pseudogap of Pb-Substituted $Bi2201$ Studied by Scanning Tunneling Microscopy and Out-of-Plane Resistivity in Magnetic Fields

*K. Kudo, T. Nishizaki, N. Okumura, T. Sasaki, N. Kobayashi, E. Ohmichi, T. Osada, Int. J. Mod. Phys. B, Vol.21 (2007) , 3208 - 3210

Infrared Study of The Valence Transition Compound $YbInCu_4$ using Cleaved Surfaces

*H. Okamura, T. Michizawa, T. Nanba, T. Ebihara, Phys. Rev. B, Vol.75 (2007) 041101, 1 - 4

Chemical Potential-electron Density Curve of the Zigzag Hubbard Ladder for Pr 247

*K. Okunishi, J. Magn. Mater., Vol.310 (2007) , 1108 - 1109

Exotic Finite-Temperature Phase Diagram for Weakly Coupled $S = 1/2$ XXZ Chain in a Magnetic Field

*T. Suzuki, N. Kawashima, K. Okunishi, J. Phys. Soc. Jpn., Vol.76 (2007) 123707, 1 - 4

Field-Induced Incommensurate Order for the Quasi-One-Dimensional XXZ Model in a Magnetic Field

*K. Okunishi, T. Suzuki , Phys. Rev. B, Vol.76 (2007) 224411, 1 - 5

Wilson-Like Real-Space Renormalization Group and Low-Energy Effective Spectrum of the XXZ Chain in the Critical Regime

*K. Okunishi, J. Phys. Soc. Jpn. , Vol.76 (2007) 063001, 1 - 4

Filling Dependence of the Zigzag Hubbard Ladder for the Quasi-One-Dimensional Superconductor $Pr_2Ba_4Cu_7O_{15-\delta}$

*K. Okunishi, Phys. Rev. B, Vol.75 (2007) 174514, 1 - 5

Origin and Control of High-temperature Ferromagnetism in Semiconductors

*S. Kuroda, N. Nishizawa, K. Takita, M. Mitome, Y. Bando, K. Osuch, T. Dietl, Nat. Mat., Vol.6 (2007) , 440 - 446

DNA Electrophoresis under the Gradient Magnetic Field

K. Yoshida, S. Ozawa, *I. Yamamoto, M. Yamaguchi, K. Ogawa, T. Takamasu, Phys. Status Solidi A, Vol.204 (2007) , 3918 - 3921

Correlation Between Ferromagnetism and Cluster Formation in (Zn, Cr)Te Co-Doped with Charge Impurities

*N. Nishizawa, S. Kuroda, K. Takita, M. Mitome, Y. Bando, T. Dietl, Materials Research Society, Vol.999 (2007) K, 6 - 11

Extremely High Upper Critical Magnetic Field of the Noncentrosymmetric Heavy Fermion Superconductor CeRhSi₃

*N. Kimura, K. Ito, H. Aoki, S. Uji, T. Terashima, Phys. Rev. Lett., Vol.98 (2007) 197001, 1 - 4

Fermi Surface and Superconductivity in Noncentrosymmetric CeRhSi₃

*T. Terashima, T. Yamaguchi, T. Matsumoto, S. Uji, N. Kimura, H. Aoki, H. Harima, Phys. Rev. B, Vol.76 (2007) 054506, 1 - 5

UGe₂: Low-Temperature Resistivity Measurements in a Wide Range of Magnetic Field and Pressure

*T. Terashima, K. Enomoto, T. Konoike, T. Matsumoto, S. Uji, N. Kimura, M. Endo, T. Komatsubara, H. Aoki, K. Maezawa, J. Magn. Magn. Mater., Vol.310e (2007) , 116 - 117

Magneto-Optical Four-Wave-Mixing Studies of an Exciton–Biexciton System in a CdMnTe/CdTe/CdMgTe Single Quantum Well

*H. Mino, A. Kobayashi, G. Karczewski, T. Wojtowicz, J. Kossut, S. Takeyama, J. Phys. Soc. Jpn., Vol.76 (2007) 064704, 1 - 6

Phase Transitions of a Geometrically Frustrated Spin System CdCr₂O₄ in Very High Magnetic Fields

*H. Mitamura, H. Ueda, H. A. Katori, S. Takeyama, T. Sakakibara, Y. Ueda, H. Takagi, J. Phys. Soc. Jpn., Vol.76 (2007) 085001, 1 - 2

Ferromagnetism in Zinc Sulfide Nanocrystals: Dependence on Manganese Concentration

*I. Sarkar, M. K. Sanyal, S. Kar, S. Biswas, S. Banerjee, S. Chaudhuri, S. Takeyama, H. Mino, F. Komori, Phys. Rev. B., Vol.75 (2007) 224409, 1 - 5

Primitive Description for Hall Oscillations in the Extreme Quantum Limit of (TMTSF)₂ClO₄

S. McKernan, S. Uji, *J. S. Brooks, P. M. Chaikin, Solid State Commun., Vol.145 (2007) , 385 - 388

Experimental Presentation of Microwave Absorption due to Shaking of JV by AC Magnetic Field in Bi2212 and Bi2223

*D. Shaltiel, H.-A. Krug von Nidda, B. Y. Shapiro, B. Rosenstein, A. Loidl, B. Bogoslavsky, I. Shapiro, T. Fujii, T. Watanabe, T. Tamegai, J. Supercond. Novel Magn., Vol.22 (2008) , 387 - 399

Synchrotron X-ray Experiments in Pulsed High Magnetic Fields

*Y. H. Matsuda, Anal. Sci, Vol.24 (2008) , 3 - 10

Pulsed-Field Magnetization, Electron Spin Resonance, and Nuclear Spin-Lattice Relaxation in the {Cu3} Spin Triangle

*K. Y. Choi, N. S. Dalal, A. P. Reyes, P. L. Kuhns, Y. H. Matsuda, H. Nojiri, S. S. Mal, U. Kortz, Phys. Rev. B, Vol.77 (2008) 0224406, 1 - 8

High-Magnetic-Field X-ray Absorption Spectroscopy of Field-Induced Valence Transition in EuNi₂(Si_{1-x}Ge_x)₂

*Y. H. Matsuda, T. Inami, K. Ohwada, Y. Murata, H. Nojiri, Y. Murakami, A. Mitsuda, H. Wada, H. Miyazaki, I. Harada, J. Phys. Soc. Jpn, Vol.77 (2008) 054713, 1 - 7

Field-induced Magnetostructural Transition in Gd₅Ge₄ Studied by Pulsed Magnetic Fields

Z. W. Ouyang, *H. Nojiri, S. Yoshii, G. H. Rao, Y. C. Wang, V. K. Pecharsky, K. A. Gschneidner Jr., Phys. Rev. B, Vol.77 (2008) 184426, 1 - 7

External Magnetic Field Effects on a Distorted Kagome Antiferromagnet

J.-H. Kim, S. Ji, S.-H. Lee, B. Lake, T. Yildirim, *H. Nojiri, H. Kikuchi, K. Habicht, Y. Qiu, K. Kiefer, Phys. Rev. Lett., Vol.101 (2008) 107201, 1 - 4

Insulator–Metal Phase Transition of Pr_{0.6}Ca_{0.4}MnO₃ Studied by X-ray Absorption Spectroscopy in Pulsed Magnetic Fields

Z. W. Ouyang, Y. H. Matsuda, *H. Nojiri, Y. Inada, Y. Niwa, T. Arima, J. Phys.: Condens. Matter, Vol.21 (2008) 016006, 1 - 5

Synthesis, Structure, and Magnetic Properties of The Two-Dimensional Quantum Antiferromagnets (CuBr)A₂B₃O₁₀ (A=Ca, Sr, Ba, Pb; B=Nb, Ta) with The 1/3 Magnetization Plateau

Y. Tsujimoto, H. Kageyama, *Y. Baba, A. Kitada, T. Yamamoto, Y. Narumi, K. Kindo, M. Nishi, J. P. Carlo, A. A. Aczel, T. J. Williams, T. Goko, G. M. Luke, Y. J. Uemura, Y. Ueda, Y. Ajiro, K. Yoshimura, Phys. Rev. B, Vol.78 (2008) 214410, 1 - 10

Topological Effects on The Magnetic Properties of Closed and Open Ring-Shaped Cr-based Antiferromagnetic Nanomagnets

*Y. Furukawa, K. Kiuchi, K. Kumagai, Y. Ajiro, Y. Narumi, M. Iwaki, K. Kindo, A. Bianchi, S. Carretta, G. A. Timco, R. E. P. Winpenny, Phys. Rev. B, Vol.78 (2008) 092402, 1 - 4

Breakdown of an Intermediate Plateau in The Magnetization Process of Anisotropic Spin-1 Heisenberg Dimer: Theory vs. Experiment

*J. Strecka, M. Hagiwara, P. Balaz, M. Jascur, Y. Narumi, S. Kimura, J. Kuchiar, K. Kindo, Physica B, Vol.403 (2008) , 3146 - 3153

Magnetization Process and the Associated Lattice Deformations in an Intermetallic Compound Gd₅Ge₃

*Y. Narumi, Y. Tanaka, N. Terada, M. Rotter, K. Katsumata, T. Fukui, M. Iwaki, K. Kindo, H. Toyokawa, A. Tanaka, T. Tsutaoka, T. Ishikawa, H. Kitamura, J. Phys. Soc. Jpn, Vol.77 (2008) 053711, 1 - 4

Singlet Ground State and Spin Gap in S =1/2 Kagome' Antiferromagnet Rb₂Cu₃SnF₁₂

K. Morita, M. Yano, T. Ono, *H. Tanaka, K. Fujii, H. Uekusa, Y. Narumi, K. Kindo, J. Phys. Soc. Jpn, Vol.77 (2008) 043707, 1 - 4

Magnetic Transitions and Spin Dynamics in the 3d¹ System K₂NaCrO₈ Investigated by Magnetization and ²³Na NMR

K. -Y. Choi, S. Nellutla, A. P. Reyes, P. L. Kuhns, Y. -J Jo, L. Balicas, H. Nojiri, M. Pati, N. S. Dalal, Phys. Rev. B, Vol.78 (2008) 214419, 1 - 6

Insulator–metal Phase Transition of Pr_{0.6}Ca_{0.4}MnO₃ Studied by X-ray Absorption Spectroscopy in Pulsed Magnetic Fields

Z. W. Ouyang, Y. H. Matsuda, *H. Nojiri, Y. Inada, Y. Niwa, T. Arima, J. Phys.: Condens. Matter, Vol.21 (2008) , 1 - 5

Ferromagnetic Dy-Ni and Antiferromagnetic Dy-Cu Couplings in Single-Molecule Magnets [Dy₂Ni] and [Dy₂Cu]

*A. Okazawa, T. Nogami, H. Nojiri, T. Ishida, Inorg. Chem, Vol.47 (2008) , 9763 - 9765

Unusual Metamagnetic Transitions in Pr_{0.5}Ca_{0.5}Mn_{0.97}Ga_{0.03}O₃ Studied by Pulsed Magnetic Fields

Z. W. Ouyang, *H. Nojiri, S. Yoshii, Phys. Rev. B, Vol.78 (2008) 104404, 1 - 5

Syntheses, Structures, and Magnetic Properties of Manganese–Lanthanide Hexanuclear Complexes

T. Shiga, N. Hoshino, M. Nakano, H. Nojiri, *H. Oshio, Inorg. Chim. Acta, Vol.361 (2008) , 4113 - 4117

Polyoxometalate-Mediated Self-Assembly of Single-Molecule Magnets: $\{[XW_9O_{34}]_2[Mn^{III}_4Mn^{II}_2O_4(H_2O)_4]\}^{12-}$ **

C. Ritchie, A. Ferguson, H. Nojiri, H. N. Miras, Y. -F. Song, D. -L. Long, E. Burkholder, *M. Murrie, P. Kogerler, E. K. Brechin, *L. Cronin, *Angew. Chem. Int. Ed.*, Vol.47 (2008) , 5609 - 5612

Exchange Coupling and Energy-Level Crossing in a Magnetic Chain [DyCu] Evaluated by High-Frequency Electron Paramagnetic Resonance

A. Okazawa, T. Nogami, *H. Nojiri, T. Ishida, *Chem. Mater.*, Vol.20 (2008) , 3110 - 3119

Neutron Diffraction Study of Magnetic Structure in DyCu under Magnetic Field

*M. Yasui, T. Terai, T. Kakeshita, M. Matsuda, N. Metoki, H. Nojiri, *J. Appl. Phys.* , Vol.103 (2008) 07B710, 1 - 3

Polarization Dependence of Resonant Inelastic X-ray Scattering Spectroscopy in Correlated Electron Systems

*S. Ishihara, S. Ihara, *J. Phys. Chem. Solids*, Vol.69 (2008) , 3184 - 3186

Multi-Frequency and High-Field EPR Study of Manganese(III) Protoporphyrin IX Reconstituted Myoglobin with an S=2 Integer Electron Spin

M. Horitani, H. Yashiro, M. Hagiwara, *H. Hori, *J. Inorg. Biochem.*, Vol.102 (2008) , 781 - 788

Spectral Function and Dynamical Spin Correlation Function in the $t-t'-t''-j$ Model

*T. Tohyama, *J. Phys. Chem. Solids*, Vol.69 (2008) , 3176 - 3180

Magnetodielectric Phenomena in a Charge- and Spin-Frustrated System of Layered Iron Oxide

M. Naka, *A. Nagano, S. Ishihara, *Phys. Rev. B*, Vol.77 (2008) 224441, 1 - 15

Doubly Degenerate Orbital System in Honeycomb Lattice: Implication of Orbital State in Layered Iron Oxide

J. Nasu, *A. Nagano, M. Naka, S. Ishihara, *Phys. Rev. B*, Vol.78 (2008) 024416, 1 - 12

Numerical Study of t_2g Orbital System with Ferromagnetic Polarization

*T. Tanaka, S. Ishihara, *Phys. Rev. B* , Vol.78 (2008) 153106, 1 - 4

Spin and Charge Frustration in Magneto-Dielectric Material

S. Ishihara, M. Naka, J. Nasu, *J. Phys.: Conf. Ser.*, Vol.145 (2008) 012073, 1 - 4

Theory of Chemical Bonds in Metalloenzymes. VII. Hybrid-Density Functional Theory Studies on the Electronic Structures of P450

*M. Shoji, H. Isobe, T. Saito, H. Yabushita, K. Koizumi, Y. Kitagawa, S. Yamanaka, T. Kawakami, M. Okumura, M. Hagiwara, K. Yamaguchi, *Int. J. Quantum Chem.*, Vol.108 (2008) , 631 - 650

Novel Ordering of an S=1/2 Quasi-1d Ising-Like Antiferromagnet in Magnetic Field

*S. Kimura, T. Takeuchi, K. Okunishi, M. Hagiwara, Z. He, K. Kindo, T. Taniyama, M. Itoh, *Phys. Rev. Lett.*, Vol.100 (2008) 057202, 1 - 4

Triplet Spin Resonance of Haldane Magnet $PbNi_2V_2O_8$ with Interchain Coupling

*A. I. Smirnov, V. N. Glazkov, T. Kashiwagi, S. Kimura, M. Hagiwara, K. Kindo, A. Ya. Shapiro, L. N. Demianets., *Phys. Rev. B*, Vol.77 (2008) 100401, 1 - 4

Evidence for d-wave Pairing in the Cobalt Oxide Superconductor $\text{Na}_x\text{CoO}_2 \cdot 1.3\text{H}_2\text{O}$

*K. Matano, G.-q. Zheng, D. P. Chen, C. T. Lin, Physica B, Vol.403 (2008) , 1107 - 1108

Spin-singlet Superconductivity with Multiple Gaps in $\text{PrFeAsO}_{0.89}\text{F}_{0.11}$

K. Matano, Z. A. Ren, X. L. Dong, L. L. Sun, Z. X. Zhao, *G. -q. Zheng, Europhys. Lett, Vol.83 (2008) 57001, 1 - 4

^{123}Sb -NQR Study of Unconventional Superconductivity in The Filled Skutterudite Heavy-fermion Compound $\text{PrOs}_4\text{Sb}_{12}$ under High Pressure up to 3.82 GPa

S. Kawasaki, *K. Katayama, H. Sugawara, D. Kikuchi, H. Sato, G. -q. Zheng, Phys. Rev. B, Vol.78 (2008) 064510, 1 - 7

Sb-NQR Study of $\text{PrOs}_4\text{Sb}_{12}$ under High Pressure

*S. Kawasaki, K. Katayama, M. Nishiyama, H. Kotegawa, T. C. Kobayashi, H. Sugawara, D. Kikuchi, H. Sato, G. -q. Zheng, J. Phys. Soc. Jpn, Vol.77 (2008) , 330 - 332

Nuclear Spin-Lattice Relaxation in Non-centrosymmetric Superconductors $\text{Li}_2(\text{Pd,Pt})_3\text{B}$

*M. Kandatsu, M. Nishiyama, Y. Inada, G. -q. Zheng, J. Phys. Soc. Jpn, Vol.77 (2008) , 348 - 349

^{31}P -NMR Study in Single Crystal $\text{SmRu}_4\text{P}_{12}$

S. Masaki, T. Mito, *S. Wada, H. Sugawara, D. Kikuchi, H. Sato, M. Takigawa, N. Takeda, G. -q. Zheng, J. Phys. Soc. Jpn, Vol.77 (2008) , 206 - 208

Triplet Spin Resonance of the Haldane Magnet $\text{PbNi}_2\text{V}_2\text{O}_8$ with Interchain Coupling

*A. I. Smirnov, V. N. Glazkov, T. Kashiwagi, S. Kimura, M. Hagiwara, K. Kindo, A. Y. Shapiro, L. N. Demianets, Phys. Rev. B, Vol.77 (2008) 100401, 1 - 4

Magnetism and Crystalline Effect in RRhIn_5 (R:rare earth)

*T. Takeuchi, N. V. Hieu, H. Shishido, C. Tonohiro, T. Yamada, K. Sugiyama, R. Settai, T. D Matsuda, Y. Haga, M. Hagiwara, K. Kindo, S. Araki, Y. Nozue, Y. Onuki, , Physica B, Vol.403 (2008) , 1023 - 1025

High-field Magnetization of Single Crystals CeCu_2X_2 (X=Si and Ge) and YbCu_2Si_2

*K. Sugiyama, T. Miyauchi, Y. Ota, T. Yamada, Y. Oduchi, N. D. Dung, Y. Haga, T. D. Matsuda, M. Hagiwara, K. Kindo, T. Takeuchi, R. Settai, Y. Onuki,, Physica B, Vol.403 (2008) , 769 - 771

Magnetic Properties of RRhIn_5 (R: Rare Earth)

*N. V. Hieu, H. Shishido, H. Nakashima, K. Sugiyama, R. Settai, S. Araki, Y. Nozue, T. D. Matsuda, Y. Haga, T. Takeuchi, M. Hagiwara, K. Kindo, Y. Onuki,, J. Magn. Magn. Mater., Vol.310 (2008) , 1721 - 1723

Anisotropic Magnetic Properties of $\text{Ce}_2\text{Pd}_3\text{Si}_5$

*N. D. Dung, Y. Haga, T. D. Matsuda, A. Thamizhavel, Y. Okuda, T. Takeuchi, K. Sugiyama, M. Hagiwara, K. Kindo, R. Settai, Y. Onuki, J. Magn. Magn. Mater., Vol.310 (2008) , 1558 - 1560

Longitudinal Spin Density Wave Order in a Quasi-1D Ising-like Quantum Antiferromagnet

S. Kimura, M. Matsuda, T. Masuda, S. Hondo, K. Kaneko, N. Metoki, M. Hagiwara, T. Takeuchi, K. Okunishi, Z. He, K. Kindo, T. Taniyama, M. Itoh, Phys. Rev. Lett., Vol.101 (2008) 207201, 1 - 4

Multistep Magnetization Plateaus in the Shastry-Sutherland System TbB_4

*S. Yoshii, T. Yamamoto, M. Hagiwara, S. Michimura, A. Shigekawa, F. Iga, T. Takabatake, K. Kindo, Phys. Rev. Lett., Vol.101 (2008) 087202, 1 - 4

Chiral and Collinear Ordering in a Distorted Triangular Antiferromagnet

I. Smirnov, L. E. Svistov, L. A. Prozorova, A. Zheludev, M. D. Lumsden, E. Ressouche, O. A. Petrenko, K. Nishikawa, S. Kimura, M. Hagiwara, K. Kindo, A. Ya. Shapiro, L. N. Demianets, Phys. Rev. Lett., Vol.102 (2008) 037202, 1 - 4

Field-induced Spin-state Transition in the Perovskite Cobalt Oxide $\text{Sr}_{1-x}\text{Y}_x\text{CoO}_{3-\delta}$

*S. Kimura, Y. Maeda, T. Kashiwagi, H. Yamaguchi, M. Hagiwara, S. Yoshida, I. Terasaki, K. Kindo, Phys. Rev. B, Vol.78 (2008) 180403, 1 - 4

High-field Electron Spin Resonance in The Two-dimensional Triangular-lattice Antiferromagnet NiGa_2S_4

*H. Yamaguchi, S. Kimura, M. Hagiwara, Y. Nambe, S. Nakatsuji, Y. Maeno, K. Kindo, Phys. Rev. B, Vol.78 (2008) 180404, 1 - 4

Exact Solution of the Geometrically Frustrated Spin-1/2 Ising-Heisenberg Model on The Triangulated Kagome (triangles-in-triangles) lattice

*J. Strecka, L. Canova, M. Jascur, M. Hagiwara, Phys. Rev. B, Vol.78 (2008) 024427, 1 - 11

Breakdown of an Intermediate Plateau in The Magnetization Process of Anisotropic Spin-1 Heisenberg Dimer: Theory vs. Experiment

*J. Strecka, M. Hagiwara, P. Balaz, M. Jascur, Y. Narumi, S. Kimura, J. Kuchar, K. Kindo, Physica B, Vol.403 (2008) , 3146 - 3153

Electrical and Magnetic Properties of R_3Al_{11} (R=La, Ce, Pr, and Nd)

*C. S. Garde, T. Takeuchi, Y. Nakano, Y. Takeda, Y. Ota, Y. Miyauchi, K. Sugiyama, M. Hagiwara, K. Kindo, F. Honda, R. Settai, Y. Onuki, J. Phys. Soc. Jpn., Vol.78 (2008) 124704, 1 - 12

NMR Study of a FFLO State of CeCoIn_5 in a Perpendicular and a Parallel Field

*K. Kumagai, T. Oyaizu, Y. Furukawa, H. Shishido, Y. Matsuda, Physica B, Vol.403 (2008) , 1144 - 1146

Magnetic Phase Diagram of $\text{Nd}_{0.5}\text{Sr}_{0.5}\text{MnO}_3$ Probed by ^{17}O NMR

*A. Trokner, S. Verkhovskii, A. Yakubovskii, K. Kumagai, P. Monod, K. Mikhalev, A. Buzlukov, Y. Furukawa, N. Hur, S.-W. Cheong, Phys. Rev. B, Vol.77 (2008) 134436, 1 - 8

Magnetic Detection of High-Resolution Electron Spin Resonance Using a Microcantilever in the Millimeter-Wave Region up to 240 GHz

*E. Ohmichi, N. Mizuno, M. Kimata, H. Ohta, Rev. Sci. Instrum., Vol.79 (2008) 103903, 1 - 4

Development of High-resolution Electron Spin Resonance Method in the Millimeter Wave Region using a Cantilever

*E. Ohmichi, N. Mizuno, M. Kimata, H. Ohta, J. Jpn. Soc. Infrared Science & Technology, Vol.17 (2008) , 30 - 33

High Field ESR Measurements on One Dimensional Antiferromagnetic Zigzag Chain Systems

*H. Ohta, S. Okubo, K. Shiraki, M. Yoshida, A.A. Belik, M. Azuma, M. Takano, J. Korean Phys. Soc. , Vol.53 (2008) , 999 - 1005

High Field ESR Measurements of $S=1/2$ Kagome Heisenberg Antiferromagnet $\text{ZnCu}_3(\text{OH})_6\text{Cl}_2$

*S. Okubo, M. Tomoo, H. Ohta, H. Kikuchi, J. Phys: Conf. Ser., Vol.145 (2008) 012011, 1 - 4

$S=1/2$ Kagome Lattice Antiferromagnet $\text{Cu}_3\text{V}_2\text{O}_7(\text{OH})_2 \cdot 2\text{H}_2\text{O}$ Studied by High Field ESR

*H. Ohta, W. Zhang, S. Okubo, M. Tomoo, M. Fujisawa, H. Yoshida, Y. Okamoto, Z. Hiroi, J. Phys: Conf. Ser., Vol.145 (2008) 012010, 1 - 4

Multi-Frequency ESR Study of $S=1/2$ Frustration Systems $Zn_xCu_{4-x}(OH)_6Cl_2$

*M. Tomoo, S. Okubo, T. Sakurai, T. Tomita, M. Fujisawa, H. Ohta, H. Kikuchi, J. Phys: Conf. Ser., Vol.145 (2008) 012035, 1 - 4

Large Magnetoresistance of Heavily Doped $Nd_{1-x}Sr_xMnO_3$ ($0.55 \leq x \leq 0.75$)

*D. Akahoshi, R. Hatakeyama, H. Kuwahara, Physica B, Vol.403 (2008) , 1598 - 1600

Magnetodielectric Effects in Low-Dimensional Cobalt Oxides

*M. Akaki, F. Nakamura, D. Akahoshi, H. Kuwahara, Physica B, Vol.403 (2008) , 1505 - 1507

Spatially Direct Charged Exciton Photoluminescence in Undoped ZnSe/BeTe type-II Quantum Wells

*Z. W. Ji, S. Takeyama, H. Mino, K. Oto, K. Muro, R. Akimoto, Appl. Phys. Lett., Vol.92 (2008) 093107, 1 - 3

Bulk Electronic Structure of the Antiferromagnetic Superconducting Phase in $ErNi_2B_2C$

*T. Baba, T. Yokoya, S. Tsuda, T. Kiss, T. Shimojima, K. Ishizaka, H. Takeya, K. Hirata, T. Watanabe, M. Nohara, H. Takagi, N. Nakai, K. Machida, T. Togashi, S. Watanabe, X.-Y. Wang, C. T. Chen, S. Shin, Phys. Rev. Lett. , Vol.100 (2008) 017003, 1 - 4

Field-angle-dependent Specific Heat Measurements and Gap Determination of a Heavy Fermion Superconductor URu_2Si_2

*K. Yano, T. Sakakibara, T. Tayama, M. Yokoyama, H. Amitsuka, Y. Homma, P. Miranovic, M. Ichioka, Y. Tsutsumi, K. Machida, Phys. Rev. Lett. , Vol.100 (2008) 017004, 1 - 4

Low-Energy Electronic State of the Structural Modulation-Free $Bi_2Sr_2CuO_{6+\delta}$ Studied by the Scanning Tunneling Microscopy

*K. Kudo, T. Nishizaki, N. Okumura, N. Kobayashi, J. Phys. Chem. Solids., Vol.69 (2008) , 3022 - 3026

Vortex State of Pb-Substituted Bi2201 Studied by In-Plane Resistivity Measurements

D. Okamoto, *K. Kudo, N. Okumura, T. Nishizaki, N. Kobayashi, Physica C, Vol.468 (2008) , 1278 - 1280

Kelvin Waves of Quantized Vortex Lines in Trapped Bose-Einstein Condensates

*T. P. Simula, T. Mizushima, K. Machida, Phys. Rev. Lett., Vol.101 (2008) 020402, 1 - 4

Majorana Bound State in Rotating Superfluid 3He -A between Parallel Plates

*Y. Tsutsumi, T. Kawakami, T. Mizushima, M. Ichioka, K. Machida, Phys. Rev. Lett., Vol.101 (2008) 135302, 1 - 4

Role of the Majorana Fermion and the Edge Mode in Chiral Superfluidity near a p-Wave Feshbach Resonance

*T. Mizushima, M. Ichioka, K. Machida, Phys. Rev. Lett., Vol.101 (2008) 150409, 1 - 4

Magnetization Profile and Core-level Spectroscopy in a Multiply Quantized Vortex of Imbalanced Fermi Superfluids

K. M. Suzuki, *T. Mizushima, M. Ichioka, K. Machida, Phys. Rev. A, Vol.77 (2008) 063617, 1 - 11

Vortex Waves in Trapped Bose-Einstein Condensates

*T. P. Simula, T. Mizushima, K. Machida, Phys. Rev. A, Vol.78 (2008) 053604, 1 - 7

Magnetic Field Dependence of Low-temperature Specific Heat in Sr₂RuO₄

*K. Machida, M. Ichioka, Phys. Rev. B, Vol.77 (2008) 184515, 1 - 7

NMR Study on the Local Structure in La-based High-*T_c* Cuprates

*T. Goto, J. Tonishi, T. Suzuki, A. Oosawa, M. Fujita, K. Yamada, T. Adachi, Y. Koike, J. Phys: Conf. Ser., Vol.108 (2008) 012007, 1 - 6

Muon Spin Relaxation Detection of the Soft Mode Toward the Exotic Magnetic Ground State in the Bond-disordered Quantum Spin System IPA-Cu(Cl_{0.35}Br_{0.65})₃

*T. Goto, T. Suzuki, K. Kanada, T. Saito, A. Oosawa, I. Watanabe, H. Manaka, Phys. Rev. B, Vol.78 (2008) 054422, 1 - 6

Spin Dynamics of Two-dimensional Electrons in a Quantum Hall System Probed by Time-resolved Kerr Rotation Spectroscopy

*D. Fukuoka, T. Yamazaki, N. Tanaka, K. Oto, K. Muro, Y. Hirayama, N. Kumada, H. Yamaguchi, Phys. Rev. B, Vol.78 (2008) 041304, 1 - 4

Transport Properties and Observation of Quantum Hall Effects of InAs_{0.1}Sb_{0.9} thin Layers Sandwiched between Al_{0.1}In_{0.9}Sb Layers

*I. Shibusaki, H. Geka, S. Ishida, K. Oto, T. Ishihara, T. Yoshida, Microelectron. J., Vol.40 (2008) , 592 - 594

Specific-Heat Evidence for Two-Gap Superconductivity in the Ternary-Iron Silicide Lu₂Fe₃Si₅

*Y. Nakajima, T. Nakagawa, T. Tamegai, H. Harima, Phys. Rev. Lett., Vol.100 (2008) 157001, 1 - 4

Mapping The Dynamic Interactions between Vortex Species in Highly Anisotropic Superconductors

*M. Tesei, G. K. Perkins, A. D. Caplin, L. FCohen, T. Tamegai, Supercond. Sci. Technol., Vol.21 (2008) 175019, 1 - 4

Influence of Spatial Variations in The Lower Critical Field on The Equilibrium Field Penetration into Superconductors

*N. Avraham, E. H. Brandt, G. P. Mikitik, Y. Myasoedov, M. Rappaport, E. Zeldov, C. J. van der Beek, M. Konczykowski, T. Tamegai, Phys. Rev. B, Vol.77 (2008) 214525, 1 - 8

Interaction between Josephson and Pancake Vortices Investigated by the Induced Microwave Dissipation by Ac Magnetic Field Technique

*D. Shaltiel, H. -A. Krug von Nidda, B. Y. Shapiro, B. Rosenstein, A. Loidl, B. Bogoslavsky, I. Shapiro, T. Tamegai, Phys. Rev. B, Vol.77 (2008) 214522, 1 - 5

Two-Gap Superconductivity Seen in Penetration-Depth Measurements of Lu₂Fe₃Si₅ Single Crystals

R. T. Gordon, M. D. Vannette, C. Martin, Y. Nakajima, T. Tamegai, *R. Prozorov, Phys. Rev. B, Vol.78 (2008) 024514, 1 - 5

Magneto-Optical Imaging of Flux Penetration into Arrays of Bi₂Sr₂CaCu₂O₈ Microdisks

*M. R. Connolly, M. V. Milošević, S. J. Bending, T. Tamegai, Phys. Rev. B, Vol.78 (2008) 132501, 1 - 4

Multiple Changes of Order of the Vortex Melting Transition in Bi₂Sr₂CaCu₂O₈ with Dilute Columnar Defects

*T. Verdene, H. Beidenkopf, Y. Myasoedov, H. Shtrikman, M. Rappaport, E. Zeldov, T. Tamegai, Phys. Rev. Lett., Vol.101 (2008) 157003, 1 - 4

Buil and Local Magnetic Properties of Iron-Based Oxypnictide Superconductor SmFeAsO_{1-x}F_x

*T. Tamegai, Y. Nakajima, Y. Tsuchiya, A. Iyo, K. Miyazawa, P. M. Shirage, H. Kito, H. Eisaki, J. Phys. Soc. Jpn. Suppl., Vol.77 (2008) , 54 - 57

Magneto-Optical Observations of Vortices in Anisotropic and Nanostructured Superconductors

*T. Tamegai, H. Chiku, Y. Tsuchiya, H. Shibusaki, Y. Nakajima, Physica C, Vol.468 (2008) , 531 - 536

Magnetic Structure of Superconductor/Ferromagnet Bilayer

*T. Tamegai, Y. Nakao, Y. Tsuchiya, Y. Nakajima, Physica C, Vol.468 (2008) , 1138 - 1140

Specific Heat Study of Ternary Iron-Silicide Superconductor $\text{Lu}_2\text{Fe}_3\text{Si}_5$: Evidence for Two-Gap Superconductivity

*Y. Nakajima, G. J. Li, T. Tamegai, Physica C, Vol.468 (2008) , 1308 - 1312

Effect of Magnetic Impurities on the Vortex Lattice Properties in NbSe_2 Single Crystals

M. Iavarone, R. D. Capua, G. Karapetrov, A. E. Koshelev, *D. Rosenmann, H. Claus, C. D. Malliakas, M. G. Kanatzidis, T. Nishizaki, N. Kobayashi, Phys. Rev. B, Vol.78 (2008) 174518, 1 - 8

One-Dimensional Electronic Order in Underdoped Surface of $\text{YBa}_2\text{Cu}_3\text{O}_y$ Studied by STM

*T. Nishizaki, M. Maki, N. Kobayashi, J. Phys. Chem. Solids., Vol.69 (2008) , 3014 - 3017

Low-Temperature STM/STS Studies on Boron-doped (111) Diamond Films

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, J. Phys. Chem. Solids., Vol.69 (2008) , 3027 - 3030

Phase Diagram of Interlayer Josephson Vortices in Underdoped $\text{YBa}_2\text{Cu}_3\text{O}_y$

*T. Nishizaki, Y. Takahashi, N. Kobayashi, Physica C, Vol.468 (2008) , 664 - 668

High Pressure Electrical Resistivity in La Doped CeIn_3

*T. Ebihara, Y. Iwamoto, T. Terasima, A. Iyo, T. Kagayama, K Shimizu, J. Phys: Conf. Ser., Vol.121 (2008) 012002, 1 - 3

Universal Scaling in the Optical Conductivity of Heavy Fermion Compounds

*H. Okamura, T. Watanabe, M. Matsunami, T. Nishihara, N. Tsujii, T. Ebihara, H. Sugawara, H. Sato, Y. Onuki, Y. Isikawa, M.S. Kim, T. Takabatake, T. Namba, Physica B, Vol.403 (2008) , 761 - 763

Heavy Holes as a Precursor to Superconductivity in Antiferromagnetic CeIn_3

*S. E. Sebastian, N. Harrison, C. D. Batista, S. A. Trugman, V. Fanelli, M. Jaime, T. P. Murphy, E. C. Palm, H. Harima, T. Ebihara, Proc. Nat. Acad. Sci. U. S. A., Vol. (2008) , 1 - 4

Quantum Phase Transitions of The Asymmetric Three-Leg Spin Tube

*T. Sakai, M. Sato, K. Okunishi, Y. Otsuka, K. Okamoto, C. Itoi, Phys. Rev. B, Vol.78 (2008) 184415, 1 - 11

On Calculation of Vector Spin Chirality for Zigzag Spin Chains

*K. Okunishi, J. Phys. Soc. Jpn., Vol.77 (2008) 114004, 1 - 7

Pressure-induced Phase Transitions in PrB_6 : Electrical Resistivity Measurements

*H. Iwakubo, S. Ikeda, Y. Kishino, H. Tanida, M. Sera, F. Iga, Phys. Rev. B, Vol.78 (2008) 012409, 1 - 4

Magnetic Order and Multipole Interactions in $Ce_xPr_{1-x}B_6$ Solid Solutions

*J. -M. Mignot, G. André, J. Robert, M. Sera, F. Iga, Phys. Rev. B, Vol.78 (2008) 014415, 1 - 10

Possible Mechanism of Charge Stripe Formation Based on the Ring Exchange Interaction

*T. Sakai, Physica C, Vol.468 (2008) , 1163 - 1165

Numerical Diagonalization Study on A Phonon-Assisted Hole Pairing Mechanism of An Extended T-J-Holstein Model

*T. Sakai, J. Phys: Con. Ser., Vol.108 (2008) 012026, 1 - 4

Field-Induced Incommensurate Order and Possible Supersolid in the $S=1/2$ Frustrated Diamond Chain

*T. Sakai, K. Okamoto, T. Tonegawa, J. Phys: Conf. Ser., Vol.145 (2008) 012065, 1 - 4

Ground-State Phase Diagram of an $(S, S')=(1, 2)$ Spin-Alternating Chain with Competing Single-Ion Anisotropies

*T. Tonegawa, K. Okamoto, T. Sakai, M. Kabutagi, J. Phys: Conf. Ser., Vol.145 (2008) 012066, 1 - 4

Magneto-Optical Properties of n-type Modulation-doped (Cd,Cr)Te Quantum Well

*F. Takano, T. Nishizawa, J. W. Lee, S. Kuroda, Y. Imanaka, T. Takamasu, H. Akinaga, Physica E, Vol.40 (2008) , 1166 - 1168

Micro-Patterned Organic Electroluminescent Devices

*Y. Pihosh, I. Turkevych, M. Goto, A. Kasahara, T. Takamasu, M. Tosa, Jpn. J. Appl. Phys., Vol.47 (2008) , 1263 - 1265

Fermi Surface in the Superconducting β -pyrochlore Oxide $CsOs_2O_6$

*T. Terashima, S. Uji, J. Yamaura, Z. Hiroi, H. Harima , Phys. Rev. B, Vol.77 (2008) 064509, 1 - 11

Continuous Evolution of Fermi Surface Properties above Metamagnetic Transitions in $Ce_xLa_{1-x}Ru_2Si_2$

Y. Matsumoto, M. Sugi, N. Kimura, T. Komatsubara, *H. Aoki , I. Satoh, T. Terashima, S. Uji, J. Phys. Soc. Jpn., Vol.77 (2008) 053703, 1 - 4

Fermi Surface Properties of $CeRu_2(Si_{1-x}Ge_x)_2$ in Magnetic Fields above the Metamagnetic Transitions

M. Sugi, Y. Matsumoto, N. Kimura, T. Komatsubara, H. Aoki, T. Terashima, S. Uji, Phys. Rev. Lett., Vol.101 (2008) 056401, 1 - 4

Resonant Magnetic X-ray Diffraction Study on Successive Metamagnetic Transitions in TbB_4

T. Inami, K. Ohwada, Y. H. Matsuda, *Z. W. Ouyang, H. Nojiri, T. Matsumura, D. Okuyama, Y. Murakami, J. Phys. Soc. Jpn., Vol.78 (2009) 033707, 1 - 4

Field Induced Lattice Deformation in the Quantum Antiferromagnet $SrCu_2(BO_3)_2$

*Y. Narumi, N. Terada, Y. Tanaka, M. Iwaki, K. Katsumata, K. Kindo, H. Kageyama, Y. Ueda, H. Toyokawa, T. Ishikawa, H. Kitamura, J. Phys. Soc. Jpn., Vol.78 (2009) 043702, 1 - 4

Anomalous Frequency and Intensity Scaling of Collective and Local Modes in a Coupled-spin Tetrahedral System $Cu_2Te_2O_5C_{12}$

K. -Y. Choi, *H. Nojiri, N. S. Dalal, H. Berger, W. Brenig, P. Lemmens, Phys. Rev. B, Vol.79 (2009) 024416, 1 - 7

Dilution Effect in Correlated Electron Systems with Orbital Degeneracy

*T. Tanaka, S. Ishihara, Phys. Rev. B, Vol.79 (2009) 035109, 1 - 11

High-field Multifrequency Electron-spin-resonance Study of the Haldane Magnet $\text{Ni}(\text{C}_5\text{H}_{14}\text{N}_2)_2\text{N}_3(\text{PF}_6)$

*T. Kashiwagi, M. Hagiwara, S. Kimura, Z. Honda, H. Miyazaki, I. Harada, K. Kindo, Phys. Rev. B, Vol.79 (2009) 024403, 1 - 12

Magnetic Properties of Single Crystalline RCu_2Si_2 (R: Rare Earth)

*N. D. Dung, Y. Ota, K. Sugiyama, T. D. Matsuda, Y. Haga, K. Kindo, M. Hagiwara, T. Takeuchi, R. Settai, Y. Onuki, J. Phys. Soc. Jpn., Vol.78 (2009) 024712, 1 - 16

Electrical and Magnetic Properties of CeAu_2Si_2

*Y. Ota, K. Sugiyama, Y. Miyauchi, Y. Takeda, Y. Nakano, Y. Doi, K. Katayama, N. D. Dung, T. D. Matsuda, Y. Haga, K. Kindo, T. Takeuchi, M. Hagiwara, R. Settai, Y. Onuki, J. Phys. Soc. Jpn., Vol.78 (2009) 034714, 1 - 8

A high-field magnetization study of a $\text{Nd}_2\text{Fe}_{14}\text{Si}_3$ single crystal

*A. V. Andreev, S. Yoshii, M. D. Kuz'min, F. R. de Boer, K. Kindo, M. Hagiwara, J. Phys.: Condens. Matter., Vol.21 (2009) 146005, 1 - 8

Field-induced-Moment Nuclear Coupling for ^{59}Co in a Heusler Alloy Co_2TiGa

*Y. Furutani, H. Nishihara, T. Kanomata, K. Kobayashi, R. Kainuma, K. Ishida, K. Koyama, K. Watanabe, T. Goto, J. Phys.: Conf. Ser., Vol.150 (2009) 042037, 1 - 4

Magnetic phase diagram of the $S = 1/2$ antiferromagnetic ladder $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$

*H. Tsujii, Y. H. Kim, Y. Yoshida, Y. Takano, T. P. Murphy, K. Kanada, T. Saito, A. Oosawa, T. Goto, J. Phys.: Conf. Ser., Vol.150 (2009) 042217, 1 - 4

μSR -detected Soft Mode Toward a Possible Phase Transition in Disordered Spin Gap System $(\text{CH}_3)_2\text{CHNH}_3\text{-Cu}(\text{Cl}_x\text{Br}_{1-x})_3$

*T. Goto, T. Suzuki, I. Watanabe, K. Kanada, T. Saito, A. Oosawa, H. Manaka, Physica B, Vol.404 (2009), 594 - 596

Bond-randomness Effect on the Quantum Spin System $\text{Ti}_{1-x}\text{K}_x\text{CuCl}_3$ probed by Muon-spin-relaxation Method

*T. Suzuki, F. Yamada, I. Watanabe, T. Goto, A. Oosawa, H. Tanaka, Physica B, Vol.404 (2009), 590 - 593

Quantum Critical behavior in Highly Random Systems $\text{Ti}_{1-x}\text{K}_x\text{CuCl}_3$ probed by Zero and longitudinal-field Muon Spin Relaxation Measurements

*T. Suzuki, F. Yamada, T. Kawamata, I. Watanabe, T. Goto, H. Tanaka, Phys. Rev. B, Vol.79 (2009) 104409, 1 - 5

Evidence of Spin Ground State in the Frustrated Antiferromagnetic Ring Cr_8Ni

Y. Furukawa, K. Kiuchi, K. Kumagai, Y. Ajiro, Y. Narumi, M. Iwaki, K. Kindo, A. Bianchi, S. Carretta, P. Santini, F. Borsa, G. A. Timco, R. E. Winpenny, Physica B, Vol.79 (2009) 134416, 1 - 7

High-Frequency Electron Spin Resonance System Using a Microcantilever and a Pulsed Magnetic Field

*E. Ohmichi, N. Mizuno, M. Kimata, H. Ohta, T. Osada, Rev. Sci. Instrum., Vol.80 (2009) 013904, 1 - 5

Possible Superconductivity above 25K in Single-Crystalline Co-Doped BaFe_2As_2

*Y. Nakajima, T. Taen, T. Tamegai, J. Phys. Soc. Jpn., Vol.78 (2009) 023702, 1 - 4

Continuum vs. Discrete Flux behaviour in Large Mesoscopic $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Disks

*M. R. Connolly, M. V. Milosevic, S. J. Bending, J. R. Clem, T. Tamegai, Europhys. Lett., Vol.85 (2009) 17008, 1 - 6

Mott Insulator Phases and First-Order Melting in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Crystals with Periodic Surface Holes

*S. Goldberg, Y. Segev, Y. Myasoedov, I. Gutman, N. Avraham, M. Rappaport, E. Zeldov, T. Tamegai, C. W. Hicks, K. A. Moler, Phys. Rev. B, Vol.79 (2009) 064523, 1 - 10

Anomalous Flux Propagation through Interface Separating Regions of Different Critical Currents in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ Crystals

*D. Barnes, M. Sinvani, A. Shaulov, T. Tamegai, Y. Yeshurun, J. Phys : Conf. Ser., Vol.150 (2009) 052017, 1 - 4

Vortex 'Puddles' and Magic Vortex Numbers in Mesoscopic Superconducting Disks

*M. R. Connolly, M. V. Milosevic, S. J. Bending, J. R. Clem, T. Tamegai, J. Phys : Conf. Ser., Vol.150 (2009) 052039, 1 - 4

Field Dependence of Critical Current Density in Flat Superconductor

*R. Kondo, T. Fukami, T. Tamegai, J. Phys : Conf. Ser., Vol.150 (2009) 052120, 1 - 4

Low-Temperature Specific-Heat Study of $\text{Sc}_5\text{Ir}_4\text{Si}_{10}$

*Y. Nakajima, G. J. Li, T. Tamegai, J. Phys : Conf. Ser., Vol.150 (2009) 052180, 1 - 4

Vortex Phase Transitions in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+x}$ Probed by Nonlinear AC Magnetic Response

*I. Sochnikov, A. Shaulov, T. Tamegai, Y. Yeshurun, J. Phys : Conf. Ser., Vol.150 (2009) 052244, 1 - 4

Shrinkage of Magnetic Domains in Superconductor/Ferromagnet Bilayer

*T. Tamegai, Y. Nakao, Y. Nakajima, J. Phys : Conf. Ser., Vol.150 (2009) 052263, 1 - 4

Two-Gap Superconductivity in $\text{R}_2\text{Fe}_3\text{Si}_5$ (R = Lu and Sc)

*T. Tamegai, Y. Nakajima, T. Nakagawa, G. J. Li, H. Harima, J. Phys : Conf. Ser., Vol.150 (2009) 052264, 1 - 4

Visualization of Vortices in Finite Superconducting Network by Magneto-Optical Imaging

*T. Tamegai, Y. Tsuchiya, Y. Nakajima, J. Phys : Conf. Ser., Vol.150 (2009) 052265, 1 - 4

High-Field Study of Multiferroic Properties in Orthorhombic $\text{Eu}_{1-x}\text{Y}_x\text{MnO}_3$

*M. Tokunaga, I. Katakura, Y. Yamasaki, Y. Onose, Y. Tokura, J. Phys: Conf. Ser., Vol.150 (2009) 042212, 1 - 4

Magnetization "Steps" on a Kagome Lattice in Volborthite

H. Yoshida, Y. Okamoto, T. Tayama, T. Sakakibara, M. Tokunaga, A. Matsuo, Y. Narumi, K. Kindo, M. Yoshida, M. Takigawa, *Z. Hiroi, J. Phys. Soc. Jpn., Vol.78 (2009) , 1 - 4

The Role of F-electrons in the Fermi Surface of the Heavy Fermion Superconductor $\beta\text{-YbAlB}_4$

*E. C. T. O'Farrell, D. A. Tompsett, S. E. Sebastian, N. Harrison, C. Capan, L. Balicas, K. Kuga, A. Matsuo, K. Kindo, M. Tokunaga, S. Nakatsuji, G. Csanyi, Z. Fisk, M. L. Sutherland, Phys. Rev. Lett., Vol. (2009) , 1 - 4 to be published

Quantum Phase Transition in the Magnetic-Field-Induced Normal State of Optimum-Doped High- T_c Cuprate Superconductors at Low Temperatures

*F. F. Balakirev, J. B. Betts, A. Migliori, I. Tsukada, Yoichi Ando, G. S. Boebinger, Phys. Rev. Lett., Vol.102 (2009) 017004, 1 - 4

Magnetic Field Induced Modification of Superfluid Density and Interplane Spectral weight in $YB_2Cu_3O_y$

A. D. LaForge, * W. J. Padilla, K. S. Burch, Z. Q. Li, A. A. Schafgans, K. Segawa, Y. Ando, D. N. Basov, Phys. Rev. B, Vol.79 (2009) 104516, 1 - 7

X-ray Resonant Scattering Study of the Structural and Magnetic Transitions in PrB_6

H. C. Walker, *K. A. McEwen, D. F. McMorrow, M. Bleckmann, J. -G. Park, S. Lee, F. Iga, D. Mannix, Phys. Rev. B, Vol.79 (2009) 054402, 1 - 8

Complex Magnetic Structures of a Shastry-Sutherland Lattice TmB_4 Studied by Powder Neutron Diffraction Analysis

*S. Michimura, A. Shigekawa, F. Iga, T. Takabatake, K. Ohoyama, J. Phys. Soc. Jpn., Vol.78 (2009) 024707, 1 - 5

Exotic Incommensurate Order for Weakly Coupled $S=1/2$ XXZ Chain in a Magnetic Field

T. Suzuki, N. Kawashima, K. Okunishi, J. Phys: Conf. Ser., Vol.150 (2009) , - to be published