

Spin lattice instability to a fractional magnetization state in the spinel HgCr_2O_4

*M. Matsuda, H. Ueda, A. Kikkawa, Y. Tanaka, K. Katsumata, Y. Narumi, T. Inami, Y. Ueda, S.-H. Lee, Nature physics, Vol.3 (2007), 397 - 400

Magnetic field-induced quasiparticle excitation in Nb_3Sn : Evidence for anisotropic s-wave pairing

*R. Kadono, K. H. Satoh, A. Koda, T. Nagata, H. Kawano-Furukawa, J. Suzuki, M. Matsuda, K. Ohishi, W. Higemoto, S. Kuroiwa, H. Takagiwa and J. Akimitsu, Phys. Rev. B., Vol.74 (2006) 024513, 1 - 5

Spiral spin structure in a Heisenberg pyrochlore magnet CdCr_2O_4

*M. Matsuda, M. Takeda, M. Nakamura, K. Kakurai, A. Oosawa, E. Lelièvre-Berna, J.-H. Chung, H. Ueda, H. Takagi, S.-H. Lee, Phys. Rev. B, Vol.75 (2007) 104415, 1 - 6

High Field X-ray Diffraction Study on a Magnetic-Field-Induced Valence Transition in YbInCu_4

*Y. H. Matsuda, T. Inami, K. Ohwada, Y. Murata, H. Nojiri, Y. Murakami, H. Ohta, W. Zhang and K. Yoshimura, J. Phys. Soc. Jpn., Vol.75 (2006) 024710, 1 - 5

High-Magnetic-Field X-ray Absorption Spectroscopy of Field-Induced Valence Transition in YbInCu_4

*Y. H. Matsuda, T. Inami, K. Ohwada, Y. Murata, H. Nojiri, Y. Murakami, H. Ohta, W. Zhang and K. Yoshimura, J. Phys. Soc. Jpn., Vol.76 (2007) 034702, 1 - 6

Neutron Diffraction under 30 T Pulsed Magnetic Fields

*K. Ohoyama, N. Katoh, H. Nojiri, Y. H. Matsuda, H. Hiraka, K. Ikeda, H. M. Shimizu, J. Magn. Magn. Mat., Vol.310 (2007), 974 - 976

Field-induced lattice staircase in a frustrated antiferromagnet CuFeO_2

*N. Terada, Y. Narumi, K. Katsumata, T. Yamamoto, U. Staub, K. Kindo, M. Hagiwara, Y. Tanaka, A. Kikkawa, H. Toyokawa, T. Fukui, R. Kanmuri, T. Ishikawa, H. Kitamura, Phys. Rev. B, Vol.74 (2006) 180404, 1 - 4

Lattice Distortion in Antiferromagnetic CoO under High Magnetic Fields

*Y. Narumi, K. Katsumata, U. Staub, K. Kindo, M. Kawauchi, C. Broennimann, H. Toyokawa, Y. Tanaka, A. Kikkawa, T. Yamamoto, M. Hagiwara, T. Ishikawa; H. Kitamura., J. Phys. Soc. Jpn., Vol.75 (2006) 075001, 1 - 2

X-ray diffractometer combining synchrotron radiation and pulsed magnetic field up to 40 T

*Y. Narumi, K. Kindo, K. Katsumata, M. Kawauchi, Ch. Broennimann, U. Staub, H. Toyokawa, Y. Tanaka, A. Kikkawa, T. Yamamoto, M. Hagiwara, T. shikawa and H. Kitamura, Journal of Synchrotron Radiation, Vol.13 (2006), 271 - 274

Ferromagnetic ordering in a new nickel polyborate $\text{NiB}_{12}\text{O}_{14}(\text{OH})_{10}$

*J. Ju, J. Sasaki, T. Yang, S. Kasamatsu, E. Negishi, G. Li, J. Lin, H. Nojiri, T. Rachi, K. Tanigaki, N. Toyota, Dalton Transactions, Vol.13 (2006), 1597 - 1601

Observation of a Half Step Magnetization in the $\{\text{Cu}_3\}$ -Type Triangular Spin Ring

*K. Y. Choi, Y. H. Matsuda, H. Nojiri, U. Kortz, F. Hussain, A. C. Stowe, C. Ramsey and S. Dalal, Phys. Rev. Lett., Vol.96 (2006) 107202, 1 - 4

Observation of field-dependent magnetic parameters in the magnetic molecule $\{\text{Ni}_4\text{Mo}_{12}\}$

*J. Schnack, M. Bruger, M. Luban, P. Kogerler, E. Morosan, R. Fuchs, R. Modler, H. Nojiri, R. C. Rai, J. Cao, J. L. Musfeldt, X. Wei, Phys. Rev. B, Vol.73 (2006) 094401, 1 - 9

Thermodynamic Properties and Elementary Excitations in Quantum Sine-Gordon Spin System KCuGaF_6

R. Morisaki, T. Ono, *H. Tanaka, H. Nojiri, J. Phys. Soc. Jpn., Vol.76 (2007) 063706, 1 - 4

Successive Magnetic Transitions of the Kagome Staircase Compound $\text{Co}_3\text{V}_2\text{O}_8$ Studied in Various Magnetic Fields

Y. Yasui, Y. Kobayashi, M. Soda, T. Moyoshi, M. Sato, N. Igawa, *K. Kakurai, J. Phys. Soc. Jpn., Vol. **76** (2007) 03706, 1 - 8

Symmetry of magnetic excitons in two-dimensional Mott insulators

*T. Tohyama, J. Mag. Mag. Mat., Vol. **310** (2007), 255 - 257

Chemical potential-electron density curve of the zigzag Hubbard ladder for Pr 247

*K. Okunishi, J. Mag. Mag. Mat., Vol. **310** (2007), 1108 - 1109

Filling dependence of the zigzag Hubbard ladder for the quasi-one-dimensional superconductor $\text{Pr}_2\text{Ba}_4\text{Cu}_7\text{O}_{15.8}$

*K. Okunishi, Phys. Rev. B, Vol. **75** (2007) 174514, 1 - 5

Possibility of field-induced incommensurate order in a quasi-one-dimensional frustrated spin system

*N. Maeshima, K. Okunishi, K. Okamoto, T. Sakai and K. Yonemitsu, J. Phys. : Condens. Matter, Vol. **18** (2006), 4819 - 4826

Wilson-like real-space renormalization group and low-energy effective spectrum of the XXZ chain in the critical regime

*K. Okunishi, J. Phys. Soc. Jpn., Vol. **76** (2007) 063001, 1 - 4

Quantum Phase Transition in Field-Induced Ordering Phases of Anisotropic Haldane Systems

H. Miyazaki, T. Hiwasa, M. Oko, *I. Harada, J. Mag. Mag. Mat., Vol. (2007), - to be published

Spin-Reorientation Transition of Field-Induced Magnetic Ordering Phases in the Anisotropic Haldane System

H. Miyazaki, T. Hiwasa, M. Oko, *I. Harada, J. Phys. Soc. Jpn., Vol. **75** (2007) 094708, 1 - 8

X-ray magnetic circular dichroism at Rare-Earth $L_{2,3}$ absorption edges in various compounds and alloys

*J. C. Parlebas, K. Asakura, A. Fujiwara, I. Harada, A. Kotani, Phys. Rep., Vol. **431** (2006), 1 - 38

Dilution Effects on Orbital Order in Strongly Correlated Electron Systems

*S. Ishihara, T. Tanaka, and M. Matsumoto, J. Mol. Struct., Vol. **838** (2007), 216 - 219

Spin-charge-orbital structures and frustration in multiferroic RFe_2O_4

A. Nagano, *S. Ishihara, J. Phys: Condensed Matter, Vol. **18** (2006) 145263, 1 - 5

^{31}P -NMR and μSR Studies of Filled Skutterudite Compound $\text{SmFe}_4\text{P}_{12}$: Evidence for Heavy Fermion Behavior with Ferromagnetic Ground State

*K. Hachitani, H. Fukazawa, Y. Kohori, I. Watanabe, Y. Yoshimitsu, K. Kumagai, R. Giri, C. Sekine, I. Shirotnani, J. Phys. Soc. Jpn, Vol. **75** (2006) 124717, 1 - 5

^{31}P -NMR μSR Studies of Filled Skutterudite Compound $\text{SmRu}_4\text{P}_{12}$

*K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori, I. Watanabe, K. Kumagai, C. Sekine, I. Shirotnani, J. Phys. Soc. Jpn, Vol. **75** (2006), 164 - 166

Appearance of Successive Phase Transition in $\text{SmRu}_4\text{P}_{12}$ under High Magnetic Fields Probed by ^{31}P Nuclear Magnetic Resonance

*K. Hachitani, H. Amanuma, H. Fukazawa, Y. Kohori, K. Koyama, K. Kumagai, C. Sekine I. Shirotnani, J. Phys. Soc. Jpn, Vol.75 (2006) 124712, 1 - 6

Charge-ordered state in half-doped Bi-based manganites studied by ^{17}O and ^{209}Bi NMR

*A. Trokiner, S. Verkhovskii, A. Yakubovskii, K. Kumagai, S-W. Cheong, D. Khomskii, Y. Furukawa, J. S. Ahn, A. Pogudin, V. Ogloblichev, A. Gerashenko, K Mikhalev, and Y. Piskunov, Phys. Rev. B, Vol.72 (2005) 054442, 1 - 9

Evidence for Multimagnon-Mediated Nuclear Spin Relaxation in the Intertwining Double-Chain Ferrimagnet $\text{Ca}_3\text{Cu}_3(\text{PO}_4)_4$

*S. Yamamoto, H. Hori, Y. Furukawa, Y. Nishisaka, Y. Sumida, K. Yamada, K. Kumagai, T. Asano Y. Inagaki, J.Phys. Soc. Jpn, Vol.75 (2006) 074703, 1 - 5

Fulde-Ferrell-Larkin-Ovchinnikov State in a Perpendicular Field of Quasi-Two- Dimensional CeCoIn_5

*K. Kumagai, M. Saitoh, T. Oyaizu, Y. Furukawa, S. Takashima, M. Nohara, H. Takagi, and Y. Matsuda, Phys. Rev. Lett. , Vol.97 (2006) 227002, 1 - 4

Local spin moment distribution in antiferromagnetic molecular rings probed by NMR

*E. Micotti, Y. Fururkawa, K. Kumagai, S. Caretta, A. Lascialfari, F. Borsa, G. A. Timco, R. E. P. Winpenny, Phys. Rev. lett., Vol.97 (2006) 267204, 1 - 4

Microscopic evidence of the FFLO state in CeCoIn_5 probed by NMR

*K. Kumagai, K. Kakuyanagi, M. Saitoh, S. Takashima, M. Nohara, H. Takagi, Y. Matsuda, Physica B, Vol.378-380 (2006) , 347 - 350

Microscopic evidence of the FFLO state in CeCoIn_5 probed by NMR study

*K. Kumagai, K. Kakuyanagi, M. Saitoh, Y. Matsuda S. Takashima, M. Nohara, H. Takagi, Phys. Stat. Sol. (c), Vol.3 (2006) , 2941 - 2946

Spin dynamics and level crossing in nanoscale molecular magnet V15 cluster studied by ^1H -NMR

*Y. Furukawa, Y. Fujiyoshi, K. Kumagai, P. Kogerler, Polyhedron, Vol.24 (2005) , 2737 - 2744

Cu-NMR Study on Field-Induced Phase Transitions in Quantum Spin Magnet NH_4CuCl_3

*S. Tani, H. Inoue, T. Suzuki, S. Hosoya1, K. Inokuchi, T. Fujiwara, T. Goto, H. Tanaka, T. Sasaki, S. Awaji, K. Watanabe and N. Kobayashi, Prog. Theor. Phys. Suppl., Vol.159 (2005) , 235 - 240

Muon spin rotation and relaxation study on the solid solution of the two spin-gap systems $(\text{CH}_3)_2\text{CHNH}_3\text{-CuCl}_3$ and $(\text{CH}_3)_2\text{CHNH}_3\text{-CuBr}_3$

T. Saito, A. Oosawa, *T. Goto, T. Suzuki, I. Watanabe, Phys. Rev. B, Vol.74 (2006) 134423, 1 - 5

Muon-Spin-Relaxation Study on Single Crystals $\text{Tl}_{1-x}\text{K}_x\text{CuCl}_3$ with $x = 0.2$

*T. Suzuki, I. Watanabe, A. Oosawa, T. Fujiwara, T. Goto, F. Yamada, H. Tanaka, Tanaka J. Phys. Soc. Jpn., Vol.75 (2006) 0250021, 1 - 2

Anomalous ESR behavior in charged-ordered insulator $\text{Na}_{0.5}\text{CoO}_2$

T. Sakurai, S. Takano, *H. Ohta, H. Sakurai, E. Takayama-Muromachi, J. Mag. Mag. Mat. , Vol.310 (2007) , 275 - 277

Crystal structure and properties of phosphate $\text{PbCu}_2(\text{Po}_4)_2$ with spin-singlet ground state

*A. A. Belik, M. Azuma, A. Matsuo, T. Kaji, S. Okubo, H. Ohta, K. Kindo, M. Takano, Phys.Rev.B, Vol.73 (2006) 024429, 1 - 7

Development of high-pressure, high-field and multifrequency electron spin resonance system

*T. Sakurai, A. Taketani, T. Tomita, S. Okubo, H. Ohta, Y. Uwatoko, Rev. Sci. Inst., Vol.78 (2007) 065107, 1 - 6

Electron spin-resonance studies of conduction electrons in phosphorus-doped silicon nanocrystals

K. Sumida, K. Ninomiya, M. Fujii, K. Fujio, S. Hayashi, M. Kodama, *H. Ohta, J. Appl. Phys. , Vol.101 (2007) 033504, 1 - 5

High field ESR studies of layered manganese oxides $A_4Mn_3O_{10}$ (A=Ba, Sr)

*N. Souda, W. Zhang, T. Sakurai, S. Okubo, H. Ohta, K. Nishimura, H. Sakurai, K. Yoshimura, E. Takayama-Muromachi, J. Mag. Mat. , Vol.310 (2007) , 1829 - 1831

High field ESR study of frustrated spinel system $LiCrTiO_4$

*H. Ota, S. Okubo, S. Ono, H. Kikuchi, Phys. Stat. Sol. (C), Vol.3 (2006) , 2816 - 2819

High field ESR study of one-dimensional $S=1/2$ Heisenberg antiferromagnet with next-nearest exchange interaction

*H. Ohta, S. Takano, S. Okubo, M. Yoshida, H. Kikuchi, J. Mag. Mat. , Vol.310 (2007) , 1234 - 1235

High Field ESR Study of Three Dimensional Spin Frustrated System $MgCr_2O_4$

*M. Yoshida, T. Hirano, Y. Inagaki, S. Okubo, H. Ohta, H. Kikuchi, I. Kagomiya, M. Toki, K. Kohn, Phys. Soc. Jpn., Vol.75 (2006) 044709, 1 - 4

High frequency ESR measurements of high pressure phase $SiCo_2O_4$

W. Zhang, *S.Okubo, H.Ohta, T. Saito, M.Takano, Phys. Stat. Sol.(C), Vol.3 (2006) , 2824 - 2827

High frequency ESR measurements of one-dimensional edge-sharing CuO_2 chain system $Ca_2Y_2Cu_5O_{10}$

*S. Okubo, K. Kawakami, M. Yoshida, H. Ohta, Phys. Stat. Sol.(C), Vol.3 (2006) , 2828 - 2831

High frequency ESR measurements on the lithium-ion battery substance $LiMn_2O_4$

*S. Takano, T. Kaji, S. Okubo, M. Yoshida, Y. Inagaki, S. Kimura, T. Asano, H. Ohta, T. Kunimoto, R. Dziembaj, M. Molenda, C. Rudowicz, Phys. Stat. Sol.(C), Vol.3 (2006) , 2820 - 2823

High-frequency ESR measurements of the Co spinel compound $SiCo_2O_4$

W. Zhang, S. Okubo, *H. Ohta, T. Saito and M. Takano, J. Phys.: Condens. Matter , Vol.19 (2007) 145264, 1 - 6

Low-temperature Fermi surface of the organic conductor $\beta''\text{-(BEDT-TTF)(TCNQ)}_{(1-x)}\text{(F1-TCNQ)}_x$ ($x=0,0.05$) from magneto-optical measurements

*M. Kimata, Y. Oshima, H. Ohta, K. Koyama, M. Motokawa, Phys. Rev. B, Vol.75 (2006) 045126, 1 - 9

Magnetic properties of Er, O-codoped GaAs at low temperature

*S. Takemoto, T. Terao, Y. Terai, M. Yoshida, A. Koizumi, H. Ohta, Y. Takeda, N. Fujimura, and Y. Fujiwara, Phys. Stat. Sol.(C), Vol.3 (2007) , 4082 - 4085

New polarization effect and collective excitation in $S=1/2$ quasi 1D antiferromagnetic quantum spin chain

*S. V. Demishev, A. V. Semeno, H. Ohta, S. Okubo, I. E. Tarasenko, T. V. Ishchenko, Pis'ma v ZhETF, Vol.84 (2006) , 305 - 309

Quantum critical behavior induced by Mn impurity in CuGeO₃

*A.V. Semeno, N. E. Sluchanko, N. A. Samarin, A. A. Pronin, H. Ohta, S. Okubo, S. V. Demishev, Physica B, Vol.**378-380** (2006) , 115 - 116

Submillimeter and millimeter wave ESR measurements of the S=1/2 one dimensional zigzag chain MCuP₂O₇(M=Sr, Pb)

K. Shiraki, M. Yoshida, S. Okubo, *H. Ohta, M. Sakamoto, S. Miyashita, A. A. Belik, M. Azuma, M. Takano, J. Low. Temp. Phys., Vol.**850** (2006) , 1025 - 1026

Submillimeter and Millimeter Wave ESR Measurements of the S=1/2 Trimer Chain M₃Cu₃(PO₄)₄(M=Sr, Ca)

*S. Okubo, H. Ishikawa, H.Ohta, S. Kimura, Y. Inagaki, A. A. Belik, M. Azuma, and M. Takano, J. Low. Temp. Phys., Vol.**850** (2006) , 1037 - 1038

Submillimeter and millimeter wave ESR study of manganese spinel compound LiMn₂O₄

S. Takano, T. Kaji, *S. Okubo, H. Ohta, M. Yoshida, S. Kimura, R. Dziembaj, M. Molenda, C. Rudowicz, Y. Inagaki and T. Asano, J. Phys.: Condens. Matter , Vol.**19** (2007) 145266, 1 - 6

Thermally induced changes in the structure, composition, and chemical properties of LiMn₂O_{4±x} spinel prepared by sol-gel method

M. Molenda, R. Dziembaj, W. Lasocha, C. Rudowicz, L. M. Proniewicz, E. Podstawka, *H. Ohta, Jpn. J. Appl. Phys., Vol.**45** (2006) , 5132 - 5137

Evidence for Point Nodes in the Superconducting Gap Function in the Filled Skutterudite Heavy-Fermion Compound PrOs₄Sb₁₂: ¹²³Sb-NQR Study under Pressure

K. Katayama, S. Kawasaki, M. Nishiyama, H. Sugawara, D. Kikuchi, H. Sato, *G.-q. Zheng, J. Phys. Soc. J, Vol.**76** (2007) 023701, 1 - 4

Field-Induced Ferromagnetic Order and Colossal Magnetoresistance in La_{1.2}Sr_{1.8}Mn₂O₇: A ¹³⁹La NMR Study

Y. Shiotani, J. L. Sarrao and *Guo-qing Zheng, Phys. Rev. Lett., Vol.**96** (2006) 057203, 1 - 4

Na content dependence of superconductivity and the spin correlations in Na_xCoO₂·1.3H₂O

*G. - q. Zheng, K. Matano, R. L. Meng, J. Cmaidalka and C.W. Chu, J. Phys.: Condens. Matter, Vol.**18** (2006) , L63 - L70

Observation of Symmetry Lowering Associated with the Metal-Insulator Transition in SmRu₄P₁₂ by ¹⁰¹Ru-NQR

S. Masaki, T. Mito, M. Takemura, S. Wada, H. Harima, D. Kikuchi, H. Sato, H. Sugawara, N. Takeda, *G.-q. Zheng, J. Phys. Soc. Jpn. , Vol.**76** (2007) 043714, 1 - 4

Spin singlet pairing in the superconducting state of Na_xCoO₂·1.3H₂O: Evidence from ⁵⁹Co Knight shift in a single crystal

*G. - q. Zheng, K. Matano, D.P. Chen, C.T. Lin, Phys. Rev. B, Vol.**73** (2006) 180503, 1 - 4

Spin Triplet Superconducting State due to Broken Inversion Symmetry in Li₂Pt₃B

M. Nishiyama, Y. Inada, *G.-q. Zheng, Phys. Rev. Lett., Vol.**98** (2007) 047002 , 1 - 4

Anisotropic Magnetic Properties of a Pressure-induced Superconductor Ce₂Ni₃Ge₅

*A. Thamizhavel , H. Nakashima, Y. Obiraki, M. Nakashima, T. D. Matsuda, Y. Haga, K. Sugiyama, T. Takeuchi, R. Settai, M. Hagiwara, K. Kindo, and Y. Onuki , J. Phys. Soc. Jpn, Vol.**74** (2005) , 2843 - 2848

Anomalous Magnetization of Two-dimensional S=1/2 Frustrated Square-lattice Antiferromagnet (CuCl)LaNb₂O₇

*H. Kageyama, J. Yasuda, T. Kitano, K. Totsuka, Y. Narumi, M. Hagiwara, K. Kindo, Y. Baba, N. Oba, Y. Ajiro and K. Yoshimura, J. Phys. Soc. Jpn, Vol.**74** (2005) , 3155 - 3158

Characteristic High-Field Magnetization in a Transuranium Antiferromagnet NpRhGa₅

*K. Sugiyama, H. Nakashima, D. Aoki, Y. Haga, E. Yamamoto, A. Nakamura, Y. Homma, Y. Shiokawa, K. Kindo, M. Hagiwara, and Y. Onuki, J. Phys. Soc. Jpn., Vol. **75** (2006) 094707, 1 - 6

Collinear Order in Frustrated Quantum Antiferromagnet on Square Lattice (CuBr)LaNb₂O₇

N. Oba, *H. Kageyama, T. Kitano, J. Yasuda, Y. Baba, M. Nishi, K. Hirota, Y. Narumi, M. Hagiwara, K. Kindo, T. Saito, Y. Ajiro, K. Yoshimura, J. Phys. Soc. Jpn., Vol. **75** (2006) 113601, 1 - 5

Correlation between crystal structure and magnetism in the frustrated antiferromagnet CuFeO₂ under high magnetic fields

N. Terada, *Y. Narumi, Y. Sawai, K. Katsumata, U. Staub, Y. Tanaka, A. Kikkawa, T. Fukui, K. Kindo, T. Yamamoto, R. Kammuri, M. Hagiwara, H. Toyokawa, T. Ishikawa, and H. Kitamura, Phys. Rev. B, Vol. **75** (2007) 224411, 1 - 8

Effects of Randomness on Field-Induced Phase Transition in the Bond-Alternating S=1 Spin Chain NTENP

*S. Matsubara, K. Kodama, M. Takigawa and M. Hagiwara, J. Phys. Soc. Jpn, Vol. **74** (2005) , 2417 - 2420

Electron Spin Resonance in a GaN Thin Film Doped with Fe

T. Kashiwagi, S. Sonoda, H. Yashiro, Y. Ishihara, A. Usui, Y. Akasaka, *M. Hagiwara, J. J. Appl. Phys., Vol. **46** (2006) 257202, 581 - 585

ESR measurements on one-dimensional quantum ferrimagnets A₃Cu₃(PO₄)₄ with A=Sr and Ca in submillimeter-wave region

*S. Kimura, H. Ishikawa, Y. Inagaki, M. Yoshida, S. Okubo, H. Ohta, H. Nojiri, A.B. Belik, M. Azuma, M. Takano, J. Phys. Soc. Jpn., Vol. **75** (2006) 094718, 1 - 7

Evidence for Carrier-Induced High-Tc Ferromagnetism in Mn-doped GaN film

S. Yoshii, S. Sonoda, T. Yamamoto, T. Kashiwagi, M. Hagiwara, Y. Yamamoto, Y. Akasaka, K. Kindo, and *H. Hori, Europhys. Lett., Vol. **78** (2007) 37006, 1 - 4

Field induced order to disorder transition driven by a softening of spinon excitation

*S. Kimura, H. Yashiro, K. Okunishi, M. Hagiwara, Z. He, K. Kindo, T. Taniyama, and M. Itoh, Phys. Rev. Lett., Vol. **99** (2007) 087602, 1 - 4

Field-induced Tomonaga-Luttinger liquid of a quasi-one-dimensional S=1 antiferromagnet

*M. Hagiwara, H. Tsujii, C. R. Rotundu, B. Andraka, Y. Takano, T. Suzuki, and S. Suga, Mod. Phys. Lett. B, Vol. **21** (2007) , 965 - 976

High field ESR and magnetization in Na₂Co₂(C₂O₄)₃(H₂O)₂

*Y. Nakagawa, T. Kashiwagi, H. Yamaguchi, S. Kimura, Z. Honda, K. Yamada, K. Kindo, M. Hagiwara, J. Phys. Soc. Jpn., Vol. **75** (2006) 124708, 1 - 5

High-field moment reorientation in Er₂Co₁₇

*S. Yoshii, M. Hagiwara, F. R. de Boer, H. Z. Luo, G. H. Wu, F. M. Yang, and K. Kindo, Phys. Rev. B, Vol. **75** (2007) 214429, 1 - 6

Itinerant electron metamagnetism in AFe₄Sb₁₂ (A=Ca, Sr, Ba)

*S. Yoshii, E. Matsuoka, K. Hayashi, T. Takabatake, M. Hagiwara, K. Kindo, Physica B, Vol. **378-380** (2006) , 241 - 243

Lattice Deformations Induced by an Applied Magnetic Field in the Frustrated Antiferromagnet HgCr₂O₄

Y. Tanaka, *Y. Narumi, N. Terada, K. Katsumata, H. Ueda, U. Staub, K. Kindo, T. Fukui, T. Yamamoto, R. Kammuri, M. Hagiwara, A. Kikkawa, Y. Ueda, H. Toyokawa, T. Ishikawa, and H. Kitamura, J. Phys. Soc. Jpn., Vol. **76** (2007) 043708, 1 - 4

Low-energy excitations in the magnetized state of the bond-alternating quantum $S=1$ chain system $\text{Ni}(\text{C}_9\text{D}_{24}\text{N}_4)(\text{NO}_2)\text{ClO}_4$

*L. P. Regnault, A. Zheludev, M. Hagiwara, A. Stunault, Phys. Rev. B, Vol.**73** (2006) 174431, 1 - 4

Magnetic and Fermi Surface Properties in Ferromagnets NdRh_3B_2 and GdRh_3B_2

Y. Obiraki, *H. Nakashima, A. Galatanu, T. D. Matsuda, Y. Haga, T. Takeuchi, K. Sugiyama, K. Kindo, M. Hagiwara, R. Settai, H. Harima, Y. Onuki, J. Phys. Soc. Jpn. , Vol.**75** (2006) 064702, 1 - 8

Magnetic and Superconducting Properties of LaIrSi_3 and CeIrSi_3 with the Non-centrosymmetric Crystal Structure

Y. Okuda, Y. Miyauchi, Y. Ida, Y. Takeda, C. Tonohiro, Y. Oduchi, T. Yamada, N. D. Dung, T. D. Matsuda, Y. Haga, T. Takeuchi, *M. Hagiwara, K. Kindo, H. Harima, K. Sugiyama, R. Settai, and Y. Onuki, J. Phys. Soc. Jpn. , Vol.**76** (2007) 044708, 1 - 11

Magnetic behavior of a spin-1 dimer : model system for homodinuclear nickel(II) complexes

*J. Strecka, A. Jascur, M. Hagiwara, Y. Narumi, J. Kuchar, S. Kimura and K. Kindo, J. Phys. Chem. Sol., Vol.**66** (2005) , 1828 - 1837

Magnetic Properties and Crystalline Electric Field Scheme in RRhIn_5 (R: Rare Earth)

N. V. Hieu, *T. Takeuchi, H. Shishido, C. Tonohiro, T. Yamada, H. Nakashima, K. Sugiyama, R. Settai, T. D. Matsuda, Y. Haga, M. Hagiwara, K. Kindo, S. Araki, Y. Nozue, and Y. Onuki, J. Phys. Soc. Jpn. , Vol.**76** (2007) 064702, 1 - 16

Magnetic properties of a Ni tetramer with a butterfly structure in high magnetic fields

*M. Hagiwara, Y. Narumi, A. Matsuo, H. Yashiro, S. Kimura, K. Kindo, New J. Phys. , Vol.**8** (2006) 176, 1 - 10

Metal-semiconductor structural phase transitions and antiferromagnetic orderings in $(\text{Benzo-TTFVO})_2\text{MX}_4$ (M=Fe, Ga; X=Cl, Br) salts

T. Hiraoka, H. Fujiwara, *T. Sugimoto, H. Nakazumi, S. Noguchi, A. Kuribayashi, T. Ishida, K. Yokogawa, K. Murata, T. Mori, H. A. Katori, S. Kimura and M. Hagiwara, J. Mater. Chem., Vol.**17** (2007) , 1664 - 1673

Observation of Higher-Harmonic Helical Spin-Resonance Modes in the Chromium Spinel CdCr_2O_4

*S. Kimura, M. Hagiwara, H. Ueda, Y. Narumi, K. Kindo, H. Yashiro, T. Kashiwagi, and H. Takagi, Phys. Rev. Lett. , Vol.**97** (2006) 257202, 1 - 4

Tomonaga-Luttinger Liquid in a Quasi-One-Dimensional $S=1$ Antiferromagnet Observed by Specific Heat Measurements

*M. Hagiwara, H. Tsujii, C. R. Rotundu, B. Andraka, Y. Takano, N. Tateiwa, T. C. Kobayashi, T. Suzuki, S. Suga, Phys. Rev. Lett. , Vol.**96** (2006) 147203, 1 - 4

Triangular lattice antiferromagnet $\text{RbFe}(\text{MoO}_4)_2$ in high magnetic fields

*A. I. Smirnov, H. Yashiro, S. Kimura, M. Hagiwara, Y. Narumi, K. Kindo, A. Kikkawa, K. Katsumata, A. Y. Shapiro, and L. N. Demianets, Phys. Rev. B, Vol.**75** (2007) 134412, 1 - 7

Unique Magnetic Properties of NdRhIn_5 , TbRhIn_5 , DyRhIn_5 , and HoRhIn_5

N. V. Hieu, H. Shishido, *T. Takeuchi, A. Thamizhavel, H. Nakashima, K. Sugiyama, R. Settai, T. D. Matsuda, Y. Haga, M. Hagiwara, K. Kindo, and Y. Onuki, Phys. Soc. Jpn. , Vol.**75** (2006) 074708, 1 - 6

Magnetic properties of a spin-1 ladder under pressure

*Y. Hosokoshi, Y. Konishi, S. Nishihara, K. Inoue , J. Mag. Mag. Mat. , Vol.**310** (2007) , 420 - 422

Spin-density distribution in the partially magnetized organic quantum magnet F_2PNNNO

A. Zheludev, V. O. Garlea, S. Nishihara, *Y. Hosokoshi, A. Cousson, A. Gukasov, K. Inoue, Phys. Rev. B., Vol.**75** (2007) 104427, 1 - 4

Anisotropic pancake vortex transport in the crossing lattices regime of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+\delta}$ single crystals

*M. Connolly, S. J. Bending, A. N. Grigorenko, and T. Tamegai, Phys. Rev. B, Vol.**72** (2005) 224504, 1 - 5

Anisotropy dependence of vortex states under tilted fields studied by Bitter decorations

H. Aoki, M. Tokunaga, *T. Tamegai, Physica C, Vol.**426-431** (2005) , 65 - 68

Comparative study of anisotropic superconductivity in CaAlSi and CaGaSi

*T. Tamegai, K. Uozato, S. Kasahara, T. Nakagawa, M. Tokunaga, Physica C, Vol.**426-431** (2005) , 208 - 212

Equilibrium First-Order Melting and Second-Order Glass Transitions of the Vortex Matter in $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_8$

*H. Beidenkopf, N. Avraham, Y. Myasoedov, H. Shtrikman, E. Zeldov, B. Rosenstein, E. H. Brandt, and T. Tamegai, Phys. Rev. Lett., Vol.**95** (2005) 257004, 1 - 4

Observation of single vortices by magneto-optical imaging

*M. Terao, Y. Tokunaga, M. Tokunaga, T. Tamegai, Physica C, Vol.**426-431** (2005) , 94 - 98

Peculiar superconductivity in $\text{PrOs}_4\text{Sb}_{12}$ probed by local magnetization

*S. Kasahara, T. Tamegai, H. Sugawara, H. Sato, Physica C, Vol.**426-431** (2005) , 381 - 385

Vortex correlations in the liquid states of $\text{Bi}_2\text{Sr}_2\text{CaCu}_2\text{O}_{8+y}$ with tilted columnar defects

*N. Kameda, T. Shibauchi, M. Tokunaga, S. Ooi, T. Tamegai, M. Konczykowski, Phys. Rev. B, Vol.**72** (2005) 064501, 1 - 6

Hole-doping and magnetic-field effects on the pseudogap in $\text{Bi}_{1.74}\text{Pb}_{0.38}\text{Sr}_{1.88}\text{CuO}_{6+\delta}$ Studied by the out-of-plane resistivity

*K. Kudo, Y. Miyoshi, T. Sasaki, N. Kobayashi, Physica C, Vol.**426-431** (2005) , 251 - 256

Phase transition of the Josephson vortices in $\text{YBa}_2\text{Cu}_3\text{O}_{7-\delta}$ single crystals with various oxygen deficiencies

*T. Naito, S. Haraguchi, H. Iwasaki, T. Nishizaki, N. Kobayashi, Physica C, Vol.**426-431** (2005) , 46 - 50

Vortex phase diagram in impurity doped $\text{YBa}_2\text{Cu}_3\text{O}_y$ single crystals

*T. Nishizaki, M. Maeda, T. Sato, N. Kobayashi, Physica C , Vol.**426-431** (2005) , 18 - 22

Scanning tunneling microscopy and spectroscopy studies of superconducting boron-doped diamond films

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, Science and Technology of Advanced Materials, Vol.**7** (2006) , S22 - S26

Scanning Tunneling Microscopy / Spectroscopy on Superconducting Diamond Films

*T. Nishizaki, Y. Takano, M. Nagao, T. Takenouchi, H. Kawarada, N. Kobayashi, New Diamond and Frontier Carbon Technology, Vol.**17** (2007) , 21 - 31

STM/STS studies on vortex and electronic state in $\text{YBa}_2\text{Cu}_3\text{O}_y$

*T. Nishizaki, K. Shibata, M. Maki, N. Kobayashi, Physica C , Vol.**437-438** (2006) , 220 - 225

STM/STS study of superconducting diamond

A. Troyanovskiy, *T. Nishizaki, E. Ekimov, Science and Technology of Advanced Materials, Vol.7 (2006) , S27 - S30

Weak Magnetic Order in the Normal State of the High- T_c Superconductor $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$

C. Panagopoulos, M. Majoros, T. Nishizaki, *H. Iwasaki, Phys. Rev. Lett., Vol.96 (2006) 047002, 1 - 4

Carbon-substitution dependent multiple superconducting gap of MgB_2 : A sub-meV resolution photoemission study

*S. Tsuda, T. Yokoya, T. Kiss, T. Shimojima, S. Shin, T. Togashi, S. Watanabe, C. Zhang, C. T. Chen, S. Lee, H. Uchiyama, S. Tajima, N. Nakai and K. Machida, Phys. Rev. B, Vol.72 (2005) 064527, 1 - 5

Fulde-Ferrell-Larkin-Ovchinnikov states in a superfluid Fermi gas

*T. Mizushima, M. Ichioka, K. Machida, J. Phys. Chem. Sol., Vol.66 (2005) , 1359 - 1361

Generic Phase Diagram of Fermion Superfluids with Population Imbalance

*K. Machida, T. Mizushima, and M. Ichioka , Phys. Rev. Lett., Vol.97 (2006) 120407, 1 - 4

Mixed-State Thermodynamics of a Superconductors with Moderately Large Paramagnetic Effects

*H. Adachi, M. Ichioka and K. Machida, J. Phys. Soc. Jpn, Vol.74 (2005) , 2181 - 2184

Multibranch Bogoliubov-Bloch spectrum of a cigar-shaped Bose condensate in an optical lattice

*T. K. Ghosh and K. Machida, Phys. Rev. A, Vol.72 (2005) 053623, 1 - 5

Sound velocity and multibranch Bogoliubov spectrum of an elongated Fermi superfluid in the BEC-BCS crossover

T. K. Ghosh and *K. Machida , Phys. Rev. A, Vol.73 (2006) 013613, 1 - 6

Specific heat and low-lying excitations in the mixed state for a type-II superconductor

N. Nakai, P. Miranovic, M. Ichioka, *K. Machida, Phys. Rev. B , Vol.73 (2006) 172501, 1 - 4

Surface and vortex structures in noncentrosymmetric superconductors under applied magnetic fields

M. Oka, M. Ichioka, *K. Machida , Phys. Rev. B , Vol.73 (2006) 214509, 1 - 5

Theoretical study on the field dependence of the zero energy density of states in an anisotropic gap superconductors

*N. Nakai, P. Miranovic, M. Ichioka K. Machida, J. Phys. Chem Sol., Vol.66 (2005) , 1362 - 1364

Theory of gap-node detection by angle-resolved specific heat measurement

*P. Miranovic, M. Ichioka, K. Machida and N. Nakai, J. Phys. Condens. Matter, Vol.17 (2005) , 7971 - 7980

Topological Structure of a Vortex in the Fulde-Ferrell-Larkin-Ovchinnikov State

*T. Mizushima, K. Machida and M. Ichioka , Phys. Rev. Lett, Vol.95 (2005) 117003, 1 - 4

Ubiquitous V-Shape Density of States in a Mixed State of Clean Limit Type II Superconductors

N. Nakai, P. Miranovic, M. Ichioka, H. F. Hess, K. Uchiyama, H. Nishimori, S. Kaneko, N. Nishida, *K. Machida, Phys. Rev. Lett., Vol.**97** (2006) 147001, 1 - 4

Vortex core states in high-T_c superconductors with induced incommensurate spin and charge density waves

*M. Ichioka, M. Takigawa, K. Machida, Physica C, Vol.**426-431** (2005), 28 - 35

Vortex structure in spinor F=2 Bose-Einstein condensates

*W. V. Pogosov, R. Kawate, T. Mizushima and K. Machida, Phys. Rev. A, Vol.**72** (2005) 063605, 1 - 6

Vortex-Core Structure in Neutral Fermion Superfluids with Population Imbalance

M. Takahashi, T. Mizushima, M. Ichioka, *K. Machida, Phys. Rev. Lett., Vol.**97** (2006) 180407, 1 - 4

Anomalous Quantum Hall Resistance in Al_{0.6}Ga_{0.4}As_{0.1}Sb_{0.9}/InAs Quantum Well with Tunable Carrier Density

*K. Oto, S. Tamiya, S. Ishida, A. Okamoto, I. Shibusaki, Int. J. Modern Phys. B, Vol.**21** (2007), 1419 - 1423

Potential Imaging in Quantum Hall Device by Optical Fiber Based Pockels Measurement

M. Dohi, R. Yonamine, *K. Oto, K. Muro, Int. J. Modern Phys. B, Vol.**21** (2007), 1414 - 1418

Unidentified Spin-flip Excitation in CdZnTe/CdZnMnTe Quantum Wells

K. Arahara, D. Fukuoka, T. Koyama, *K. Oto, K. Muro, S. Takeyama, G. Karczewski, T. Wojtowicz, J. Kossut, Int. J. Modern Phys. B, Vol.**21** (2007), 1610 - 1614

Local Tunneling Spectroscopy across a Metamagnetic Critical Point in the Bilayer Ruthenate Sr₃Ru₂O₇

K. Iwaya, S. Satow, *T. Hanaguri, N. Shannon, Y. Yoshida, S. I. Ikeda, J. P. He, Y. Kaneko, Y. Tokura, T. Yamada, and H. Takagi, Phys. Rev. Lett, Vol.**99** (2007) 057208, 1 - 4

Bitter decoration and magneto-optical observations of vortex chains in high temperature superconductors

*T. Tamegai, H. Aoki, M. Matsui, M. Tokunaga, PRAMANA Journal of Physics, Vol.**66** (2006), 271 - 278

Electric- and magnetic-field effects on radiative recombination in modulation n-doped ZnSe/BeTe type-II quantum wells

Z. Ji, H. Mino, *K. Oto, R. Akimoto, K. Ono, S. Takeyama, Semiconductor Science and Technology, Vol.**21** (2006), 87 - 90

Nonlocal Magnetic Field-Tuned Quantum Criticality in Cubic Ce In_{3-x}Sn_x (x=0.25)

A. V. Silhanek, *T. Ebihara, N. Harrison, M. Jaime, K. Tezuka, V. Fanelli, and C. D. Batista, Phys. Rev. Lett., Vol.**96** (2006) 206401, 1 - 4

Universal Scaling in the Dynamical Conductivity of Heavy Fermion Ce and Yb Compounds

*H. Okamura, T. Watanabe, M. Matsunami, T. Nishihara, N. Tsujii, T. Ebihara, H. Sugawara, H. Sato, Y. Onuki, Y. Isikawa, T. Takabatake, T. Nanba, J. Phys. Soc. Jpn., Vol.**76** (2007) 023703, 1 - 5

Characteristic high-field magnetization in a transuranium antiferromagnet NpRhGa₅

*K. Sugiyama, H. Nakashima, D. Aoki, Y. Haga, E. Yamamoto, A. Nakamura, Y. Homma, Y. Shiokawa, K. Kindo, M. Hagiwara, Y. Onuki, J. Phys. Soc. Jpn., Vol.**75** (2006) 094707, 1 - 6

Coexistence of a nearly spin-singlet state and antiferromagnetic long-range order in quantum spin system $\text{Cu}_2\text{CdB}_2\text{O}_6$

*M. Hase, M. Kohno, H. Kitazawa, O. Suzuki, K. Ozawa, G. Kido, M. Imai and X. Hu, Phys. Rev. B, Vol.**72** (2005) 172412, 1 - 4

Evolution of ferromagnetism in $\text{Y}_{1-x}\text{Pr}_x\text{InNi}_4$ and its magneto caloric effect

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, G. Kido, Journal of Alloys and Compounds, Vol.**408-412** (2006) , 343 - 347

Field-induced magnetic ordering in the Haldane system $\text{PbNi}_2\text{V}_2\text{O}_8$

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, and G. Kido, Phys. Rev. B, Vol.**72** (2005) 104402, 1 - 5

High-field magnetization of NpRhGa_5

*K. Sugiyama, D. Honda, H. Nakashima, D. Aoki, E. Yamamoto, A. Nakamura, K. Honma, Y. Shiokawa, K. Kindo, M. Hagiwara, Y. Onuki, Physica B, Vol.**378-380** (2006) , 1013 - 1014

Kondo Lattice Effects of YbAl_3 Suggested by Temperature Dependence of High-Accuracy High-Energy Photoelectron Spectroscopy

*S. Suga, A. Sekiyama, S. Imada, A. Shigemoto, A. Yamasaki, M. Tsunekawa, C. Dallera, L. Braicovich, T. L. Lee, O. Sakai, T. Ebihara and Y. Onuki, J. Phys. Soc. Jpn, Vol.**74** (2005) , 2880 - 2884

Magnetic properties of clathrate-like compound $\text{Pr}_3\text{Pd}_{20}\text{Ge}_6$

O.Suzuki, *H. Kitazawa, G. Kido, T. Yamaguchi, Y. Nemoto, T. Goto, Journal of Alloys and Compounds, Vol.**408-412** (2006) , 107 - 109

Magnetization process in GdB_4

*A. Kikkawa, K. Katsumata, Y. Narumi, K. Suga, T. Fukui, T. Sugaya, K. Kindo, F. Iga, S. Michimura, J. Phys. Soc. Jpn., Vol.**76** (2007) 024711, 1 - 4

Metamagnetic transition to poor conductor in BaVS_3

*Y. Narumi, K. Suga, K. Kindo, T. Yamasaki, M. Shiga, H. Nakamura, J. Phys. Soc. Jpn., Vol.**76** (2007) 013706, 1 - 4

Mid-infrared absorption in strongly correlated Yb compounds

*H. Okamura, T. Watanabe, N. Tsujii, T. Ebihara and T. Nanba, Physica B: Condensed Matter, Vol.**378-380** (2006) , 756 - 757

Quadrupolar Kondo Effect in Non-Kramers Doublet System PrInAg_2

*O. Suzuki, H. S. Suzuki, H. Kitazawa, G. Kido, T. Ueno, T. Yamaguchi, Y. Nemoto and T. Goto, J. Phys. Soc. Jpn., Vol.**75** (2006) 013704, 1 - 4

Single crystal growth and magnetic properties of antiferromagnet $\text{Ce}_2\text{Pd}_3\text{Si}_5$

N. D. Dung, *Y. Haga, T. D. Matsuda, T. Yamada, A. Thamizhavel, Y. Okuda, T. Takeuchi, K. Sugiyama, M. Hagiwara, K. Kindo, R. Settai, Y. Onuki, J. Phys. Soc. Jpn., Vol.**76** (2007) 024702, 1 - 6

Studies of an Fe-9 tridimensional icosahedron

*E. I. Tolis, L. P. Engelhardt, P. V. Mason, G. Rajaraman, K. Kindo, M. Luban, A. Matsuo, H. Nojiri, J. Raftery, C. Schroder, G. A. Timco, F. Tuna, W. Wernsdorfer, R. E. P. Winpenny, Chemistry-A European Journal, Vol.**12** (2006) , 8961 - 8968

Yttrium substitutional effects on geometrically frustrated system TbNiAl

*H. Kitazawa, S. Eguchi, G. Kido, G. Cao, Journal of Alloys and Compounds, Vol.**408-412** (2006) , 58 - 61

Upper critical field of β -pyrochlore KOs_2O_6 single crystals

*E. Ohmichi, T. Osada, S. Yonezawa, Y. Muraoka, and Z. Hiroi, J. Phys. Soc. Jpn, Vol.**75** (2006) 045002, 1 - 2

Basal-Plane Magnetic Anisotropies of High- κ -Wave Superconductors in a Mixed State: A Quasiclassical Approach

H. Adachi, P. Miranovic, M. Ichioka, *K. Machida, J. Phys. Soc. Jpn, Vol.**75** (2006) 084716, 1 - 9

1/3 magnetization plateau observed in the spin-1/2 trimer chain compound $\text{Cu}_3(\text{P}_2\text{O}_6\text{OH})_2$

*M. Hase, M. Kohno, H. Kitazawa, N. Tsujii, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, Phys. Rev. B, Vol.**73** (2006) 104419, 1 - 5

Coexistence of a nearly spin-singlet state and antiferromagnetic long-range order in quantum spin system $\text{Cu}_2\text{CdB}_2\text{O}_6$

*M. Hase, M. Kohno, H. Kitazawa, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, Phys. Rev. B, Vol.**72** (2005) 172412, 1 - 4

Evolution of ferromagnetism in $\text{Y}_{1-x}\text{Pr}_x\text{InNi}_4$ and its magneto caloric Effect

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, G. Kido, J. of Alloys and Compounds, Vol.**408-412** (2006) , 343 - 347

Experimental studies of magnetism of trimer chains

*M. Hase, M. Kohno, H. Kitazawa, N. Tsujii, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, J. Mag. Mag. Mat., Vol.**310** (2007) , 375 - 377

Ferrimagnetic long-range order caused by periodicity of exchange interactions in the spin-1 trimer chain compounds $\text{ANi}_3\text{P}_4\text{O}_{14}$ (A=Ca, Sr, Pb, Ba)

*M. Hase, H. Kitazawa, N. Tsujii, K. Ozawa, M. Kohno, G. Kido, Phys. Rev. B , Vol.**74** (2006) 024430, 1 - 6

Field-induced magnetic ordering in the Haldane system $\text{PbNi}_2\text{V}_2\text{O}_8$

*N. Tsujii, O. Suzuki, H. Suzuki, H. Kitazawa, G. Kido, Phys. Rev. B, Vol.**72** (2005) 104402, 1 - 5

Magnetic order in CePdAl single crystal : effect of magnetic field

*K. Prokes, P. Manuel, D. T. Adroja, H. Kitazawa, T. Goto, Y. Isikawa, Physica B, Vol.**385-386** (2006) , 359 - 362

Magnetic properties of $\text{Ce}_{1-x}\text{Y}_x\text{PdAl}$ Kondo-lattice system

*H. Kitazawa, J. Prchal, N. Tsujii, M. Imai, G. Kido, Physica B, Vol.**378-380** (2006) , 803 - 804

Magnetic properties of clathrate-like compound $\text{Pr}_3\text{Pd}_{20}\text{Ge}_6$

*O. Suzuki, H. Kitazawa, G. Kido, T. Yamaguchi, Y. Nemoto, T. Goto, J. of Alloys and Compounds, Vol.**408-412** (2006) , 107 - 109

Magnetic susceptibility at high fields of $\text{Pb}_2\text{V}_3\text{O}_9$

*T. Waki, N. Tsujii, Y. Itoh, C. Michioka, K. Yoshimura, O. Suzuki, H. Kitazawa, G. Kido, Physica, B, Vol.**398** (2007) , 148 - 150

Magnetism of $\text{Cu}_2\text{CdB}_2\text{O}_6$: Quantum spin system having a nearly singlet state and antiferromagnetic long-range order

*M. Hase, M. Kohno, H. Kitazawa, O. Suzuki, K. Ozawa, G. Kido, M. Imai, X. Hu, J. Appl. Phys., Vol.**99** (2006) 08H504, 1 - 3

Magnetism of insulator phase in $\text{SrRu}_{1-x}\text{Mn}_x\text{O}_3$ ($0.4 < x < 0.6$) Crystal

*H. Kawanaka, C. Satoh, M. Yokoyama, H. Kitazawa, O. Suzuki, G. Kido, H. Bando, Y. Nishihara, J. Mag. Mag. Mat., Vol.**310** (2007) , 987 - 989

Metastable Magnetic Behavior in Geometrically Frustrated Compound CePdAl

*D.X. Li, S. Nimori, H. Kitazawa, Y. Shiokawa, Physica B, Vol.**378-380** (2006) , 805 - 806

NMR Evidence for Field-induced Magnetic Ordering at 30T in the Haldane Compound $\text{PbNi}_2\text{V}_2\text{O}_8$

*K. Hashi, N. Tsujii, T. Shimizu, A. Goto, S. Ohki, H. Kitazawa, J. Phys. Soc. Jpn., Vol.**76** (2007) 064705, 1 - 4

NMR study of field-induced magnetic ordering in the Haldane system $\text{PbNi}_2\text{V}_2\text{O}_8$

*K. Hashi, N. Tsujii, T. Shimizu, A. Goto, H. Kitazawa, S. Ohki, J. Mag. Mag. Mat., Vol.**310** (2007) , 1242 - 1244

Non-Fermi liquid behavior in YbCu_2Si_2

*N. Tsujii, H. Kitazawa, T. Aoyagi, T. Kimura, G. Kido, J. Mag. Mag. Mat., Vol.**310** (2007) , 349 - 351

Quadrupolar Kondo Effect in Non-Kramers Doublet System PrInAg_2

*O. Suzuki, H. S. Suzuki, H. Kitazawa, G. Kido, T. Ueno, T. Yamaguchi, Y. Nemoto and T. Goto, J. Phys. Soc. Jpn. , Vol.**71** (2006) 013704, 1 - 4

Specific Heat Study of Induced-Moment Ferromagnet PrPtAl Single Crystal

*S. Kato, H. Kitazawa, M. Imai, G. Kido, Physica B, Vol.**378-380** (2006) , 1105 - 1106

Valence and Na content dependences of superconductivity in $\text{Na}_x\text{CoO}_2 \cdot y\text{H}_2\text{O}$

*H. Sakurai, N. Tsujii, O. Suzuki, H. Kitazawa, G. Kido, K. Takada, T. Sasaki, E. Muromachi, Phys. Rev. B , Vol.**74** (2006) 092502, 1 - 4

Yttrium Substitutional Effects on Geometrically Frustrated System TbNiAl

*H. Kitazawa, S. Eguchi, G. Kido, G. Cao, J. of Alloys and Compounds, Vol.**408-412** (2006) , 58 - 61

Competition between Hidden Order and Antiferromagnetism in URu_2Si_2 under Uniaxial Stress Studied by Neutron Scattering

*M. Yokoyama, H. Amitsuka, K. Tenya, K. Watanabe, S. Kawarazaki, H. Yoshizawa, J.A. Mydosh, Phys. Rev. B. , Vol.**72** (2005) 214419, 1 - 9

Decrease of the Coherence Temperature with Low Rh Doping in $\text{U}(\text{Ru}_{1-x}\text{Rh}_x)_2\text{Si}_2$

Y.S. Oh, *K.H. Kim, N. Harrison, H. Amitsuka, J.A. Mydosh, J. Mag. Mag. Mat. , Vol.**310** (2007) , 855 - 857

Emergent Phases near the Metamagnetic Quantum Critical Point in $\text{U}(\text{Ru}_{1-x}\text{Rh}_x)_2\text{Si}_2$

*K.H. Kim, N. Harrison, H. Amitsuka, M. Jaime, J.A. Mydosh, Physica B: Condensed Matter, Vol.**378-380** (2006) , 31 - 35

Γ_5 Quasiparticles and Avoided Quantum Criticality in $\text{U}(\text{Ru,Rh})_2\text{Si}_2$

A.V. Silhanek, *N. Harrison, C.D. Batista, M. Jaime, A. Lacerda, H. Amitsuka, J.A. Mydosh, Physica B: Condensed Matter, Vol.**378-380** (2006) , 373 - 375

Hall Effect Evolution across a Field-Induced Phase in $U(Ru_{0.96}Rh_{0.04})_2Si_2$

Yoon Seok Oh, *Kee Hoon Kim, N. Harrison, P.A. Sharma, H. Amitsuka, J.A. Mydosh, Physica B: Condensed Matter, Vol.**378-380** (2006) , 989 - 990

Interplay between Fermi Surface Topology and Ordering in URu_2Si_2 Revealed through Abrupt Hall Coefficient Changes in Strong Magnetic Fields

Y.S. Oh, *K.H. Kim, P.A. Sharma, N. Harrison, H. Amitsuka, J.A. Mydosh , Phys. Rev. Lett , Vol.**98** (2007) 016401, 1 - 4

Irreversible Dynamics of the Phase Boundary in $U(Ru_{0.96}Rh_{0.04})_2Si_2$ and Implications

*A.V. Silhanek, M. Jaime, N. Harrison, V.R. Fanelli, C.D. Batista, H. Amitsuka, S. Nakatsuji, L. Balicas, K.H. Kim, Z. Fisk, J.L. Sarrao, L. Civale, J.A. Mydosh, Phys. Rev. Lett. , Vol.**97** (2006) 136408, 1 - 4

Lattice Involvement in Low Temperature Phase of $U(Ru,Rh)_2Si_2$

*M. Jaime, A.V. Silhanek, K.H. Kim, N. Harrison, L. Balicas, H. Amitsuka, J.A. Mydosh, Physica B: Condensed Matter, Vol.**378-380** (2006) , 82 - 83

Low-Energy Magnetic Fluctuations in $U(Ru_{1-x}Rh_x)_2Si_2$ ($x \leq 0.02$)

*M. Yokoyama, K. Matsuda, H. Amitsuka, K. Tenya, N. Aso, H. Yoshizawa, J. Mag. Mag. Mat. , Vol.**310** (2007) , 328 - 330

Magnetic Form Factor of URu_2Si_2

*K. Kuwahara, M. Kohgi, K. Iwasa, M. Nishi, K. Nakajima, M. Yokoyama, H. Amitsuka, Physica B: Condensed Matter, Vol.**378-380** (2006) , 581 - 582

Magnetization Study of the Superconductivity in Sr_2RuO_4

*K. Tenya, S. Yasuda, M. Yokoyama, H. Amitsuka, K. Deguchi, Y. Maeno, Physica B: Condensed Matter, Vol.**378-380** (2006) , 495 - 496

Neutron-Scattering and Magnetization Study on URu_2Si_2 under Hydrostatic Pressure using a Cu-Be Pressure Cell

*K. Matsuda, M. Yokoyama, K. Tenya, H. Amitsuka, H. Yoshizawa, J. Mag. Mag. Mat. , Vol.**310** (2007) , 337 - 339

New Magnetic State in Incommensurate Magnetic Phase of Heavy-Fermion Superconductor $CeRh_{0.6}Co_{0.4}In_5$

*M. Yokoyama, H. Amitsuka, K. Matsuda, A. Gawase, N. Oyama, I. Kawasaki, K. Tenya, H. Yoshizawa, J. Phys. Soc. Jpn. , Vol.**75** (2006) 103703, 1 - 5

No-Evidence for “Small-Moment Antiferromagnetism” under Ambient Pressure in URu_2Si_2 : Single-Crystal ^{29}Si NMR Study

S. Takagi, S. Ishihara, S. Saitoh, H. Sasaki, H. Tanida, M. Yokoyama, H. Amitsuka, J. Phys. Soc. Jpn. , Vol.**76** (2007) 033708, 1 - 4

Phonon Thermal Transport of URu_2Si_2 : Broken Translational Symmetry and Strong Coupling of the “Hidden Order” to the Lattice

*P.A. Sharma, N. Harrison, M. Jaime, Y.S. Oh, K.H. Kim, C.D. Batista, H. Amitsuka, J.A. Mydosh, Phys. Rev. Lett. , Vol.**97** (2006) 156401, 1 - 4

Pressure-Temperature Phase Diagram of the Heavy-Electron Superconductor URu_2Si_2

*H. Amitsuka, K. Matsuda, I. Kawasaki, K. Tenya, M. Yokoyama, C. Sekine, N. Tateiwa, T.C. Kobayashi, S. Kawarazaki, H. Yoshizawa , J. Mag. Mag. Mat. , Vol.**310** (2007) , 214 - 220

Single-Site Effects of Pr and U Ions Doped in RRu_2Si_2 (R = Th, Y and La)

*A. Morishita, K. Matsuda, T. Wakabayashi, I. Kawasaki, K. Tenya, H. Amitsuka, J. Mag. Mag. Mat. , Vol.**310** (2007) , 283 - 285

Uniaxial-Stress Effect on the Antiferromagnetic State in CePd_2Si_2

*M. Yokoyama, A. Gawase, H. Amitsuka, K. Tenya, H. Yoshizawa, Physica B: Condensed Matter, Vol.**378-380** (2006) , 80 - 81

Unusual Magnetic Response in Superconducting Mixed State of Sr_2RuO_4

*K. Tenya, S. Yasuda, M. Yokoyama, H. Amitsuka, K. Deguchi, Y. Maeno, J. Phys. Soc. Jpn. , Vol.**75** (2006) 023702, 1 - 4

Charge transfer degree and superconductivity of the incommensurate organic superconductor $(\text{MDT-TSF})(\text{I}_3)_{0.422}$

T. Kawamoto, T. Mori, T. Konoike, K. Enomoto, T. Terashima, *S. Uji, H. Kitagawa, K. Takimiya, T. Otsubo, Phys. Rev. B, Vol.**73** (2006) 094513, 1 - 8

Current-Voltage Characteristics of Charge-Ordered Organic Crystals

*T. Yamaguchi, T. Konoike, K. Enomoto, M. Nishimura, S. Uji, T. Terashima, H. Yamamoto, Phys. Rev. Lett., Vol.**96** (2006) 1236602, 1 - 4

Evolution in split-peak structure across the peak effect region in single crystals of 2H-NbSe_2

A. D. Thakur, T. V. Chandrasekhar, S. Ramakrishnan, A. K. Grover, *S. Uji, T. Terashima, M.J.Higgins, J. Phys. Soc. Jpn, Vol.**75** (2006) 074718, 1 - 9

Fermi surface of the organic superconductor $(\text{MDT-ST})(\text{I}_3)_{0.417}$ reconstructed by incommensurate potential

*T. Kawamoto, T. Mori, K. Enomoto, T. Konoike, T. Terashima, S. Uji, A. Takamori, K. Takimiya, T. Otsubo, Phys. Rev. B, Vol.**73** (2006) 024503, 1 - 5

Field- and angular-dependent resistance of λ -(BETS) $_2\text{FeCl}_4$ under pressure.

Y. J. Jo, H. Kang, *W. Kang, S. Uji, T. Terashima, T. Tanaka, M. Tokumoto, A. Kobayashi, H. Kobayashi, Phys. Rev. B, Vol.**73** (2006) 214532, 1 - 7

Field-induced SDW phase and superconductivity of $(\text{DMET})_2\text{CuCl}_2$

*H. Ito, Y. Yokochi, D. Suzuki, H. Tanaka, S. Kuroda, K. Enomoto, S. Uji, M. Umemiya, H. Miyasaka, K. Sugiura, M. Yamashita, SYNTHETIC METALS, Vol.**156** (2006) , 162 - 165

Magnetic-field-induced superconductivity discovered in organic conductors

*S. Uji, J.S.Brooks, J. Phys. Soc. Jpn, Vol.**75** (2006) 051014, 1 - 10

Magnetic- field and pressure dependence of low-temperature resistivity in UGe_2

*T. Terashima, S. Uji, K. Enomoto, T. Konoike, T. Matsumoto, N. Kimura, H. Aoki, K. Maezawa, Phys. Rev. B, Vol.**73** (2006) 140406, 1 - 6

Upper critical fields and de Haas-van Alphen oscillations in UNi_2Al_3

*T. Terashima, K. Enomoto, T. Konoike, S. Uji, N.K. Sato, H. Yamagami, Physica. B, Vol.**378-380** (2006) , 991 - 992

Vortex dynamics and the Fulde-Ferrell-Larkin-Ovchinnikov state in a magnetic-field-induced organic superconductor

*S. Uji, T. Terashima, M. Nishimura, Y. Takahide, T. Konoike, K. Enomoto, H. Cui, H. Kobayashi, A. Kobayashi, H. Tanaka, M. Tokumoto, E. S. Choi, T. Tokumoto, D. Graf, and J. S. Brooks, Phys. Rev. Lett., Vol.**97** (2006) , 157001 - 157004

Anisotropic magnetic properties of $\text{Zn}_{1-x}\text{Co}_x\text{O}$ thin films grown by pulsed laser deposition

*J. W. Lee, S. Kuroda, S. Yamada, and K. Takita, Phys. Stat. Sol. (C), Vol.**3** (2005) , 1126 - 1129

Growth and magnetic properties of novel ferromagnetic semiconductor (Zn,Cr) Te

*S. Kuroda, N. Ozaki, N. Nishizawa, T. Kumekawa, S. Marcet, K. Takita, Sci. Technol. Adv. Matt., Vol.6 (2005) , 558 - 564

Magnetic-field-induced superconductivity and phase diagrams of λ -(BETS)₂ Fe Cl_{4-x} Br_x

*S. Uji, S. Yasuzuka, M. Tokumoto, H. Tanaka, A. Kobayashi, B. Zhang, H. Kobayashi, E. S. Choi, D. Graf, and J. S. Brooks, Phys. Rev. B, Vol.72 (2005) 184505, 1 - 5

Magnetophonon resonance of tunneling hot electrons at high magnetic fields

Thomas Strutz, *T. Takamasu, H. Sakaki, N. Miura, Phys.Rev.B, Vol.75 (2006) 075208, 1 - 5

Modification of the quantum hall effect by the charge state of a nearby quantum dots layer

*K. Takehana, T. Takamasu, J.Phys.Soc.Jpn., Vol.75 (2006) 114713, 1 - 6

Nonlinear optical transitions of GaAs/AlGaAs asymmetric double-well structures

E. H. Kim, Y. H. Shin, Y. Kim, S. J. Noh, C. H. Perry, J. A. Simmons, S. A. Crooker, T. Takamasu, Appl. Phys. Lett., Vol.89 () 032114, 1 - 3

Photoluminescence of Yb³⁺-doped CuInS₂ single crystals prepared by In-flux and chemical vapor transport methods

*N. Tsujii, Y. Imanaka, T. Takamasu, H. Kitazawa, G. Kido, JOURNAL OF ALLOYS COMPOUNDS, Vol.408-412 (2006) , 791 - 795

Reduced Phonon Scattering in an Asymmetric Triple Barrier Resonant-Tunneling Diode at High Magnetic Fields

Thomas Strutz, *T. Takamasu, H. Sakaki, N. Miura, J.Phys.Soc.Jpn., Vol.75 (2006) 114702, 1 - 5

Suppression of ferromagnetism due to hole doping in Zn_{1-x}Cr_xTe grown by molecular - beam epitaxy

*N. Ozaki, I. Okabayashi, T. Kumekawa, N. Nishizawa, S. Marcet, S. Kuroda, and K. Takita, Appl. Phys. Lett., Vol.87 (2005) 192116, 1 - 3

X-ray absorption near-edge structure and valence state of Mn in (Ga, Mn)N

*A. Titov, X. Biquard, D. Halley, S. Kuroda, E. Bellet-Amalric, H. Mariette, J. Cibert, A. E. Merad, G. Merad, M. B. Kanoun, E. Kulatov, Yu. A. Uspenskii, Phys. Rev. B, Vol.72 (2005) 115209, 1 - 7

Magneto-optical study of ferromagnetic semiconductor (Zn,Cr)Te

*N. Nishizawa, S. Marcet, N. Ozaki, S. Kuroda, K. Takita, Phys. Stat. Sol. (C), Vol.3 (2006) , 4102 - 4105

Origin and control of high-temperature ferromagnetism in semiconductors

*S. Kuroda, N. Nishizawa, K. Takita, M. Mitome, Y. Bando, K. Osuch, T. Dietl, Nature Materials, Vol.6 (2007) , 440 - 446

Impurity cyclotron resonance in InGaAs/AlAs superlattice under ultra high magnetic fields

*H. Momose, H. Deguchi, H. Okai, N. Mori, S. Takeyama, Physica E, Vol.29 (2005) , 606 - 608

Impurity cyclotron resonance in InGaAs/GaAs superlattice and InGaAs/AlAs superlattice grown in GaAs substrates

*H. Momose, H. Okai, H. Deguchi, N. Mori, S. Takeyama, Physica E, Vol.32 (2006) , 309 - 312

X-ray diffraction studies in pulsed high magnetic fields

*Y. Narumi, K. Kindo, K. Katsumata, M. Kawauchi, Ch. Broennimann, U. Staub, H. Toyokawa, Y. Tanaka, A. Kikkawa, T. Yamamoto, M. Hagiwara, T. Ishikawa, and H. Kitamura, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 494 - 497

Substitution effect on the two-dimensional triangular-lattice system CuCrS_2

*N. Tsujii, H. Kitazawa, J. Phys. : Cond. Mat., Vol.**19** (2007) 145245, 1 - 6

Extraordinaire Luminescence from an Interlayer Exciton Complex in ZnSe/BeTe Quantum Structures

H. Mino, H. Ochimizu, A. Fujikawa, *K. Oto, K. Muro, R. Akimoto, and S. Takeyama, AIP Conference Proceedings, Vol. **893** (2007) , 449 - 450

Isotopes substitution effects on the spin tunneling in the molecular nonomagnet Fe_8 studied by ^{57}Fe -NMR

Y. Furukawa, Y. Hatanaka, *K. Kumagai, S-H, Baek and F. Borsa, AIP Conf. Proc. , Vol.**850** (2006) , 1147 - 1148

Metal-Insulator Transition in Single Crystal Spinel CuIr_2S_4 Studied by ^{63}Cu -NMR

*K. Kumagai, M. Sasaki, N. Yatsu, T. Wazumi, N. Matsumoto, and S. Nagata, AIP Conf. Proc. , Vol.**850** (2006) , 1450 - 1451

Microscopic Evidence for the FFLO State in CeCoIn_5 Probed by NMR

*K. Kumagai, K. Kakuyanagi, M. Saitoh, S. Takashima, M. Nohara, H. Takagi, Y. Matsuda , AIP Conf. Proc. , Vol.**850** (2006) , 721 - 722

NMR Study of the Field-Induced Quantum Critical Behavior in CeCoIn_5

M. Saitoh, K. Kakuyanagi, T. Oyaizu, Y. Furukawa, *K. Kumagai, S. Takashima, M. Nohara, H. Takagi, and Y. Matsuda , AIP Conf. Proc. , Vol.**850** (2006) , 1163 - 1164

Spin dynamics of one dimensional ferrimagnet $\text{Mn}(\text{hfac})_2\text{NITPr}$ studied by ^1H -NMR

Y. Nishisaka, Y. Furukawa, *K. Kumagai, A. Lascialfari, A. Caneschi , AIP Conf. Proc. , Vol.**850** (2006) , 1047 - 1048

Field-Induced Quantum Ordered Phases in an Anisotropic Haldane System

H. Miyazaki, T. Hiwasa, *I. Harada , J. Phys.: Conference Series, Vol.**51** (2006) , 167 - 170

^2D , $^{35/37}\text{Cl}$, $^{63/65}\text{Cu}$ -NMR Study of the Quantum Spin System NH_4CuCl_3

H. Inoue, S. Tani, S. Hosoya, T. Suzuki, *T. Goto, H. Tanaka, T. Sasaki, and N. Kobayashi , AIP Conference Proceedings LT24, Vol.**850** (2006) , 1061 - 1062

$^{63/65}\text{Cu}$ -NMR Study of the Quantum Spin System NH_4CuCl_3 Showing Magnetization Plateaus

T. Sasaki, *N. Kobayashi, S. Awaji, K. Watanabe, Journal of Physics: Conference Series, Vol.**51** (2006) , 103 - 106

Anomalous Change of Hall Coefficient in Overdoped $\text{La}_{2-x}\text{Sr}_x\text{Cu}_{1-y}\text{Zn}_y\text{O}_4$ around $x=0.2$

J. Tonishi, T. Suzuki, and *T. Goto, AIP Conference Proceedings LT24, Vol.**850** (2006) , 407 - 408

Buckling of the CuO_2 Plane in Single Crystals of La-Based High-TC Cuprates Observed by NMR

*T. Goto, M. Ueda, H. Sumikawa, T. Suzuki, M. Fujita, K. Yamada, T. Adachi, and Y. Koike, AIP Conference Proceedings LT24, Vol.**850** (2006) , 421 - 422

High Resolution Spin-Flip Raman Spectroscopy in CdZnTe/CdZnMnTe Quantum Wells at 3He Temperatures

K. Arahara, T. Koyama, *K. Oto, K. Muro, S. Takeyama, G. Karczewski, T. Wojtowicz, J. Kossut, AIP Conference Proceedings , Vol.**893** (2007) , 1181 - 1182

Cl-NMR Study on Field-Induced Magnetic Order in Quasi-One-Dimensional Antiferromagnet $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$

T. Sasaki, *N. Kobayashi, S. Awaji, K. Watanabe, Journal of Physics: Conference Series, Vol.**51** (2006) , 203 - 206

Cu-NMR study on disordered dimer system $(\text{Ti}_{1-x}\text{K}_x)\text{CuCl}_3$ with the Bose-glass ground state

T. Fujiwara, A. Oosawa, R. Tsunoda, *T. Goto, T. Suzuki, Y. Shindo, H. Tanaka, T. Sasaki, N. Kobayashi, S. Awaji, K. Watanabe, Journal of Physics: Conference Series, Vol.**51** (2006) , 199 - 202

Increase of the Sound Velocity by Magnetic Fields in $\text{La}_{2-x}\text{Sr}_x\text{CuO}_4$ around $x=0.220$

T. Suzuki, T. Ota, J. Tonishi, and *T. Goto, AIP Conference Proceedings LT24, Vol.**850** (2006) , 409 - 410

Local structure in single crystals of La-based High- T_c Cuprates

J. Tonishi, M. Ueda, T. Suzuki, A. Oosawa, *T. Goto, T. Adachi, Y. Koike, M. Fujita, K. Yamada, Journal of Physics: Conference Series, Vol.**51** (2006) , 275 - 278

Magnetic field effect on the magnetic torque and the magnetostriction in $(\text{CH}_3)_2\text{CHNH}_3\text{CuCl}_3$

T. Suzuki, T. Saito, A. Oosawa, T. Goto, T. Sasaki, S. Awaji, K. Watanabe, and *N. Kobayashi, Journal of Physics: Conference Series, Vol.**51** (2006) , 187 - 190

EPR Measurements of a Two-dimensional Spin Frustrated System, BIPNNBNO with $S=1$ and $S=1/2$

T. Kanzawa, *Y. Hosokoshi, K. Katoh, S. Nishihara, K. Inoue, H. Nojiri, J. Phys.: Conference Series, Vol.**51** (2006) , 91 - 94

Application of miniature pulsed magnets to synchrotron X-ray spectroscopy and neutron diffraction

*Y. H. Matsuda, Y. Murata, T. Inami, K. Ohwada, H. Nojiri, K. Ohoyama, N. Katoh, Y. Murakami, F. Iga, T. Takabatake, A Mitsuda, H. Wada, J. of Phys. Conference Series, Vol.**51** (2006) , 490 - 493

Vortex phase diagram in untwinned $\text{YBa}_2\text{Cu}_3\text{O}_y$ with columnar disorder

*T. Nishizaki, K. Kasuga, Y. Takahashi, S. Okayasu, N. Kobayashi, Journal of Physics: Conference Series , Vol.**51** (2006) , 267 - 270

Development and application of high field and high pressure ESR system

T. Sakurai, A. Taketani, T. Tomita, S. Okubo, *H. Ohta, H. Tanaka, Y. Uwatoko, J. Phys.; Conference Series, Vol.**51** (2006) , 565 - 568

ESR studies of quantum spin systems using the pulsed magnetic field

*H. Ohta, M. Yoshida, S. Okubo, T. Ito, H. Takagi, Y. Ajiro, J. Phys.; Conference Series, Vol.**51** (2006) , 15 - 22

X-ray magnetic circular dichroism at L edges of Er in Laves phase compounds

*I. Harada, A. Fujiwara and A. Kotani, AIP Conf. Proc. , Vol.**882** (2007) , 425 - 427

Imaging of Current Concentration in Sub-Linear Width Dependent Quantum Hall Breakdown

*K. Oto, T. Katagiri, M. Dohi, R. Yonamine, T. Ishihara, AIP Conference Proceedings , Vol.**893** (2007) , 661 - 662

Fermi surface study of organic conductors using a magneto-optical measurement under high magnetic fields

M. Kimata, *H. Ohta, K. Koyama, M. Motokawa, R. Kondo, S. Kagoshima, H. Tanaka, M. Tokumoto, H. Kobayashi, A. Kobayashi, J. Phys.: Conference Series, Vol.**51** (2006) , 359 - 362

Recent developments of high field ESR systems in Kobe

*H. Ohta, M. Tomoo, S. Okubo, T. Sakurai, M. Fujisawa, T. Tomita, M. Kimata, T. Yamamoto, M. Kawauchi, K. Kindo, J. Phys.: Conference Series, Vol.**51** (2006) , 611 - 614

Neutron Diffraction Experiments with 40T Pulsed Magnets

*K. Ohoyama, N. Katoh, H. Nojiri, Y.H. Matsuda, H. Hiraka, K. Ikeda, H.M. Shimizu, J. Phys.: Conference Series, Vol.**51** (2006) , 506 - 509

Anomalous Hall- and Magneto-Resistances on Cr-doped Ge in high magnetic fields observed up to room temperature

Y. Yamamoto, S. Itaya, K. Suga, T. Takenobu, Y. Iwasa, *M. Hagiwara, K. Kindo, H. Hori, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 115 - 118

Characteristic metamagnetic transitions in NpRhGa₅ and UPtGa₅

K. Sugiyama, H. Nakashima, T. Yamada, D. Aoki, S. Ikeda, Y. Haga, E. Yamamoto, A. Nakamura, Y. Homma, Y. Shiokawa, *K. Kindo, M. Hagiwara, and Y. Onuki, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 227 - 230

High field magnetism of the quasi one-dimensional anisotropic antiferromagnet in BaCo₂V₂O₈

S. Kimura, H. Yashiro, *M. Hagiwara, K. Okunishi, K. Kindo, Z. He, T. Taniyama M. Itoh, J. Phys: Conf. Ser. , Vol.**51** (2006) , 99 - 102

High field magnetization and multi-frequency ESR in the spin-ladder compound Na₂Fe₂(C₂O₄)₃(H₂O)₂

H. Yamaguchi, Y. Nakagawa, T. Kashiwagi, S. Kimura, Z. Honda, *K. Kindo, M. Hagiwara, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 191 - 194

High field magnetization of (Benzo-TTFVS)₂FeBr₄ and (Benzo-TTFVO)₂FeBr₄

S. Noguchi, A. Kuribayashi, T. Hiraoka, H. Fujiwara, T. Sugimoto, S. Kimura, *M. Hagiwara, K. Kindo, T. Ishida, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 331 - 334

High-field magnetization of TmB₄

S. Yoshii, T. Yamamoto, *M. Hagiwara, A. Shigekawa, S. Michimura, F. Iga, T. Takabatake, K. Kindo, J. Phys: Conf. Ser. , Vol.**51** (2006) , 59 - 62

Magnetism of ErMn₆Ge₆

K. Uhlířová, V. Sechovsk, F.R. de Boer, S. Yoshii, K. Nishikawa, *M. Hagiwara, K. Kindo, G. Venturini , J. Phys.: Conf. Ser. , Vol.**51** (2006) , 123 - 126

Magnetization and specific heat of a UIrGe single crystal in high magnetic fields

S. Yoshii, A.V. Andreev, E. Brück, J.C.P. Klaasse, K. Prokes, F.R. de Boer, *M. Hagiwara, K. Kindo, V. Sechovsk, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 151 - 154

Magnetization of a Dy₂Fe₁₄Si₃ single crystal in high magnetic fields

E. A. Tereshina, A.V. Andreev, S. Yoshii, M.D. Kuz'min, F.R. de Boer, *M. Hagiwara, K. Kindo, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 147 - 150

Multi-frequency ESR in NaCu₂O₂

T. Kashiwagi, S. Kimura, A. Bush, A. Vasiliev, A. Zheludev, *K. Kindo, M. Hagiwara, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 71 - 74

Present status and future plan of research in high magnetic fields at KYOKUGEN in Osaka University

*M. Hagiwara, S. Kimura, H. Yashiro, S. Yoshii, K. Kindo, J. Phys: Conf. Ser. , Vol.**51** (2006) , 647 - 650

Dynamical Orientation of Carbon Nanotubes by Pulsed Magnetic Fields

*S. Takeyama, S. Nakamura, K. Uchida, J.Phys. Conference Series, Vol.**51** (2006) , 446 - 449

Faraday rotation of spinel oxide under ultrahigh magnetic field

*E.Kojima, S.Miyabe, H.Mitamura, H.Ueda, Y.Ueda, H.A.Katori, H.Takagi, S.Takeyama, J.Phys. Conference Series, Vol.**51** (2006) , 51 - 54

Increase of energy transfer efficiency in the electromagnetic flux compression technique generating ultra-high magnetic field

*E. Kojima, S. Takeyama, J.Phys. Conference Series, Vol.**51** (2006) , 537 - 540

International MegaGauss Science Laboratory at the Institute for Solid State Physics, University of Tokyo

*S. Takeyama and K. Kindo, J.Phys. Conference Series, Vol.**51** (2006) , 663 - 666

Optical de Haas oscillations of charged excitons in type-II ZnSe/BeTe quantum wells

Z. Ji, Y. Enya, H. Mino, *K. Oto, K. Muro, R. Akimoto, S. Takeyama, J.Phys. Conference Series, Vol.**51** (2006) , 427 - 430

Optically injected electron gas and formation of charged excitons in typeII ZnSe/BeTe quantum wells

H. Mino, Z. Ji, A. Kano, *K. Oto, K. Muro, R. Akimoto and S. Takeyama, J.Phys. Conference Series, Vol.**51** (2006) , 399 - 402

Quest for the high-field phase of CdCr₂O₄ using an X-ray diffraction technique

*T. Inami, K. Ohwada, M. Tsubota, Y. Murata, Y. H. Matsuda, H. Nojiri , H. Ueda, Y. Murakami, J. Phys.: Conference Series, Vol.**51** (2006) , 502 - 505

Neutron scattering studies of a frustrated spinel antiferromagnet in zero and high magnetic field

*M. Matsuda, J. Phys.: Conference Series, Vol.**51** (2006) , 483 - 489

Magnetic-field effects on the charge-spin stripe order in La-214 high-T_c cuprates

*T. Adachi, K. Omori, T. Kawamata, K. Kudo, T. Sasaki, N. Kobayashi, Y. Koike, Journal of Physics: Conference Series, Vol.**51** (2006) , 55 - 58

Magnetic field-effect on static spin correlation in stripe ordered phase of La_{2-x}Ba_xCuO₄

M. Fujita, *M. Matsuda, H. Goka, T. Adachi, Y. Koike, K. Yamada , J. Phys.: Conference Series, Vol.**51** (2006) , 510 - 513

⁵¹V NMR studies on the nanoscale molecular magnet V15 at very low temperature

Y. Nishisaka, Y. Furukawa, Y. Fujiyoshi, *K. Kumagai, P. Kögerler, AIP Conf. Proc. , Vol.**850** (2006) , 1145 - 1146

Detailed fermi surface topology of the Quasi-One-Dimensional conductor (DMET)₂I₃

M. Kimata, Y. Oshima, K. Koyama, *H. Ohta, M. Motokawa, H. Nishikawa, K. Kikuchi, I. Ikemoto, J.Low.Temp.Phys., Vol.**142** (2006) , 523 - 525

ESR Measurements of KCuCl_3 under Multi Extreme Conditions

T. Sakurai, A. Taketani, S. Kimura, M. Yoshida, S. Okubo, *H. Ohta, H. Tanaka, Y. Uwatoko, J. Low. Temp. Phys., Vol.**850** (2006) , 1057 - 1058

High field ESR measurements of the organic magnet F_5PNN

M. Kodama, T. Sakurai, S. Okubo, *H. Ohta, Y. Hosokoshi, J.Low.Temp.Phys., Vol.**850** (2006) , 1027 - 1028

Highly Sensitive Detection of Pulsed Field ESR Using a Cantilever at Low Temperature

*H. Ohta, M. Kimata, S. Okubo, E. Ohmichi, T. Osada, J. Low. Temp. Phys., Vol.**850** (2006) , 1643 - 1644

Development of a multi-frequency ESR system with high sensitivity

H Yashiro, T Kashiwagi, M Horitani, F Hobo, *H Hori, M Hagiwara, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 576 - 579

Dimensional Crossover in the Vortex System of Untwinned $\text{YBa}_2\text{Cu}_3\text{O}_y$ Single Crystals with Highly Oxygen Deficiency

H. Fujita, *T. Nishizaki, K. Kasuga, N. Kobayashi, AIP Conference Proceedings LT24, Vol.**850** (2006) , 811 - 812

In- Plane Anisotropy of the Vortex Motion in $\text{YBa}_2\text{Cu}_3\text{O}_y$ Single Crystals

*T. Nishizaki, H. Fujita, K. Kasuga, N. Kobayashi, AIP Conference Proceedings , Vol.**850** (2006) , 813 - 814

Anomalous magnetic-field-hysteresis of quantum oscillations in $\kappa\text{-(BETS)}_2\text{FeBr}_4$

T. Konoike, *S. Uji, T. Terashima, M. Nishimura, T. Yamaguchi, K. Enomoto, H. Fujiwara, B. Zhang, H. Kobayashi, Journal of Low Temperature Physics, Vol.**142** (2006) , 527 - 530

Is the two dimensional organic Conductor, $\tau\text{-(EDO-S,S-DMEDT-TTF)}_2(\text{AuCl}_2)_{1+y}$ clean or dirty?

T. Nakanishi, S. Yasuzuka, M. Teramura, L. Li, T. Fujimoto, T. Sasaki, T. Konoike, T. Terashima, *S. Uji, Y. Nogami, GC. Anyfantis, GC. Papavassiliou, K. Murata, Journal of Low Temperature Physics, Vol.**142** (2006) , 247 - 252

Imaging of current distribution in GaAs/AlGaAs quantum Hall devices

*K. Oto, M. Dohi, S. Kaneko, T. Katagiri, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 387 - 390

Optical fiber system for the high resolution resonant Raman spectroscopy at 3He temperature in a high magnetic field

K Arahara, T Koyama, *K Oto, K Muro, S Takeyama, G Karczewski, T Wojtowics and J Kossut, J. Phys.: Conf. Ser. , Vol.**51** (2006) , 533 - 536

$^1\text{H-NMR}$ studies of quantum spin chain system $(\text{CH}_3)_2\text{NH}_2\text{CuCl}_3$ at very low temperature

Y Furukawa, Y. Nishisaka, *K. Kumagai, T. Asano and Y. Inagaki, J. Phys.: Conference Series, Vol.**51** (2006) 184417, 87 - 90

Cu-NMR/NQR Studies of Spin Gap in the Edge-Sharing CuO_2 Chains of $\text{Ca}_{2+x}\text{Y}_{2-x}\text{Cu}_5\text{O}_{10}$

*K. Kumagai, K. Yoshimitsu, A. Shimamura, K. Kudo, S. Kurogi, and Y. Koike , AIP Conf. Proc. , Vol.**850** (2006) , 1021 - 1022